AUTHOR INDEX VOLUME 190

A

Abe, R. *See* Nakaseko, Miyatake, Iida, Hara, Abe, Ohno, Saito, and Saito.

Accame, L. *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.

Adamko, D.J., Yost, B.L., Gleich, G.J., Fryer, A.D., and Jacoby, D.B. Ovalbumin sensitization changes the inflammatory response to subsequent parainfluenza infection: eosinophils mediate airway hyperresponsiveness, M_2 muscarinic receptor dysfunction, and antiviral effects. 1465.

Aderem, A. *See* Gold, Underhill, Morrissette, Guo, McNiven, and Aderem.

— *See* Underhill, Bassetti, Rudensky, and Aderem.

Adorini, L. *See* Del Maschio, De Luigi, Martin-Padura, Brockhaus, Bartfai, Fruscella, Adorini, Martino, Furlan, De Simoni, and Dejana.

Agace, W.W. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.

Agranoff, D., Monahan, I.M., Mangan, J.A., Butcher, P.D., and Krishna, S. *Mycobacterium tuberculosis* expresses a novel pH-dependent divalent cation transporter belonging to the Nramp family. 717.

Aifantis, I., Feinberg, J., Fehling, H.J., Di Santo, J.P., and von Boehmer, H. Early T cell receptor β gene expression is regulated by the pre-T cell receptor–CD3 complex. 141.

—, Pivniouk, V.I., Gärtner, F., Feinberg, J., Swat, W., Alt, F.W., von Boehmer, H., and Geha, R.S. Allelic exclusion of the T cell receptor β locus requires the SH2 domain–containing leukocyte protein (SLP)-76 adaptor protein. 1093.

Akira, S. *See* Hoshino, Kashiwamura, Kuribayashi, Kodama, Tsujimura, Nakanishi, Matsuyama, Takeda, and Akira.

— *See* Kaisho, Tsutsui, Tanaka, Tsujimura, Takeda, Kawai, Yoshida, Nakanishi, and Akira.

Alam, A., Cohen, L.Y., Aouad, S., and Sékaly, R.-P. Early activation of caspases during T lymphocyte stimulation results in selective substrate cleavage in nonapoptotic cells. 1879.

Albino, A.P. *See* Wesley, Albino, Tiwari, and Houghton.

Alexander, S.I. *See* Denton, Geehan, Alexander, Sayegh, and Briscoe.

Alfano, M., Schmidtmayerova, H., Amella, C.-A., Pushkarsky, T., and Bukrinsky, M. The B-oligomer of pertussis toxin deactivates CC chemokine receptor 5 and blocks entry of M-tropic HIV-1 strains. 597.

Allen, J. *See* Jacobs, Krimpenfort, Haks, Allen, Blom, Démollière, Kruisbeek, Spits, and Berns.

Allen, P.M. *See* Holdorf, Green, Levin, Denny, Straus, Link, Changelian, Allen, and Shaw.

— *See* Kersh, Kersh, and Allen.

Allen, S.E. *See* Kerksiek, Busch, Pilip, Allen, and Pamer.

Allison, J.P. *See* van Elsas, Hurwitz, and Allison.

Almeida, M.G. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.

Alt, F.W. *See* Aifantis, Pivniouk, Gärtner, Feinberg, Swat, Alt, von Boehmer, and Geha.

Amano, H. *See* Niida, Kaku, Amano, Yoshida, Kataoka, Nishikawa, Tanne, Maeda, Nishikawa, and Kodama.

Ambrose, C. *See* Mackay, Woodcock, Lawton, Ambrose, Baetscher, Schneider, Tschopp, and Browning.

Amella, C.-A. *See* Alfano, Schmidtmayerova, Amella, Pushkarsky, and Bukrinsky.

Anderson, D.M. *See* Arai, Miyamoto, Ohneda, Inada, Sudo, Brasel, Miyata, Anderson, and Suda.

Andrade, F. *See* Casciola-Rosen, Andrade, Ulanet, Wong, and Rosen.

Andrew, D.P. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.

Anichini, A., Molla, A., Mortarini, R., Tragni, G., Bersani, I., Di Nicola, M., Gianni, A.M., Pilotti, S., Dunbar, R., Cerundolo, V., and Parmiani, G. An expanded peripheral T cell population to a cytotoxic T lymphocyte (CTL)-defined, melanocyte-specific antigen in metastatic melanoma patients impacts on generation of peptide-specific CTLs but does not overcome tumor escape from immune surveillance in metastatic lesions. 651.

Ansel, K.M., McHeyzer-Williams, L.J., Ngo, V.N., McHeyzer-Williams, M.G., and Cyster, J.G. In vivo–activated CD4 T cells upregulate CXC chemokine receptor 5 and reprogram their response to lymphoid chemokines. 1123.

Anthony, A. *See* Gupta, Jiang, Anthony, and Pernis.

Anzai, N. *See* Kim, Qu, Hangoc, Cooper, Anzai, Feng, and Broxmeyer.

Aouad, S. *See* Alam, Cohen, Aouad, and Sékaly.

Arai, F., Miyamoto, T., Ohneda, O., Inada, T., Sudo, T., Brasel, K., Miyata, T., Anderson, D.M., and Suda, T. Commitment and differentiation of osteoclast precursor cells by the sequential expression of c-Fms and receptor activator of nuclear factor κB (RANK) receptors. 1741.

Armant, M., Avice, M.-N., Hermann, P., Rubio, M., Kiniwa, M., Delespesse, G., and Sarfati, M. CD47 ligation selectively downregulates human interleukin 12 production. 1175.

Arnold, L.W. *See* Tatu, Ye, Arnold, and Clarke.

Arsequell, G. *See* Haurum, Bjerring Hoier, Arsequell, Neisig, Valencia, Zeuthen, Neefjes, and Elliott.

Artis, D., Humphreys, N.E., Bancroft, A.J., Rothwell, N.J., Potten, C.S., and Grencis, R.K. Tumor necrosis factor α is a critical component of interleukin 13–mediated protective T helper cell type 2 responses during helminth infection. 953.

Arvelo, M.B. *See* Grey, Arvelo, Hasenkamp, Bach, and Ferran.

Ashe, J.M. *See* Bosselut, Zhang, Ashe, Kopacz, Samelson, and Singer.

Asseman, C., Mauze, S., Leach, M.W., Coffman, R.L., and Powrie, F. An essential role for interleukin 10 in the function of regulatory T cells that inhibit intestinal inflammation. 995.

Augugliaro, R. *See* Falco, Biassoni, Bottino, Vitale, Sivori, Augugliaro, Moretta, and Moretta.

— *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.

Austen, K.F. *See* Ochi, Hirani, Yuan, Friend, Austen, and Boyce.

Avery, N.A. *See* Wong, Bergquam, Swanson, Lee, Shiigi, Avery, Fanton, and Axthelm.

Avice, M.-N. *See* Armant, Avice, Hermann, Rubio, Kiniwa, Delespesse, and Sarfati.

Axner, O. *See* Eriksson, Leitz, Fällman, Axner, Ryan, Nakamura, and Sentman.

Axthelm, M.K. *See* Wong, Bergquam, Swanson, Lee, Shiigi, Avery, Fanton, and Axthelm.

B

Babcock, G.J., Decker, L.L., Freeman, R.B., and Thorley-Lawson, D.A. Epstein-Barr virus–infected resting memory B cells, not proliferating lymphoblasts, accumulate in the peripheral blood of immunosuppressed patients. 567.

Bach, F.H. *See* Grey, Arvelo, Hasenkamp, Bach, and Ferran.

Bachmann, M.F., Barner, M., and Kopf, M. CD2 sets quantitative thresholds in T cell activation. 1383.

Bachschmid, M. *See* Zou and Bachschmid.

Bačík, I. *See* Schust, Tortorella, Seebach, Phan, Bačík, Bennink, Yewdell, and Ploegh.

Baetscher, M. *See* Mackay, Woodcock, Lawton, Ambrose, Baetscher, Schneider, Tschopp, and Browning.

Bailey, T.S. *See* Mittler, Bailey, Klussman, Trailsmith, and Hoffmann.

Bain, G., Quong, M.W., Soloff, R.S., Hedrick, S.M., and Murre, C. Thymocyte maturation is regulated by the activity of the helix-loop-helix protein, E47. 1605.

Baker, J.E., Kang, J., Xiong, N., Chen, T., Cado, D., and Raulet, D.H. A novel element upstream of the Vγ2 gene in the murine T cell receptor γ locus cooperates with the 3′ enhancer to act as a locus control region. 669.
Balk, S.P. *See* Sonoda, Exley, Snapper, Balk, and Stein-Streilein.
Banchereau, J. *See* Bell, Chomarat, Broyles, Netto, Harb, Lebecque, Valladeau, Davoust, Palucka, and Banchereau.
Bancroft, A.J. *See* Artis, Humphreys, Bancroft, Rothwell, Potten, and Grencis.
Bánfi, B., Schrenzel, J., Nüsse, O., Lew, D.P., Ligeti, E., Krause, K.-H., and Demaurex, N. A novel H^+ conductance in eosinophils: unique characteristics and absence in chronic granulomatous disease. 183.
Bare, C. *See* Dittmer, Stoddart, Renne, Linquist-Stepps, Moreno, Bare, McCune, and Ganem.
Barish, G. *See* Hartt, Barish, Murphy, and Gao.
Barner, M. *See* Bachmann, Barner, and Kopf.
Bartfai, T. *See* Del Maschio, De Luigi, Martin-Padura, Brockhaus, Bartfai, Fruscella, Adorini, Martino, Furlan, De Simoni, and Dejana.
Basile, F.G. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
Bassetti, M. *See* Underhill, Bassetti, Rudensky, and Aderem.
Baumruker, T. *See* Prieschl, Csonga, Novotny, Kikuchi, and Baumruker.
Beach, D.H. *See* Hudson, Shoaibi, Maestro, Carnero, Hannon, and Beach.
Bedoya, F.J. *See* Hmadcha, Bedoya, Sobrino, and Pintado.
Behrens, C.K. *See* Raftery, Behrens, Müller, Krammer, Walczak, and Schönrich.
Behrens, T.W. *See* Takahashi, Cerasoli, Dal Porto, Shimoda, Freund, Fang, Telander, Malvey, Mueller, Behrens, and Kelsoe.
Bell, D., Chomarat, P., Broyles, D., Netto, G., Harb, G.M., Lebecque, S., Valladeau, J., Davoust, J., Palucka, K.A., and Banchereau, J. In breast carcinoma tissue, immature dendritic cells reside within the tumor, whereas mature dendritic cells are located in peritumoral areas. 1417.
Belland, R.J. *See* Bos, Hogan, and Belland.
Ben, L.-H. *See* Zhao, Ben, Wu, Hu, Ling, Xin, Nie, Ma, and Pei.
Bendelac, A. *See* Park, Guy-Grand, Lemonnier, Wang, Bendelac, and Jabri.
Bender, A. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.
Bender, J., Mitchell, T., Kappler, J., and Marrack, P. $CD4^+$ T cell division in irradiated mice requires peptides distinct from those responsible for thymic selection. 367.
Bennink, J.R. *See* Schust, Tortorella, Seebach, Phan, Bačík, Bennink, Yewdell, and Ploegh.
Benschop, R.J., Melamed, D., Nemazee, D., and Cambier, J.C. Distinct signal thresholds for the unique antigen receptor–linked gene expression programs in mature and immature B cells. 749.
Bergquam, E.P. *See* Wong, Bergquam, Swanson, Lee, Shiigi, Avery, Fanton, and Axthelm.
Berndt, M.C. *See* Romo, Dong, Schade, Gardiner, Kansas, Li, McIntire, Berndt, and López.
Berney, C., Herren, S., Power, C.A., Gordon, S., Martinez-Pomares, L., and Kosco-Vilbois, M.H. A member of the dendritic cell family that enters B cell follicles and stimulates primary antibody responses identified by a mannose receptor fusion protein. 851.
Berns, A. *See* Jacobs, Krimpenfort, Haks, Allen, Blom, Démollière, Kruisbeek, Spits, and Berns.
Bersani, I. *See* Anichini, Molla, Mortarini, Tragni, Bersani, Di Nicola, Gianni, Pilotti, Dunbar, Cerundolo, and Parmiani.
Betsholtz, C. *See* Johansen, Pekna, Norderhaug, Haneberg, Hietala, Krajci, Betsholtz, and Brandtzaeg.
Bevan, M.J. *See* He and Bevan.
— *See* Kirchner and Bevan.
Bharadwaj, D., Stein, M.-P., Volzer, M., Mold, C., and Du Clos, T.W. The major receptor for C-reactive protein on leukocytes is Fcγ receptor II. 585.
Biassoni, R. *See* Falco, Biassoni, Bottino, Vitale, Sivori, Augugliaro, Moretta, and Moretta.
— *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.
Biberfeld, P. *See* Djerbi, Screpanti, Catrina, Bogen, Biberfeld, and Grandien.
Billinghurst, R.C. *See* Song, Zeng, Jin, Thompson, Mizel, Lei, Billinghurst, Poole, and Wahl.
Bischoff, C. *See* Rufer, Brümmendorf, Kolvraa, Bischoff, Christensen, Wadsworth, Schulzer, and Lansdorp.
Bistrup, A. *See* Tangemann, Bistrup, Hemmerich, and Rosen.
Bjerke, T. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Bjerring Høier, I. *See* Haurum, Bjerring Høier, Arsequell, Neisig, Valencia, Zeuthen, Neefjes, and Elliott.
Blachere, N.E. *See* Bowne, Srinivasan, Wolchok, Hawkins, Blachere, Dyall, Lewis, and Houghton.
Blom, B. *See* Jacobs, Krimpenfort, Haks, Allen, Blom, Démollière, Kruisbeek, Spits, and Berns.
Bluestone, J.A. *See* Rajagopal, Sommers, Decker, Mitchell, Korthauer, Sperling, Kozak, Love, and Bluestone.
Bogen, B. *See* Djerbi, Screpanti, Catrina, Bogen, Biberfeld, and Grandien.
Bogue, M.A. *See* Wang, Bogue, Levitt, and Roth.
Bona, C.A. *See* Casares, Zong, Radu, Miller, Bona, and Brumeanu.
Boon, T. *See* Van den Eynde, Gaugler, Probst-Kepper, Michaux, Devuyst, Lorge, Weynants, and Boon.
Borkowsky, W. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Borrow, P. *See* Guidotti, Borrow, Brown, McClary, Koch, and Chisari.
Bos, M.P., Hogan, D., and Belland, R.J. Homologue scanning mutagenesis reveals CD66 receptor residues required for neisserial Opa protein binding. 331.
Bosselut, R., Zhang, W., Ashe, J.M., Kopacz, J.L., Samelson, L.E., and Singer, A. Association of the adaptor molecule LAT with CD4 and CD8 coreceptors identifies a new coreceptor function in T cell receptor signal transduction. 1517.
Bottino, C. *See* Falco, Biassoni, Bottino, Vitale, Sivori, Augugliaro, Moretta, and Moretta.
— *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.
Bottomly, K. *See* Cohn, Homer, Niu, and Bottomly.
Bowen, E.F. *See* Emery, Cope, Bowen, Gor, and Griffiths.
Bowne, W.B., Srinivasan, R., Wolchok, J.D., Hawkins, W.G., Blachere, N.E., Dyall, R., Lewis, J.J., and Houghton, A.N. Coupling and uncoupling of tumor immunity and autoimmunity. 1717.
Boyce, J.A. *See* Ochi, Hirani, Yuan, Friend, Austen, and Boyce.
Bozek, G. *See* Kim, Bozek, Lo, and Storb.
Brandtzaeg, P. *See* Johansen, Pekna, Norderhaug, Haneberg, Hietala, Krajci, Betsholtz, and Brandtzaeg.
Brard, F., Shannon, M., Prak, E.L., Litwin, S., and Weigert, M. Somatic mutation and light chain rearrangement generate autoimmunity in anti–single-stranded DNA transgenic MRL/*lpr* mice. 691.
Brasel, K. *See* Arai, Miyamoto, Ohneda, Inada, Sudo, Brasel, Miyata, Anderson, and Suda.
Brett, J. *See* Schwarz, Kandel, Brett, Li, Hayward, Schwarz, Chappey, Wautier, Chabot, Gerfo, and Stern.
Briscoe, D.M. *See* Denton, Geehan, Alexander, Sayegh, and Briscoe.
Bröcker, E.B. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.
Brocker, T. *See* Walker, Gulbranson-Judge, Flynn, Brocker, Raykundalia, Goodall, Förster, Lipp, and Lane.
Brockhaus, M. *See* Del Maschio, De Luigi, Martin-Padura, Brockhaus, Bartfai, Fruscella, Adorini, Martino, Furlan, De Simoni, and Dejana.
Brown, A. *See* Guidotti, Borrow, Brown, McClary, Koch, and Chisari.
Brown, M.H. *See* Wild, Cambiaggi, Brown, Davies, Ohno, Saito, and van der Merwe.
Browning, J.L. *See* Mackay, Woodcock, Lawton, Ambrose, Baetscher, Schneider, Tschopp, and Browning.
— *See* Wu, Wang, Wang, Hedgeman, Browning, and Fu.

Broxmeyer, H.E. *See* Kim, Qu, Hangoc, Cooper, Anzai, Feng, and Broxmeyer.
Broyles, D. *See* Bell, Chomarat, Broyles, Netto, Harb, Lebecque, Valladeau, Davoust, Palucka, and Banchereau.
Brumeanu, T.-D. *See* Casares, Zong, Radu, Miller, Bona, and Brumeanu.
Brümmendorf, T.H. *See* Rufer, Brümmendorf, Kolvraa, Bischoff, Christensen, Wadsworth, Schulzer, and Lansdorp.
Budd, R.C. *See* Kennedy, Kataoka, Tschopp, and Budd.
Bukrinsky, M. *See* Alfano, Schmidtmayerova, Amella, Pushkarsky, and Bukrinsky.
Busch, D.H. *See* Kerksiek, Busch, Pilip, Allen, and Pamer.
Butcher, E.C. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Butcher, P.D. *See* Agranoff, Monahan, Mangan, Butcher, and Krishna.
Butler, J. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.
Buttigieg, K. *See* Doyle, Buttigieg, Groves, Johnson, and Kelso.

C

Cado, D. *See* Baker, Kang, Xiong, Chen, Cado, and Raulet.
Cambiaggi, A. *See* Wild, Cambiaggi, Brown, Davies, Ohno, Saito, and van der Merwe.
Cambier, J.C. *See* Benschop, Melamed, Nemazee, and Cambier.
Campbell, J.J. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Cao, M.Y., Davidson, D., Yu, J., Latour, S., and Veillette, A. Clnk, a novel SLP-76–related adaptor molecule expressed in cytokine-stimulated hemopoietic cells. 1527.
Capron, A. *See* Woerly, Roger, Loiseau, Dombrowicz, Capron, and Capron.
Capron, M. *See* Woerly, Roger, Loiseau, Dombrowicz, Capron, and Capron.
Carnero, A. *See* Hudson, Shoaibi, Maestro, Carnero, Hannon, and Beach.
Carroll, M.C. *See* Ochsenbein, Pinschewer, Odermatt, Carroll, Hengartner, and Zinkernagel.
Carsetti, R. *See* Loder, Mutschler, Ray, Paige, Sideras, Torres, Lamers, and Carsetti.
Casares, S., Zong, C.S., Radu, D.L., Miller, A., Bona, C.A., and Brumeanu, T.-D. Antigen-specific signaling by a soluble, dimeric peptide/major histocompatibility complex class II/Fc chimera leading to T helper cell type 2 differentiation. 543.
Casciola-Rosen, L., Andrade, F., Ulanet, D., Wong, W.B., and Rosen, A. Cleavage by granzyme B is strongly predictive of autoantigen status: implications for initiation of autoimmunity. 815.
Catrina, A.I. *See* Djerbi, Screpanti, Catrina, Bogen, Biberfeld, and Grandien.
Cerasoli, D.M. *See* Takahashi, Cerasoli, Dal Porto, Shimoda, Freund, Fang, Telander, Malvey, Mueller, Behrens, and Kelsoe.
Cerny, A. *See* Kammer, van der Burg, Grabscheid, Hunziker, Kwappenberg, Reichen, Melief, and Cerny.
Cerottini, J.-C. *See* Pittet, Valmori, Dunbar, Speiser, Liénard, Lejeune, Fleischhauer, Cerundolo, Cerottini, and Romero.
— *See* Speiser, Pittet, Valmori, Dunbar, Rimoldi, Liénard, MacDonald, Cerottini, Cerundolo, and Romero.
Cerundolo, V. *See* Anichini, Molla, Mortarini, Tragni, Bersani, Di Nicola, Gianni, Pilotti, Dunbar, Cerundolo, and Parmiani.
— *See* Pittet, Valmori, Dunbar, Speiser, Liénard, Lejeune, Fleischhauer, Cerundolo, Cerottini, and Romero.
— *See* Speiser, Pittet, Valmori, Dunbar, Rimoldi, Liénard, MacDonald, Cerottini, Cerundolo, and Romero.
Chabot, J. *See* Schwarz, Kandel, Brett, Li, Hayward, Schwarz, Chappey, Wautier, Chabot, Gerfo, and Stern.
Chang, T.T., Jabs, C., Sobel, R.A., Kuchroo, V.K., and Sharpe, A.H. Studies in B7-deficient mice reveal a critical role for B7 costimulation in both induction and effector phases of experimental autoimmune encephalomyelitis. 733.
Changelian, P.S. *See* Holdorf, Green, Levin, Denny, Straus, Link, Changelian, Allen, and Shaw.
Chappey, O. *See* Schwarz, Kandel, Brett, Li, Hayward, Schwarz, Chappey, Wautier, Chabot, Gerfo, and Stern.
Charbonnier, A.-S., Kohrgruber, N., Kriehuber, E., Stingl, G., Rot, A., and Maurer, D. Macrophage inflammatory protein 3α is involved in the constitutive trafficking of epidermal Langerhans cells. 1755.
Chen, Q. *See* Fernandez, Hommel, Chen, Hagblom, and Wahlgren.
Chen, T. *See* Baker, Kang, Xiong, Chen, Cado, and Raulet.
Cheng, P.C., Dykstra, M.L., Mitchell, R.N., and Pierce, S.K. A role for lipid rafts in B cell antigen receptor signaling and antigen targeting. 1549.
Chernajovsky, Y. *See* Rabinovich, Daly, Dreja, Tailor, Riera, Hirabayashi, and Chernajovsky.
Chiba, T. *See* Watanabe, Nisitani, Ikuta, Suzuki, Chiba, and Honjo.
Chicheportiche, Y. *See* Fossati-Jimack, Reininger, Chicheportiche, Clynes, Ravetch, Honjo, and Izui.
Chien, Y.-h. *See* Yao, Mecsas, Healy, Falkow, and Chien.
Chinzei, Y. *See* Yuda, Sakaida, and Chinzei.
Chiodoni, C., Paglia, P., Stoppacciaro, A., Rodolfo, M., Parenza, M., and Colombo, M.P. Dendritic cells infiltrating tumors cotransduced with granulocyte/macrophage colony-stimulating factor (GM-CSF) and CD40 ligand genes take up and present endogenous tumor-associated antigens, and prime naive mice for a cytotoxic T lymphocyte response. 125.
Chisari, F.V. *See* Guidotti, Borrow, Brown, McClary, Koch, and Chisari.
— *See* Lauvau, Kakimi, Niedermann, Ostankovitch, Yotnda, Firat, Chisari, and van Endert.
Chiu, N.M., Chun, T., Fay, M., Mandal, M., and Wang, C.-R. The majority of H2-M3 is retained intracellularly in a peptide-receptive state and traffics to the cell surface in the presence of *N*-formylated peptides. 423.
—, **Wang, B., Kerksiek, K.M., Kurlander, R., Pamer, E.G., and Wang, C.-R.** The selection of M3-restricted T cells is dependent on M3 expression and presentation of *N*-formylated peptides in the thymus. 1869.
Chomarat, P. *See* Bell, Chomarat, Broyles, Netto, Harb, Lebecque, Valladeau, Davoust, Palucka, and Banchereau.
Choudhri, T.F., Hoh, B.L., Prestigiacomo, C.J., Huang, J., Kim, L.J., Schmidt, A.M., Kisiel, W., Connolly, E.S., Jr., and Pinsky, D.J. Targeted inhibition of intrinsic coagulation limits cerebral injury in stroke without increasing intracerebral hemorrhage. 91.
Christensen, K. *See* Rufer, Brümmendorf, Kolvraa, Bischoff, Christensen, Wadsworth, Schulzer, and Lansdorp.
Chun, T. *See* Chiu, Chun, Fay, Mandal, and Wang.
Clarke, S.H. *See* Tatu, Ye, Arnold, and Clarke.
Clynes, R. *See* Fossati-Jimack, Reininger, Chicheportiche, Clynes, Ravetch, Honjo, and Izui.
Coffman, R.L. *See* Asseman, Mauze, Leach, Coffman, and Powrie.
Cohen, L.Y. *See* Alam, Cohen, Aouad, and Sékaly.
Cohn, L., Homer, R.J., Niu, N., and Bottomly, K. T helper 1 cells and interferon γ regulate allergic airway inflammation and mucus production. 1309.
Coleman, A. *See* Diaw, Siwarski, Coleman, Kim, Jones, Dighiero, and Huppi.
Coles, M. *See* Kang, Coles, and Raulet.
Colombo, M.P. *See* Chiodoni, Paglia, Stoppacciaro, Rodolfo, Parenza, and Colombo.
Connolly, E.S., Jr. *See* Choudhri, Hoh, Prestigiacomo, Huang, Kim, Schmidt, Kisiel, Connolly, and Pinsky.
Cooke, A. *See* Fossati, Cooke, Papafio, Haskins, and Stockinger.
Cooper, S. *See* Kim, Qu, Hangoc, Cooper, Anzai, Feng, and Broxmeyer.
Cope, A.V. *See* Emery, Cope, Bowen, Gor, and Griffiths.
Corazza, N., Eichenberger, S., Eugster, H.-P., and Mueller, C. Nonlymphocyte-derived tumor necrosis factor is required for induction of colitis in recombination activating gene (RAG)2$^{-/-}$ mice upon transfer of CD4^{+}CD45RB^{hi} T cells. 1479.
Cordon-Cardo, C., and Prives, C. At the crossroads of inflammation and tumorigenesis. 1367.
Coxon, A., Tang, T., and Mayadas, T.N. Cytokine-activated endothelial cells delay neutrophil apoptosis in vitro and in vivo: a role for granulocyte/macrophage colony-stimulating factor. 923.

Coyle, A.J., Lloyd, C., Tian, J., Nguyen, T., Erikkson, C., Wang, L., Ottoson, P., Persson, P., Delaney, T., Lehar, S., Lin, S., Poisson, L., Meisel, C., Kamradt, T., Bjerke, T., Levinson, D., and Gutierrez-Ramos, J.C. Crucial role of the interleukin 1 receptor family member T1/ST2 in T helper cell type 2–mediated lung mucosal immune responses. 895.

Cretney, E., Degli-Esposti, M.A., Densley, E.H., Farrell, H.E., Davis-Poynter, N.J., and Smyth, M.J. m144, a murine cytomegalovirus (MCMV)-encoded major histocompatibility complex class I homologue, confers tumor resistance to natural killer cell–mediated rejection. 435.

Crnkovic-Mertens, I. *See* Krmpotic, Messerle, Crnkovic-Mertens, Polic, Jonjic, and Koszinowski.

Croce, K. *See* Yang, Hirata, Croce, Merrill-Skoloff, Tchernychev, Williams, Flaumenhaft, Furie, and Furie.

Csonga, R. *See* Prieschl, Csonga, Novotny, Kikuchi, and Baumruker.

Cui, J., Watanabe, N., Kawano, T., Yamashita, M., Kamata, T., Shimizu, C., Kimura, M., Shimizu, E., Koike, J., Koseki, H., Tanaka, Y., Taniguchi, M., and Nakayama, T. Inhibition of T helper cell type 2 cell differentiation and immunoglobulin E response by ligand-activated Vα14 natural killer T cells. 783.

Cumano, A. *See* Godin, Garcia-Porrero, Dieterlen-Lièvre, and Cumano.

Cyster, J.G. *See* Ansel, McHeyzer-Williams, Ngo, McHeyzer-Williams, and Cyster.

D

da Cruz, L.A.G. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.

Dal Porto, J.M. *See* Takahashi, Cerasoli, Dal Porto, Shimoda, Freund, Fang, Telander, Malvey, Mueller, Behrens, and Kelsoe.

Daly, G. *See* Rabinovich, Daly, Dreja, Tailor, Riera, Hirabayashi, and Chernajovsky.

Das, G., and Janeway, C.A., Jr. Development of CD8α/α and CD8α/β T cells in major histocompatibility complex class I–deficient mice. 881.

Davidson, D. *See* Cao, Davidson, Yu, Latour, and Veillette.

Davies, E.A. *See* Wild, Cambiaggi, Brown, Davies, Ohno, Saito, and van der Merwe.

Davis-Poynter, N.J. *See* Cretney, Degli-Esposti, Densley, Farrell, Davis-Poynter, and Smyth.

Davoust, J. *See* Bell, Chomarat, Broyles, Netto, Harb, Lebecque, Valladeau, Davoust, Palucka, and Banchereau.

Decker, D.C. *See* Rajagopal, Sommers, Decker, Mitchell, Korthauer, Sperling, Kozak, Love, and Bluestone.

Decker, L.L. *See* Babcock, Decker, Freeman, and Thorley-Lawson.

Degermann, S., Sollami, G., and Karjalainen, K. Impaired NK1.1 T cell development in mice transgenic for a T cell receptor β chain lacking the large, solvent-exposed Cβ FG loop. 1357.

Degli-Esposti, M.A. *See* Cretney, Degli-Esposti, Densley, Farrell, Davis-Poynter, and Smyth.

Dejana, E. *See* Del Maschio, De Luigi, Martin-Padura, Brockhaus, Bartfai, Fruscella, Adorini, Martino, Furlan, De Simoni, and Dejana.

de Jong, J. *See* Medema, de Jong, van Hall, Melief, and Offringa.

de Koning, J.P. *See* Ward, van Aesch, Gits, Schelen, de Koning, van Leeuwen, Freedman, and Touw.

Delaney, T. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.

Delespesse, G. *See* Armant, Avice, Hermann, Rubio, Kiniwa, Delespesse, and Sarfati.

Del Maschio, A., De Luigi, A., Martin-Padura, I., Brockhaus, M., Bartfai, T., Fruscella, P., Adorini, L., Martino, G., Furlan, R., De Simoni, M.G., and Dejana, E. Leukocyte recruitment in the cerebrospinal fluid of mice with experimental meningitis is inhibited by an antibody to junctional adhesion molecule (JAM). 1351.

De Luigi, A. *See* Del Maschio, De Luigi, Martin-Padura, Brockhaus, Bartfai, Fruscella, Adorini, Martino, Furlan, De Simoni, and Dejana.

Demaurex, N. *See* Bánfi, Schrenzel, Nüsse, Lew, Ligeti, Krause, and Demaurex.

Démollière, C. *See* Jacobs, Krimpenfort, Haks, Allen, Blom, Démollière, Kruisbeek, Spits, and Berns.

Denny, M.F. *See* Holdorf, Green, Levin, Denny, Straus, Link, Changelian, Allen, and Shaw.

Densley, E.H. *See* Cretney, Degli-Esposti, Densley, Farrell, Davis-Poynter, and Smyth.

Denton, M.D., Geehan, C.S., Alexander, S.I., Sayegh, M.H., and Briscoe, D.M. Endothelial cells modify the costimulatory capacity of transmigrating leukocytes and promote CD28-mediated $CD4^+$ T cell alloactivation. 555.

Desai, N. *See* Mordue, Desai, Dustin, and Sibley.

De Simoni, M.G. *See* Del Maschio, De Luigi, Martin-Padura, Brockhaus, Bartfai, Fruscella, Adorini, Martino, Furlan, De Simoni, and Dejana.

Detmers, P.A. *See* Vasselon, Hailman, Thieringer, and Detmers.

Devuyst, O. *See* Van den Eynde, Gaugler, Probst-Kepper, Michaux, Devuyst, Lorge, Weynants, and Boon.

Diaw, L., Siwarski, D., Coleman, A., Kim, J., Jones, G.M., Dighiero, G., and Huppi, K. Restricted immunoglobulin variable region (Ig V) gene expression accompanies secondary rearrangements of light chain Ig V genes in mouse plasmacytomas. 1405.

Dieckmann, D. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.

Dieterlen-Lièvre, F. *See* Godin, Garcia-Porrero, Dieterlen-Lièvre, and Cumano.

Dighiero, G. *See* Diaw, Siwarski, Coleman, Kim, Jones, Dighiero, and Huppi.

Di Nicola, M. *See* Anichini, Molla, Mortarini, Tragni, Bersani, Di Nicola, Gianni, Pilotti, Dunbar, Cerundolo, and Parmiani.

Di Santo, J.P. *See* Aifantis, Feinberg, Fehling, Di Santo, and von Boehmer.

Dittmer, D., Stoddart, C., Renne, R., Linquist-Stepps, V., Moreno, M.E., Bare, C., McCune, J.M., and Ganem, D. Experimental transmission of Kaposi's sarcoma–associated herpesvirus (KSHV/HHV-8) to SCID-hu Thy/Liv mice. 1857.

Djerbi, M., Screpanti, V., Catrina, A.I., Bogen, B., Biberfeld, P., and Grandien, A. The inhibitor of death receptor signaling, FLICE-inhibitory protein defines a new class of tumor progression factors. 1025.

Dombrowicz, D. *See* Woerly, Roger, Loiseau, Dombrowicz, Capron, and Capron.

Dong, J.-F. *See* Romo, Dong, Schade, Gardiner, Kansas, Li, McIntire, Berndt, and López.

dos Santos, A.O. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.

Dougherty, J.P. *See* Peltz and Dougherty.

Doyle, A.G., Buttigieg, K., Groves, P., Johnson, B.J., and Kelso, A. The activated type 1–polarized $CD8^+$ T cell population isolated from an effector site contains cells with flexible cytokine profiles. 1081.

Dreja, H. *See* Rabinovich, Daly, Dreja, Tailor, Riera, Hirabayashi, and Chernajovsky.

Du Clos, T.W. *See* Bharadwaj, Stein, Volzer, Mold, and Du Clos.

Dunbar, P.R. *See* Pittet, Valmori, Dunbar, Speiser, Liénard, Lejeune, Fleischhauer, Cerundolo, Cerottini, and Romero.

Dunbar, R. *See* Anichini, Molla, Mortarini, Tragni, Bersani, Di Nicola, Gianni, Pilotti, Dunbar, Cerundolo, and Parmiani.

— *See* Speiser, Pittet, Valmori, Dunbar, Rimoldi, Liénard, MacDonald, Cerottini, Cerundolo, and Romero.

Dustin, M. *See* Mordue, Desai, Dustin, and Sibley.

Düx, F. *See* Lorenzen, Düx, Wölk, Tsirpouchtsidis, Haas, and Meyer.

Dyall, R., and Nikolić-Žugić, J. The final maturation of at least some single-positive $CD4^{hi}$ thymocytes does not require T cell receptor–major histocompatibility complex contact. 757.

— *See* Bowne, Srinivasan, Wolchok, Hawkins, Blachere, Dyall, Lewis, and Houghton.

Dykstra, M.L. *See* Cheng, Dykstra, Mitchell, and Pierce.

E

Eaton, S.M. *See* Haynes, Linton, Eaton, Tonkonogy, and Swain.

Ebert, E.C. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Edelmann, W. *See* Schrader, Edelmann, Kucherlapati, and Stavnezer.
Eichenberger, S. *See* Corazza, Eichenberger, Eugster, and Mueller.
Elkon, K.B. Caspases: multifunctional proteases. 1725.
Elliott, T. *See* Haurum, Bjerring Høier, Arsequell, Neisig, Valencia, Zeuthen, Neefjes, and Elliott.
Emery, V.C., Cope, A.V., Bowen, E.F., Gor, D., and Griffiths, P.D. The dynamics of human cytomegalovirus replication in vivo. 177.
Enk, A. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.
Erikkson, C. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Eriksson, M., Leitz, G., Fällman, E., Axner, O., Ryan, J.C., Nakamura, M.C., and Sentman, C.L. Inhibitory receptors alter natural killer cell interactions with target cells yet allow simultaneous killing of susceptible targets.[o] 1005.
Ernst, W.A. *See* Naidenko, Maher, Ernst, Sakai, Modlin, and Kronenberg.
Estess, P., Nandi, A., Mohamadzadeh, M., and Siegelman, M.H. Interleukin 15 induces endothelial hyaluronan expression in vitro and promotes activated T cell extravasation through a CD44-dependent pathway in vivo. 9.
Eugster, H.-P. *See* Corazza, Eichenberger, Eugster, and Mueller.
Exley, M. *See* Sonoda, Exley, Snapper, Balk, and Stein-Streilein.

F

Falco, M., Biassoni, R., Bottino, C., Vitale, M., Sivori, S., Augugliaro, R., Moretta, L., and Moretta, A. Identification and molecular cloning of p75/AIRM1, a novel member of the sialoadhesin family that functions as an inhibitory receptor in human natural killer cells. 793.
Falcone, M., Yeung, B., Tucker, L., Rodriguez, E., and Sarvetnick, N. A defect in interleukin 12–induced activation and interferon γ secretion of peripheral natural killer T cells in nonobese diabetic mice suggests new pathogenic mechanisms for insulin-dependent diabetes mellitus. 963.
Falkow, S. *See* Yao, Mecsas, Healy, Falkow, and Chien.
Fällman, E. *See* Eriksson, Leitz, Fällman, Axner, Ryan, Nakamura, and Sentman.
Fan, Q.R., and Wiley, D.C. Structure of human histocompatibility leukocyte antigen (HLA)-Cw4, a ligand for the KIR2D natural killer cell inhibitory receptor. 113.
Fang, W. *See* Takahashi, Cerasoli, Dal Porto, Shimoda, Freund, Fang, Telander, Malvey, Mueller, Behrens, and Kelsoe.
Fanger, N.A., Maliszewski, C.R., Schooley, K., and Griffith, T.S. Human dendritic cells mediate cellular apoptosis via tumor necrosis factor–related apoptosis-inducing ligand (TRAIL). 1155.
Fanton, J.W. *See* Wong, Bergquam, Swanson, Lee, Shiigi, Avery, Fanton, and Axthelm.
Farber, J. *See* Sommers, Rabin, Grinberg, Tsay, Farber, and Love.
Farrell, H.E. *See* Cretney, Degli-Esposti, Densley, Farrell, Davis-Poynter, and Smyth.
Fay, M. *See* Chiu, Chun, Fay, Mandal, and Wang.
Fehling, H.J. *See* Aifantis, Feinberg, Fehling, Di Santo, and von Boehmer.
Feinberg, J. *See* Aifantis, Feinberg, Fehling, Di Santo, and von Boehmer.
— *See* Aifantis, Pivniouk, Gärtner, Feinberg, Swat, Alt, von Boehmer, and Geha.
Feng, G.-S. *See* Kim, Qu, Hangoc, Cooper, Anzai, Feng, and Broxmeyer.
Fernandez, V., Hommel, M., Chen, Q., Hagblom, P., and Wahlgren, M. Small, clonally variant antigens expressed on the surface of the *Plasmodium falciparum*–infected erythrocyte are encoded by the *rif* gene family and are the target of human immune responses. 1393.
Ferran, C. *See* Grey, Arvelo, Hasenkamp, Bach, and Ferran.
Ferrara, J.L.M. *See* Rebel, Hartnett, Hill, Lazo-Kallanian, Ferrara, and Sieff.
Ferrone, S. *See* Wang, Marincola, Rivoltini, Parmiani, and Ferrone.
Finnemann, S.C., and Rodriguez-Boulan, E. Macrophage and retinal pigment epithelium phagocytosis: apoptotic cells and photoreceptors compete for αvβ3 and αvβ5 integrins, and protein kinase C regulates αvβ5 binding and cytoskeletal linkage. 861.
Firat, H. *See* Lauvau, Kakimi, Niedermann, Ostankovitch, Yotnda, Firat, Chisari, and van Endert.
Flaumenhaft, R. *See* Yang, Hirata, Croce, Merrill-Skoloff, Tchernychev, Williams, Flaumenhaft, Furie, and Furie.
Fleischhauer, K. *See* Pittet, Valmori, Dunbar, Speiser, Liénard, Lejeune, Fleischhauer, Cerundolo, Cerottini, and Romero.
Flynn, S. *See* Walker, Gulbranson-Judge, Flynn, Brocker, Raykundalia, Goodall, Förster, Lipp, and Lane.
Förster, R. *See* Walker, Gulbranson-Judge, Flynn, Brocker, Raykundalia, Goodall, Förster, Lipp, and Lane.
Fossati, G., Cooke, A., Papafio, R.Q., Haskins, K., and Stockinger, B. Triggering a second T cell receptor on diabetogenic T cells can prevent induction of diabetes. 577.
Fossati-Jimack, L., Reininger, L., Chicheportiche, Y., Clynes, R., Ravetch, J.V., Honjo, T., and Izui, S. High pathogenic potential of low-affinity autoantibodies in experimental autoimmune hemolytic anemia. 1689.
Freedman, B.D., Liu, Q.-H., Somersan, S., Kotlikoff, M.I., and Punt, J.A. Receptor avidity and costimulation specify the intracellular Ca^{2+} signaling pattern in $CD4^+CD8^+$ thymocytes. 943.
Freedman, M.H. *See* Ward, van Aesch, Gits, Schelen, de Koning, van Leeuwen, Freedman, and Touw.
Freeman, R.B. *See* Babcock, Decker, Freeman, and Thorley-Lawson.
French, L.E., and Tschopp, J. Inhibition of death receptor signaling by FLICE-inhibitory protein as a mechanism for immune escape of tumors. 891.
Freund, R. *See* Takahashi, Cerasoli, Dal Porto, Shimoda, Freund, Fang, Telander, Malvey, Mueller, Behrens, and Kelsoe.
Friedman, H.M. *See* Lubinski, Wang, Mastellos, Sahu, Lambris, and Friedman.
Friedrich, C. *See* Nichogiannopoulou, Trevisan, Neben, Friedrich, and Georgopoulos.
Friend, D.S. *See* Ochi, Hirani, Yuan, Friend, Austen, and Boyce.
Fruscella, P. *See* Del Maschio, De Luigi, Martin-Padura, Brockhaus, Bartfai, Fruscella, Adorini, Martino, Furlan, De Simoni, and Dejana.
Fryer, A.D. *See* Adamko, Yost, Gleich, Fryer, and Jacoby.
Fu, Y.-X. *See* Wu, Wang, Wang, Hedgeman, Browning, and Fu.
Fujimoto, S. *See* Ikawa, Kawamoto, Fujimoto, and Katsura.
Fukumoto, J. *See* Gabriele, Phung, Fukumoto, Segal, Wang, Giannakakou, Giese, Ozato, and Morse.
Furie, B. *See* Yang, Hirata, Croce, Merrill-Skoloff, Tchernychev, Williams, Flaumenhaft, Furie, and Furie.
Furie, B.C. *See* Yang, Hirata, Croce, Merrill-Skoloff, Tchernychev, Williams, Flaumenhaft, Furie, and Furie.
Furlan, R. *See* Del Maschio, De Luigi, Martin-Padura, Brockhaus, Bartfai, Fruscella, Adorini, Martino, Furlan, De Simoni, and Dejana.

G

Gabaglia, C.R. *See* Wang, Wang-Zhu, Gabaglia, Kimachi, and Grey.
Gabriele, L., Phung, J., Fukumoto, J., Segal, D., Wang, I-M., Giannakakou, P., Giese, N.A., Ozato, K., and Morse, H.C., III. Regulation of apoptosis in myeloid cells by interferon consensus sequence–binding protein. 411. Correction. 1723.
Gadue, P., Morton, N., and Stein, P.L. The Src family tyrosine kinase Fyn regulates natural killer T cell development. 1189.
Ganem, D. *See* Dittmer, Stoddart, Renne, Linquist-Stepps, Moreno, Bare, McCune, and Ganem.
Gao, J.-L. *See* Hartt, Barish, Murphy, and Gao.
Gao, W. *See* Saavedra, Herrera, Gao, Uemura, and Pereira.
García, E. *See* Llull, Muñoz, López, and García.
Garcia-Porrero, J.A. *See* Godin, Garcia-Porrero, Dieterlen-Lièvre, and Cumano.

[o] The online version of this article contains supplemental material.

Gardiner, E.E. *See* Romo, Dong, Schade, Gardiner, Kansas, Li, McIntire, Berndt, and López.
Gärtner, F. *See* Aifantis, Pivniouk, Gärtner, Feinberg, Swat, Alt, von Boehmer, and Geha.
Gaugler, B. *See* Van den Eynde, Gaugler, Probst-Kepper, Michaux, Devuyst, Lorge, Weynants, and Boon.
Geehan, C.S. *See* Denton, Geehan, Alexander, Sayegh, and Briscoe.
Geha, R.S. *See* Aifantis, Pivniouk, Gärtner, Feinberg, Swat, Alt, von Boehmer, and Geha.
Geng, J. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
Georganas, C. *See* Perlman, Pagliari, Georganas, Mano, Walsh, and Pope.
Georgopoulos, K. *See* Nichogiannopoulou, Trevisan, Neben, Friedrich, and Georgopoulos.
— *See* Winandy, Wu, Wang, and Georgopoulos.
Gerfo, P.L. *See* Schwarz, Kandel, Brett, Li, Hayward, Schwarz, Chappey, Wautier, Chabot, Gerfo, and Stern.
Giannakakou, P. *See* Gabriele, Phung, Fukumoto, Segal, Wang, Giannakakou, Giese, Ozato, and Morse.
Gianni, A.M. *See* Anichini, Molla, Mortarini, Tragni, Bersani, Di Nicola, Gianni, Pilotti, Dunbar, Cerundolo, and Parmiani.
Giese, N.A. *See* Gabriele, Phung, Fukumoto, Segal, Wang, Giannakakou, Giese, Ozato, and Morse.
Gimeno, R. *See* Lee, Gimeno, and Levy.
Gits, J. *See* Ward, van Aesch, Gits, Schelen, de Koning, van Leeuwen, Freedman, and Touw.
Gleich, G.J. *See* Adamko, Yost, Gleich, Fryer, and Jacoby.
Godin, I., Garcia-Porrero, J.A., Dieterlen-Lièvre, F., and Cumano, A. Stem cell emergence and hemopoietic activity are incompatible in mouse intraembryonic sites. 43.
Gold, E.S., Underhill, D.M., Morrissette, N.S., Guo, J., McNiven, M.A., and Aderem, A. Dynamin 2 is required for phagocytosis in macrophages. 1849.
Goodall, M. *See* Walker, Gulbranson-Judge, Flynn, Brocker, Raykundalia, Goodall, Förster, Lipp, and Lane.
Gor, D. *See* Emery, Cope, Bowen, Gor, and Griffiths.
Gordon, S. *See* Berney, Herren, Power, Gordon, Martinez-Pomares, and Kosco-Vilbois.
Gough, L., Schulz, O., Sewell, H.F., and Shakib, F. The cysteine protease activity of the major dust mite allergen Der p 1 selectively enhances the immunoglobulin E antibody response. 1897.
Grabscheid, B. *See* Kammer, van der Burg, Grabscheid, Hunziker, Kwappenberg, Reichen, Melief, and Cerny.
Grandien, A. *See* Djerbi, Screpanti, Catrina, Bogen, Biberfeld, and Grandien.
Green, J.M. *See* Holdorf, Green, Levin, Denny, Straus, Link, Changelian, Allen, and Shaw.
Grencis, R.K. *See* Artis, Humphreys, Bancroft, Rothwell, Potten, and Grencis.
Grey, H.M. *See* Wang, Wang-Zhu, Gabaglia, Kimachi, and Grey.
Grey, S.T., Arvelo, M.B., Hasenkamp, W., Bach, F.H., and Ferran, C. A20 inhibits cytokine-induced apoptosis and nuclear factor κB–dependent gene activation in islets. 1135.
Griffith, T.S. *See* Fanger, Maliszewski, Schooley, and Griffith.
Griffiths, P.D. *See* Emery, Cope, Bowen, Gor, and Griffiths.
Grinberg, A. *See* Sommers, Rabin, Grinberg, Tsay, Farber, and Love.
Grinstein, S. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.
Griselli, M., Herbert, J., Hutchinson, W.L., Taylor, K.M., Sohail, M., Krausz, T., and Pepys, M.B. C-reactive protein and complement are important mediators of tissue damage in acute myocardial infarction. 1733.
Groves, P. *See* Doyle, Buttigieg, Groves, Johnson, and Kelso.
Guidotti, L.G., Borrow, P., Brown, A., McClary, H., Koch, R., and Chisari, F.V. Noncytopathic clearance of lymphocytic choriomeningitis virus from the hepatocyte [189(10):1555]: Correction. 299.
Gulbranson-Judge, A. *See* Walker, Gulbranson-Judge, Flynn, Brocker, Raykundalia, Goodall, Förster, Lipp, and Lane.
Guo, J. *See* Gold, Underhill, Morrissette, Guo, McNiven, and Aderem.
Gupta, S., Jiang, M., Anthony, A., and Pernis, A.B. Lineage-specific modulation of interleukin 4 signaling by interferon regulatory factor 4. 1837.
Gutierrez-Ramos, J.C. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Guy-Grand, D. *See* Park, Guy-Grand, Lemonnier, Wang, Bendelac, and Jabri.

H

Haanen, J.B.A.G., Wolkers, M.C., Kruisbeek, A.M., and Schumacher, T.N.M. Selective expansion of cross-reactive $CD8^+$ memory T cells by viral variants. 1319.
Haas, G. *See* Lorenzen, Düx, Wölk, Tsirpouchtsidis, Haas, and Meyer.
Habu, S. *See* Nishimura, Iwakabe, Sekimoto, Ohmi, Yahata, Nakui, Sato, Habu, Tashiro, Sato, and Ohta.
Haendle, I. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.
Hagblom, P. *See* Fernandez, Hommel, Chen, Hagblom, and Wahlgren.
Hailman, E. *See* Vasselon, Hailman, Thieringer, and Detmers.
Haks, M. *See* Jacobs, Krimpenfort, Haks, Allen, Blom, Démollière, Kruisbeek, Spits, and Berns.
Haneberg, B. *See* Johansen, Pekna, Norderhaug, Haneberg, Hietala, Krajci, Betsholtz, and Brandtzaeg.
Hangoc, G. *See* Kim, Qu, Hangoc, Cooper, Anzai, Feng, and Broxmeyer.
Hannon, G.J. *See* Hudson, Shoaibi, Maestro, Carnero, Hannon, and Beach.
Hara, S. *See* Nakaseko, Miyatake, Iida, Hara, Abe, Ohno, Saito, and Saito.
Harb, G.M. *See* Bell, Chomarat, Broyles, Netto, Harb, Lebecque, Valladeau, Davoust, Palucka, and Banchereau.
Hardwick, J.M. *See* Srivastava, Sasaki, Hardwick, and Longo.
Harris, J.M. *See* Poulin, Viswanathan, Harris, Komanduri, Wieder, Ringuette, Jenkins, McCune, and Sékaly.
Hartnett, S. *See* Rebel, Hartnett, Hill, Lazo-Kallanian, Ferrara, and Sieff.
Hartt, J.K., Barish, G., Murphy, P.M., and Gao, J.-L. *N*-formyl-peptides induce two distinct concentration optima for mouse neutrophil chemotaxis by differential interaction with two *N*-formyl-peptide receptor (FPR) subtypes: molecular characterization of FPR2, a second mouse neutrophil FPR. 741.
Hasenkamp, W. *See* Grey, Arvelo, Hasenkamp, Bach, and Ferran.
Haskins, K. *See* Fossati, Cooke, Papafio, Haskins, and Stockinger.
Haurum, J.S., Bjerring Høier, I., Arsequell, G., Neisig, A., Valencia, G., Zeuthen, J., Neefjes, J., and Elliott, T. Presentation of cytosolic glycosylated peptides by human class I major histocompatibility complex molecules in vivo. 145.
Havlir, D.V. *See* Little, McLean, Spina, Richman, and Havlir.
Hawkins, W.G. *See* Bowne, Srinivasan, Wolchok, Hawkins, Blachere, Dyall, Lewis, and Houghton.
Haynes, L., Linton, P.-J., Eaton, S.M., Tonkonogy, S.L., and Swain, S.L. Interleukin 2, but not other common γ chain–binding cytokines, can reverse the defect in generation of CD4 effector T cells from naive T cells of aged mice. 1013.
Hayward, J. *See* Schwarz, Kandel, Brett, Li, Hayward, Schwarz, Chappey, Wautier, Chabot, Gerfo, and Stern.
He, S. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
He, Y. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
He, Y.-W., and Bevan, M.J. High level expression of CD43 inhibits T cell receptor/CD3-mediated apoptosis. 1903.
Healy, J.I. *See* Yao, Mecsas, Healy, Falkow, and Chien.
Heath, H.M. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Hedgeman, E.O. *See* Wu, Wang, Wang, Hedgeman, Browning, and Fu.
Hedrick, J.A. *See* Vassileva, Soto, Zlotnik, Nakano, Kakiuchi, Hedrick, and Lira.
Hedrick, S.M. *See* Bain, Quong, Soloff, Hedrick, and Murre.

Hemmerich, S. *See* Tangemann, Bistrup, Hemmerich, and Rosen.
Hengartner, H. *See* Ochsenbein, Pinschewer, Odermatt, Carroll, Hengartner, and Zinkernagel.
Herbert, J. *See* Griselli, Herbert, Hutchinson, Taylor, Sohail, Krausz, and Pepys.
Hermann, P. *See* Armant, Avice, Hermann, Rubio, Kiniwa, Delespesse, and Sarfati.
Herren, S. *See* Berney, Herren, Power, Gordon, Martinez-Pomares, and Kosco-Vilbois.
Herrera, M. *See* Saavedra, Herrera, Gao, Uemura, and Pereira.
Herrera-Velit, P. *See* Hmama, Nandan, Sly, Knutson, Herrera-Velit, and Reiner.
Hietala, M.A. *See* Johansen, Pekna, Norderhaug, Haneberg, Hietala, Krajci, Betsholtz, and Brandtzaeg.
Hill, G.R. *See* Rebel, Hartnett, Hill, Lazo-Kallanian, Ferrara, and Sieff.
Hirabayashi, J. *See* Rabinovich, Daly, Dreja, Tailor, Riera, Hirabayashi, and Chernajovsky.
Hirani, W.M. *See* Ochi, Hirani, Yuan, Friend, Austen, and Boyce.
Hirata, T. *See* Yang, Hirata, Croce, Merrill-Skoloff, Tchernychev, Williams, Flaumenhaft, Furie, and Furie.
Hisert, K.B. *See* Lee, Li, Hisert, and Ivashkiv.
Hmadcha, A., Bedoya, F.J., Sobrino, F., and Pintado, E. Methylation-dependent gene silencing induced by interleukin 1β via nitric oxide production. 1595.
Hmama, Z., Nandan, D., Sly, L., Knutson, K.L., Herrera-Velit, P., and Reiner, N.E. 1α,25-dihydroxyvitamin D_3–induced myeloid cell differentiation is regulated by a vitamin D receptor–phosphatidylinositol 3-kinase signaling complex. 1583.
Ho, D.D. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Ho, J.L., He, S., Hu, A., Geng, J., Basile, F.G., Almeida, M.G., Saito, A.Y., Laurence, J., and Johnson, W.D., Jr. Neutrophils from human immunodeficiency virus (HIV)-seronegative donors induce HIV replication from HIV-infected patient's mononuclear cells and cell lines: an in vitro model of HIV transmission facilitated by *Chlamydia trachomatis* [181(4):1493]: Correction. 1363.
Hodes, R.J. Telomere length, aging, and somatic cell turnover. 153.
Hoffmann, M.K. *See* Mittler, Bailey, Klussman, Trailsmith, and Hoffmann.
Hogan, D. *See* Bos, Hogan, and Belland.
Hoh, B.L. *See* Choudhri, Hoh, Prestigiacomo, Huang, Kim, Schmidt, Kisiel, Connolly, and Pinsky.
Holdorf, A.D., Green, J.M., Levin, S.D., Denny, M.F., Straus, D.B., Link, V., Changelian, P.S., Allen, P.M., and Shaw, A.S. Proline residues in CD28 and the Src homology (SH)3 domain of Lck are required for T cell costimulation. 375.
Homer, R.J. *See* Cohn, Homer, Niu, and Bottomly.
Hommel, M. *See* Fernandez, Hommel, Chen, Hagblom, and Wahlgren.
Hong, S., and Van Kaer, L. Immune privilege: keeping an eye on natural killer T cells. 1197.
Honjo, T. *See* Fossati-Jimack, Reininger, Chicheportiche, Clynes, Ravetch, Honjo, and Izui.
— *See* Watanabe, Nisitani, Ikuta, Suzuki, Chiba, and Honjo.
Hori, M. *See* Iijima, Takahashi, Kishi, Kim, Kawano, Hori, and Kiyono.
Hoshino, K., Kashiwamura, S.-i., Kuribayashi, K., Kodama, T., Tsujimura, T., Nakanishi, K., Matsuyama, T., Takeda, K., and Akira, S. The absence of interleukin 1 receptor–related T1/ST2 does not affect T helper cell type 2 development and its effector function. 1541.
Houghton, A.N. *See* Bowne, Srinivasan, Wolchok, Hawkins, Blachere, Dyall, Lewis, and Houghton.
— *See* Wesley, Albino, Tiwari, and Houghton.
Hu, A. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
Hu, W. *See* Zhao, Ben, Wu, Hu, Ling, Xin, Nie, Ma, and Pei.
Huang, J. *See* Choudhri, Hoh, Prestigiacomo, Huang, Kim, Schmidt, Kisiel, Connolly, and Pinsky.
Hudson, J.D., Shoaibi, M.A., Maestro, R., Carnero, A., Hannon, G.J., and Beach, D.H. A proinflammatory cytokine inhibits p53 tumor suppressor activity. 1375.
Humphreys, N.E. *See* Artis, Humphreys, Bancroft, Rothwell, Potten, and Grencis.
Hunziker, I.P. *See* Kammer, van der Burg, Grabscheid, Hunziker, Kwappenberg, Reichen, Melief, and Cerny.
Huppi, K. *See* Diaw, Siwarski, Coleman, Kim, Jones, Dighiero, and Huppi.
Hurwitz, A.A. *See* van Elsas, Hurwitz, and Allison.
Hutchinson, W.L. *See* Griselli, Herbert, Hutchinson, Taylor, Sohail, Krausz, and Pepys.

I

Iida, T. *See* Nakaseko, Miyatake, Iida, Hara, Abe, Ohno, Saito, and Saito.
Iijima, H., Takahashi, I., Kishi, D., Kim, J.-K., Kawano, S., Hori, M., and Kiyono, H. Alteration of interleukin 4 production results in the inhibition of T helper type 2 cell–dominated inflammatory bowel disease in T cell receptor α chain–deficient mice. 607.
Ikawa, T., Kawamoto, H., Fujimoto, S., and Katsura, Y. Commitment of common T/natural killer (NK) progenitors to unipotent T and NK progenitors in the murine fetal thymus revealed by a single progenitor assay. 1617.
Ikuta, K. *See* Watanabe, Nisitani, Ikuta, Suzuki, Chiba, and Honjo.
Inada, T. *See* Arai, Miyamoto, Ohneda, Inada, Sudo, Brasel, Miyata, Anderson, and Suda.
Ivashkiv, L.B. *See* Lee, Li, Hisert, and Ivashkiv.
Iwakabe, K. *See* Nishimura, Iwakabe, Sekimoto, Ohmi, Yahata, Nakui, Sato, Habu, Tashiro, Sato, and Ohta.
Iwasaki, A., and Kelsall, B.L. Freshly isolated Peyer's patch, but not spleen, dendritic cells produce interleukin 10 and induce the differentiation of T helper type 2 cells. 229.
Iwata, S., and Morimoto, C. CD26/dipeptidyl peptidase IV in context: the different roles of a multifunctional ectoenzyme in malignant transformation. 301.
Izui, S. *See* Fossati-Jimack, Reininger, Chicheportiche, Clynes, Ravetch, Honjo, and Izui.

J

Jabri, B. *See* Park, Guy-Grand, Lemonnier, Wang, Bendelac, and Jabri.
Jabs, C. *See* Chang, Jabs, Sobel, Kuchroo, and Sharpe.
Jacobs, H., Krimpenfort, P., Haks, M., Allen, J., Blom, B., Démollière, C., Kruisbeek, A., Spits, H., and Berns, A. PIM1 reconstitutes thymus cellularity in interleukin 7– and common γ chain–mutant mice and permits thymocyte maturation in Rag- but not CD3γ-deficient mice. 1059.
Jacoby, D.B. *See* Adamko, Yost, Gleich, Fryer, and Jacoby.
Jamieson, A.M. *See* Vance, Jamieson, and Raulet.
Janeway, C.A., Jr. *See* Das and Janeway.
Jenkins, M. *See* Poulin, Viswanathan, Harris, Komanduri, Wieder, Ringuette, Jenkins, McCune, and Sékaly.
Jiang, M. *See* Gupta, Jiang, Anthony, and Pernis.
Jin, W. *See* Song, Zeng, Jin, Thompson, Mizel, Lei, Billinghurst, Poole, and Wahl.
Jin, X. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Johansen, F.-E., Pekna, M., Norderhaug, I.N., Haneberg, B., Hietala, M.A., Krajci, P., Betsholtz, C., and Brandtzaeg, P. Absence of epithelial immunoglobulin A transport, with increased mucosal leakiness, in polymeric immunoglobulin receptor/secretory component–deficient mice. 915.
Johnson, B.J. *See* Doyle, Buttigieg, Groves, Johnson, and Kelso.
Johnson, W.D., Jr. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
Jones, G.M. *See* Diaw, Siwarski, Coleman, Kim, Jones, Dighiero, and Huppi.
Jonjic, S. *See* Krmpotic, Messerle, Crnkovic-Mertens, Polic, Jonjic, and Koszinowski.
Jonuleit, H. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.

K

Kaisho, T., Tsutsui, H., Tanaka, T., Tsujimura, T., Takeda, K., Kawai, T., Yoshida, N., Nakanishi, K., and Akira, S. Impairment of natural killer cytotoxic activity and interferon γ production in CCAAT/enhancer binding protein γ–deficient mice. 1573.

Kakimi, K. *See* Lauvau, Kakimi, Niedermann, Ostankovitch, Yotnda, Firat, Chisari, and van Endert.

Kakiuchi, T. *See* Vassileva, Soto, Zlotnik, Nakano, Kakiuchi, Hedrick, and Lira.

Kaku, M. *See* Niida, Kaku, Amano, Yoshida, Kataoka, Nishikawa, Tanne, Maeda, Nishikawa, and Kodama.

Kamata, T. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.

Kammer, A.R., van der Burg, S.H., Grabscheid, B., Hunziker, I.P., Kwappenberg, K.M.C., Reichen, J., Melief, C.J.M., and Cerny, A. Molecular mimicry of human cytochrome P450 by hepatitis C virus at the level of cytotoxic T cell recognition. 169.

Kämpgen, E. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.

Kamradt, T. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.

Kandel, J. *See* Schwarz, Kandel, Brett, Li, Hayward, Schwarz, Chappey, Wautier, Chabot, Gerfo, and Stern.

Kanegasaki, S. *See* Kitamura, Tanaka, Watanabe, Uchida, Kanegasaki, Yamada, and Nakata.

Kang, J., Coles, M., and Raulet, D.H. Defective development of γ/δ T cells in interleukin 7 receptor–deficient mice is due to impaired expression of T cell receptor γ genes. 973.

— *See* Baker, Kang, Xiong, Chen, Cado, and Raulet.

Kansas, G.S. *See* Romo, Dong, Schade, Gardiner, Kansas, Li, McIntire, Berndt, and López.

Kappler, J. *See* Bender, Mitchell, Kappler, and Marrack.

Karanicolas, R. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.

Karjalainen, K. *See* Degermann, Sollami, and Karjalainen.

Kashiwakura, J.-i., Suzuki, N., Nagafuchi, H., Takeno, M., Takeba, Y., Shimoyama, Y., and Sakane, T. Txk, a nonreceptor tyrosine kinase of the Tec family, is expressed in T helper type 1 cells and regulates interferon γ production in human T lymphocytes. 1147.

Kashiwamura, S.-i. *See* Hoshino, Kashiwamura, Kuribayashi, Kodama, Tsujimura, Nakanishi, Matsuyama, Takeda, and Akira.

Kassam, N. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.

Kataoka, H. *See* Niida, Kaku, Amano, Yoshida, Kataoka, Nishikawa, Tanne, Maeda, Nishikawa, and Kodama.

Kataoka, T. *See* Kennedy, Kataoka, Tschopp, and Budd.

Kato, M. *See* Suzuki, Zhou, Kato, Mak, and Nakashima.

Katsura, Y. *See* Ikawa, Kawamoto, Fujimoto, and Katsura.

Kawai, T. *See* Kaisho, Tsutsui, Tanaka, Tsujimura, Takeda, Kawai, Yoshida, Nakanishi, and Akira.

Kawamoto, H. *See* Ikawa, Kawamoto, Fujimoto, and Katsura.

Kawano, S. *See* Iijima, Takahashi, Kishi, Kim, Kawano, Hori, and Kiyono.

Kawano, T. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.

Keikavoussi, P. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.

Kelley, V.R. *See* Tesch, Maifert, Schwarting, Rollins, and Kelley.

Kelsall, B.L. *See* Iwasaki and Kelsall.

Kelso, A. *See* Doyle, Buttigieg, Groves, Johnson, and Kelso.

Kelsoe, G. *See* Takahashi, Cerasoli, Dal Porto, Shimoda, Freund, Fang, Telander, Malvey, Mueller, Behrens, and Kelsoe.

Kennedy, N.J., Kataoka, T., Tschopp, J., and Budd, R.C. Caspase activation is required for T cell proliferation. 1891.

Kenter, A.L. The liaison of isotype class switch and mismatch repair: an illegitimate affair. 307.

Kerksiek, K.M., Busch, D.H., Pilip, I.M., Allen, S.E., and Pamer, E.G. H2-M3–restricted T cells in bacterial infection: rapid primary but diminished memory responses. 195.

— *See* Chiu, Wang, Kerksiek, Kurlander, Pamer, and Wang.

Kersh, E.N., Kersh, G.J., and Allen, P.M. Partially phosphorylated T cell receptor ζ molecules can inhibit T cell activation. 1627.

Kersh, G.J. *See* Kersh, Kersh, and Allen.

Kikuchi, G.E. *See* Prieschl, Csonga, Novotny, Kikuchi, and Baumruker.

Kim, C.H., Qu, C.-K., Hangoc, G., Cooper, S., Anzai, N., Feng, G.-S., and Broxmeyer, H.E. Abnormal chemokine-induced responses of immature and mature hematopoietic cells from motheaten mice implicate the protein tyrosine phosphatase SHP-1 in chemokine responses. 681.

Kim, J. *See* Diaw, Siwarski, Coleman, Kim, Jones, Dighiero, and Huppi.

Kim, J.-K. *See* Iijima, Takahashi, Kishi, Kim, Kawano, Hori, and Kiyono.

Kim, L.J. *See* Choudhri, Hoh, Prestigiacomo, Huang, Kim, Schmidt, Kisiel, Connolly, and Pinsky.

Kim, N., Bozek, G., Lo, J.C., and Storb, U. Different mismatch repair deficiencies all have the same effects on somatic hypermutation: intact primary mechanism accompanied by secondary modifications. 21.

Kim, W.W.S., and Siu, G. Subclass-specific nuclear localization of a novel CD4 silencer binding factor. 281.

Kimachi, K. *See* Wang, Wang-Zhu, Gabaglia, Kimachi, and Grey.

Kimura, M. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.

Kiniwa, M. *See* Armant, Avice, Hermann, Rubio, Kiniwa, Delespesse, and Sarfati.

Kirchner, J., and Bevan, M.J. ITM2A is induced during thymocyte selection and T cell activation and causes downregulation of CD8 when overexpressed in $CD4^+CD8^+$ double positive thymocytes. 217.

Kishi, D. *See* Iijima, Takahashi, Kishi, Kim, Kawano, Hori, and Kiyono.

Kishimoto, H., and Sprent, J. Several different cell surface molecules control negative selection of medullary thymocytes. 65.

Kisiel, W. *See* Choudhri, Hoh, Prestigiacomo, Huang, Kim, Schmidt, Kisiel, Connolly, and Pinsky.

Kitamura, T., Tanaka, N., Watanabe, J., Uchida, K., Kanegasaki, S., Yamada, Y., and Nakata, K. Idiopathic pulmonary alveolar proteinosis as an autoimmune disease with neutralizing antibody against granulocyte/macrophage colony-stimulating factor. 875.

Kiyono, H. *See* Iijima, Takahashi, Kishi, Kim, Kawano, Hori, and Kiyono.

Klussman, K. *See* Mittler, Bailey, Klussman, Trailsmith, and Hoffmann.

Knutson, K.L. *See* Hmama, Nandan, Sly, Knutson, Herrera-Velit, and Reiner.

Koch, R. *See* Guidotti, Borrow, Brown, McClary, Koch, and Chisari.

Kodama, H. *See* Niida, Kaku, Amano, Yoshida, Kataoka, Nishikawa, Tanne, Maeda, Nishikawa, and Kodama.

Kodama, T. *See* Hoshino, Kashiwamura, Kuribayashi, Kodama, Tsujimura, Nakanishi, Matsuyama, Takeda, and Akira.

Kohrgruber, N. *See* Charbonnier, Kohrgruber, Kriehuber, Stingl, Rot, and Maurer.

Koike, J. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.

Kolvraa, S. *See* Rufer, Brümmendorf, Kolvraa, Bischoff, Christensen, Wadsworth, Schulzer, and Lansdorp.

Komanduri, K.V. *See* Poulin, Viswanathan, Harris, Komanduri, Wieder, Ringuette, Jenkins, McCune, and Sékaly.

Kopacz, J.L. *See* Bosselut, Zhang, Ashe, Kopacz, Samelson, and Singer.

Kopf, M. *See* Bachmann, Barner, and Kopf.

Korthauer, U. *See* Rajagopal, Sommers, Decker, Mitchell, Korthauer, Sperling, Kozak, Love, and Bluestone.

Kosco-Vilbois, M.H. *See* Berney, Herren, Power, Gordon, Martinez-Pomares, and Kosco-Vilbois.

Koseki, H. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.
Kost, R. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Kostrikis, L.G. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Koszinowski, U.H. *See* Krmpotic, Messerle, Crnkovic-Mertens, Polic, Jonjic, and Koszinowski.
Kotlikoff, M.I. *See* Freedman, Liu, Somersan, Kotlikoff, and Punt.
Kozak, C.A. *See* Rajagopal, Sommers, Decker, Mitchell, Korthauer, Sperling, Kozak, Love, and Bluestone.
Kozieradzki, I. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.
Krajci, P. *See* Johansen, Pekna, Norderhaug, Haneberg, Hietala, Krajci, Betsholtz, and Brandtzaeg.
Krammer, P.H. *See* Raftery, Behrens, Müller, Krammer, Walczak, and Schönrich.
Krause, K.-H. *See* Bánfi, Schrenzel, Nüsse, Lew, Ligeti, Krause, and Demaurex.
Krausz, T. *See* Griselli, Herbert, Hutchinson, Taylor, Sohail, Krausz, and Pepys.
Kriehuber, E. *See* Charbonnier, Kohrgruber, Kriehuber, Stingl, Rot, and Maurer.
Krimpenfort, P. *See* Jacobs, Krimpenfort, Haks, Allen, Blom, Démollière, Kruisbeek, Spits, and Berns.
Krishna, S. *See* Agranoff, Monahan, Mangan, Butcher, and Krishna.
Krmpotic, A., Messerle, M., Crnkovic-Mertens, I., Polic, B., Jonjic, S., and Koszinowski, U.H. The immunoevasive function encoded by the mouse cytomegalovirus gene *m152* protects the virus against T cell control in vivo. 1285.
Kronenberg, M. *See* Naidenko, Maher, Ernst, Sakai, Modlin, and Kronenberg.
Kruisbeek, A. *See* Jacobs, Krimpenfort, Haks, Allen, Blom, Démollière, Kruisbeek, Spits, and Berns.
Kruisbeek, A.M. *See* Haanen, Wolkers, Kruisbeek, and Schumacher.
Kucherlapati, R. *See* Schrader, Edelmann, Kucherlapati, and Stavnezer.
Kuchroo, V.K. *See* Chang, Jabs, Sobel, Kuchroo, and Sharpe.
Kuribayashi, K. *See* Hoshino, Kashiwamura, Kuribayashi, Kodama, Tsujimura, Nakanishi, Matsuyama, Takeda, and Akira.
Kurlander, R. *See* Chiu, Wang, Kerksiek, Kurlander, Pamer, and Wang.
Kwappenberg, K.M.C. *See* Kammer, van der Burg, Grabscheid, Hunziker, Kwappenberg, Reichen, Melief, and Cerny.

L

Lam, K.-P., and Rajewsky, K. B cell antigen receptor specificity and surface density together determine B-1 versus B-2 cell development. 471.
Lambris, J.D. *See* Lubinski, Wang, Mastellos, Sahu, Lambris, and Friedman.
Lamers, M.C. *See* Loder, Mutschler, Ray, Paige, Sideras, Torres, Lamers, and Carsetti.
Lane, P. *See* Walker, Gulbranson-Judge, Flynn, Brocker, Raykundalia, Goodall, Förster, Lipp, and Lane.
Langenbach, R. *See* Zhang, Morham, Langenbach, and Young.
Lansdorp, P.M. *See* Rufer, Brümmendorf, Kolvraa, Bischoff, Christensen, Wadsworth, Schulzer, and Lansdorp.
LaRosa, G.J. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Latour, S. *See* Cao, Davidson, Yu, Latour, and Veillette.
Laurence, J. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
Lauvau, G., Kakimi, K., Niedermann, G., Ostankovitch, M., Yotnda, P., Firat, H., Chisari, F.V., and van Endert, P.M. Human transporters associated with antigen processing (TAPs) select epitope precursor peptides for processing in the endoplasmic reticulum and presentation to T cells. 1227.
Lawton, P. *See* Mackay, Woodcock, Lawton, Ambrose, Baetscher, Schneider, Tschopp, and Browning.
Lazo-Kallanian, S.B. *See* Rebel, Hartnett, Hill, Lazo-Kallanian, Ferrara, and Sieff.
Leach, M.W. *See* Asseman, Mauze, Leach, Coffman, and Powrie.
Lebecque, S. *See* Bell, Chomarat, Broyles, Netto, Harb, Lebecque, Valladeau, Davoust, Palucka, and Banchereau.
Lee, C.-K., Gimeno, R., and Levy, D.E. Differential regulation of constitutive major histocompatibility complex class I expression in T and B lymphocytes. 1451.
Lee, F.W. *See* Wong, Bergquam, Swanson, Lee, Shiigi, Avery, Fanton, and Axthelm.
Lee, I.-H., Li, W.P., Hisert, K.B., and Ivashkiv, L.B. Inhibition of interleukin 2 signaling and signal transducer and activator of transcription (STAT)5 activation during T cell receptor–mediated feedback inhibition of T cell expansion. 1263.
Lefrançois, L., Olson, S., and Masopust, D. A critical role for CD40–CD40 ligand interactions in amplification of the mucosal CD8 T cell response. 1275.
—, **Parker, C.M., Olson, S., Muller, W., Wagner, N., Schön, M.P., and Puddington, L.** The role of β_7 integrins in CD8 T cell trafficking during an antiviral immune response [189(10): 1631]: Correction. 1365.
Lehar, S. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Lei, K.-j. *See* Song, Zeng, Jin, Thompson, Mizel, Lei, Billinghurst, Poole, and Wahl.
Leitz, G. *See* Eriksson, Leitz, Fällman, Axner, Ryan, Nakamura, and Sentman.
Lejeune, F. *See* Pittet, Valmori, Dunbar, Speiser, Liénard, Lejeune, Fleischhauer, Cerundolo, Cerottini, and Romero.
Lemonnier, F.A. *See* Park, Guy-Grand, Lemonnier, Wang, Bendelac, and Jabri.
Levin, S.D. *See* Holdorf, Green, Levin, Denny, Straus, Link, Changelian, Allen, and Shaw.
Levinson, D. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Levitt, J.M. *See* Wang, Bogue, Levitt, and Roth.
Levy, D.E. *See* Lee, Gimeno, and Levy.
Lew, D.P. *See* Bánfi, Schrenzel, Nüsse, Lew, Ligeti, Krause, and Demaurex.
Lewin, S.R. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Lewis, J.J. *See* Bowne, Srinivasan, Wolchok, Hawkins, Blachere, Dyall, Lewis, and Houghton.
Li, C.Q. *See* Romo, Dong, Schade, Gardiner, Kansas, Li, McIntire, Berndt, and López.
Li, J. *See* Schwarz, Kandel, Brett, Li, Hayward, Schwarz, Chappey, Wautier, Chabot, Gerfo, and Stern.
Li, W.P. *See* Lee, Li, Hisert, and Ivashkiv.
Lichtenheld, M.G. *See* Zhang, Scordi, Smyth, and Lichtenheld.
Liénard, D. *See* Pittet, Valmori, Dunbar, Speiser, Liénard, Lejeune, Fleischhauer, Cerundolo, Cerottini, and Romero.
— *See* Speiser, Pittet, Valmori, Dunbar, Rimoldi, Liénard, MacDonald, Cerottini, Cerundolo, and Romero.
Ligeti, E. *See* Bánfi, Schrenzel, Nüsse, Lew, Ligeti, Krause, and Demaurex.
Lin, H.-H. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Lin, S. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Ling, K. *See* Zhao, Ben, Wu, Hu, Ling, Xin, Nie, Ma, and Pei.
Link, V. *See* Holdorf, Green, Levin, Denny, Straus, Link, Changelian, Allen, and Shaw.
Linquist-Stepps, V. *See* Dittmer, Stoddart, Renne, Linquist-Stepps, Moreno, Bare, McCune, and Ganem.
Linton, P.-J. *See* Haynes, Linton, Eaton, Tonkonogy, and Swain.
Lipp, M. *See* Walker, Gulbranson-Judge, Flynn, Brocker, Raykundalia, Goodall, Förster, Lipp, and Lane.

Lira, S.A. *See* Vassileva, Soto, Zlotnik, Nakano, Kakiuchi, Hedrick, and Lira.
Little, S.J., McLean, A.R., Spina, C.A., Richman, D.D., and Havlir, D.V. Viral dynamics of acute HIV-1 infection. 841.
Litwin, S. *See* Brard, Shannon, Prak, Litwin, and Weigert.
Liu, Q.-H. *See* Freedman, Liu, Somersan, Kotlikoff, and Punt.
Lloyd, C. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Llull, D., Muñoz, R., López, R., and García, E. A single gene (*tts*) located outside the *cap* locus directs the formation of *Streptococcus pneumoniae* type 37 capsular polysaccharide: type 37 pneumococci are natural, genetically binary strains. 241.
Lo, J.C. *See* Kim, Bozek, Lo, and Storb.
Loder, F., Mutschler, B., Ray, R.J., Paige, C.J., Sideras, P., Torres, R., Lamers, M.C., and Carsetti, R. B cell development in the spleen takes place in discrete steps and is determined by the quality of B cell receptor–derived signals. 75.
Löhning, M. *See* Richter, Löhning, and Radbruch.
Loiseau, S. *See* Woerly, Roger, Loiseau, Dombrowicz, Capron, and Capron.
Longo, D.L. *See* Srivastava, Sasaki, Hardwick, and Longo.
López, J.A. *See* Romo, Dong, Schade, Gardiner, Kansas, Li, McIntire, Berndt, and López.
López, R. *See* Llull, Muñoz, López, and García.
Lorenzen, D.R., Düx, F., Wölk, U., Tsirpouchtsidis, A., Haas, G., and Meyer, T.F. Immunoglobulin A1 protease, an exoenzyme of pathogenic *Neisseriae*, is a potent inducer of proinflammatory cytokines. 1049.
Lorge, F. *See* Van den Eynde, Gaugler, Probst-Kepper, Michaux, Devuyst, Lorge, Weynants, and Boon.
Love, P.E. *See* Rajagopal, Sommers, Decker, Mitchell, Korthauer, Sperling, Kozak, Love, and Bluestone.
— *See* Sommers, Rabin, Grinberg, Tsay, Farber, and Love.
Lubinski, J., Wang, L., Mastellos, D., Sahu, A., Lambris, J.D., and Friedman, H.M. In vivo role of complement-interacting domains of herpes simplex virus type 1 glycoprotein gC. 1637.

M

Ma, L. *See* Zhao, Ben, Wu, Hu, Ling, Xin, Nie, Ma, and Pei.
MacDonald, H.R. *See* Speiser, Pittet, Valmori, Dunbar, Rimoldi, Liénard, MacDonald, Cerottini, Cerundolo, and Romero.
Mackay, F., Woodcock, S.A., Lawton, P., Ambrose, C., Baetscher, M., Schneider, P., Tschopp, J., and Browning, J.L. Mice transgenic for BAFF develop lymphocytic disorders along with autoimmune manifestations. 1697.
Maczek, C. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.
Maeda, N. *See* Niida, Kaku, Amano, Yoshida, Kataoka, Nishikawa, Tanne, Maeda, Nishikawa, and Kodama.
Maestro, R. *See* Hudson, Shoaibi, Maestro, Carnero, Hannon, and Beach.
Maher, J.K. *See* Naidenko, Maher, Ernst, Sakai, Modlin, and Kronenberg.
Maifert, S. *See* Tesch, Maifert, Schwarting, Rollins, and Kelley.
Mak, T.W. *See* Suzuki, Zhou, Kato, Mak, and Nakashima.
Malaspina, A. *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.
Maliszewski, C.R. *See* Fanger, Maliszewski, Schooley, and Griffith.
Malvey, E.-N. *See* Takahashi, Cerasoli, Dal Porto, Shimoda, Freund, Fang, Telander, Malvey, Mueller, Behrens, and Kelsoe.
Mandal, M. *See* Chiu, Chun, Fay, Mandal, and Wang.
Mangan, J.A. *See* Agranoff, Monahan, Mangan, Butcher, and Krishna.
Mano, T. *See* Perlman, Pagliari, Georganas, Mano, Walsh, and Pope.
Marcenaro, E. *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.
Marincola, F.M. *See* Wang, Marincola, Rivoltini, Parmiani, and Ferrone.
Markowitz, M. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Marrack, P. *See* Bender, Mitchell, Kappler, and Marrack.
Martinez-Pomares, L. *See* Berney, Herren, Power, Gordon, Martinez-Pomares, and Kosco-Vilbois.
Martino, G. *See* Del Maschio, De Luigi, Martin-Padura, Brockhaus, Bartfai, Fruscella, Adorini, Martino, Furlan, De Simoni, and Dejana.
Martin-Padura, I. *See* Del Maschio, De Luigi, Martin-Padura, Brockhaus, Bartfai, Fruscella, Adorini, Martino, Furlan, De Simoni, and Dejana.
Masopust, D. *See* Lefrançois, Olson, and Masopust.
Mastellos, D. *See* Lubinski, Wang, Mastellos, Sahu, Lambris, and Friedman.
Matsuyama, T. *See* Hoshino, Kashiwamura, Kuribayashi, Kodama, Tsujimura, Nakanishi, Matsuyama, Takeda, and Akira.
Maurer, D. *See* Charbonnier, Kohrgruber, Kriehuber, Stingl, Rot, and Maurer.
Mauze, S. *See* Asseman, Mauze, Leach, Coffman, and Powrie.
Mayadas, T.N. *See* Coxon, Tang, and Mayadas.
McClary, H. *See* Guidotti, Borrow, Brown, McClary, Koch, and Chisari.
McCune, J.M. *See* Dittmer, Stoddart, Renne, Linquist-Stepps, Moreno, Bare, McCune, and Ganem.
— *See* Poulin, Viswanathan, Harris, Komanduri, Wieder, Ringuette, Jenkins, McCune, and Sékaly.
McGavin, M. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.
McHeyzer-Williams, L.J. *See* Ansel, McHeyzer-Williams, Ngo, McHeyzer-Williams, and Cyster.
McHeyzer-Williams, M.G. *See* Ansel, McHeyzer-Williams, Ngo, McHeyzer-Williams, and Cyster.
McIntire, L.V. *See* Romo, Dong, Schade, Gardiner, Kansas, Li, McIntire, Berndt, and López.
McLean, A.R. *See* Little, McLean, Spina, Richman, and Havlir.
McNiven, M.A. *See* Gold, Underhill, Morrissette, Guo, McNiven, and Aderem.
Mecsas, J. *See* Yao, Mecsas, Healy, Falkow, and Chien.
Medema, J.P., de Jong, J., van Hall, T., Melief, C.J.M., and Offringa, R. Immune escape of tumors in vivo by expression of cellular FLICE-inhibitory protein. 1033.
Meisel, C. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Melamed, D. *See* Benschop, Melamed, Nemazee, and Cambier.
Melief, C.J.M. *See* Kammer, van der Burg, Grabscheid, Hunziker, Kwappenberg, Reichen, Melief, and Cerny.
— *See* Medema, de Jong, van Hall, Melief, and Offringa.
Merrill-Skoloff, G. *See* Yang, Hirata, Croce, Merrill-Skoloff, Tchernychev, Williams, Flaumenhaft, Furie, and Furie.
Messerle, M. *See* Krmpotic, Messerle, Crnkovic-Mertens, Polic, Jonjic, and Koszinowski.
Meyer, T.F. *See* Lorenzen, Düx, Wölk, Tsirpouchtsidis, Haas, and Meyer.
Michaux, L. *See* Van den Eynde, Gaugler, Probst-Kepper, Michaux, Devuyst, Lorge, Weynants, and Boon.
Michie, A.M., Trop, S., Wiest, D.L., and Zúñiga-Pflücker, J.C. Extracellular signal–regulated kinase (ERK) activation by the pre-T cell receptor in developing thymocytes in vivo. 1647.
Miller, A. *See* Casares, Zong, Radu, Miller, Bona, and Brumeanu.
Miller, C., Ragheb, J.A., and Schwartz, R.H. Anergy and cytokine-mediated suppression as distinct superantigen-induced tolerance mechanisms in vivo. 53.
Mitchell, E.O. *See* Rajagopal, Sommers, Decker, Mitchell, Korthauer, Sperling, Kozak, Love, and Bluestone.
Mitchell, R.N. *See* Cheng, Dykstra, Mitchell, and Pierce.
Mitchell, T. *See* Bender, Mitchell, Kappler, and Marrack.
Mittler, R.S., Bailey, T.S., Klussman, K., Trailsmith, M.D., and Hoffmann, M.K. Anti–4-1BB monoclonal antibodies abrogate T cell–dependent humoral immune responses in vivo through the induction of helper T cell anergy. 1535.
Miyamoto, T. *See* Arai, Miyamoto, Ohneda, Inada, Sudo, Brasel, Miyata, Anderson, and Suda.

Miyata, T. *See* Arai, Miyamoto, Ohneda, Inada, Sudo, Brasel, Miyata, Anderson, and Suda.
Miyatake, S. *See* Nakaseko, Miyatake, Iida, Hara, Abe, Ohno, Saito, and Saito.
Mizel, D.E. *See* Song, Zeng, Jin, Thompson, Mizel, Lei, Billinghurst, Poole, and Wahl.
Modlin, R.L. *See* Naidenko, Maher, Ernst, Sakai, Modlin, and Kronenberg.
Mohamadzadeh, M. *See* Estess, Nandi, Mohamadzadeh, and Siegelman.
Mold, C. *See* Bharadwaj, Stein, Volzer, Mold, and Du Clos.
Molla, A. *See* Anichini, Molla, Mortarini, Tragni, Bersani, Di Nicola, Gianni, Pilotti, Dunbar, Cerundolo, and Parmiani.
Monahan, I.M. *See* Agranoff, Monahan, Mangan, Butcher, and Krishna.
Mordue, D.G., Desai, N., Dustin, M., and Sibley, L.D. Invasion by *Toxoplasma gondii* establishes a moving junction that selectively excludes host cell plasma membrane proteins on the basis of their membrane anchoring. 1783.
Morelli, L. *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.
Moreno, M.E. *See* Dittmer, Stoddart, Renne, Linquist-Stepps, Moreno, Bare, McCune, and Ganem.
Moretta, A. *See* Falco, Biassoni, Bottino, Vitale, Sivori, Augugliaro, Moretta, and Moretta.
— *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.
Moretta, L. *See* Falco, Biassoni, Bottino, Vitale, Sivori, Augugliaro, Moretta, and Moretta.
— *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.
Morham, S.G. *See* Zhang, Morham, Langenbach, and Young.
Morimoto, C. *See* Iwata and Morimoto.
Morrissette, N.S. *See* Gold, Underhill, Morrissette, Guo, McNiven, and Aderem.
Morse, H.C., III. *See* Gabriele, Phung, Fukumoto, Segal, Wang, Giannakakou, Giese, Ozato, and Morse.
Mortarini, R. *See* Anichini, Molla, Mortarini, Tragni, Bersani, Di Nicola, Gianni, Pilotti, Dunbar, Cerundolo, and Parmiani.
Morton, N. *See* Gadue, Morton, and Stein.
Mueller, C. *See* Corazza, Eichenberger, Eugster, and Mueller.
Mueller, D.L. *See* Takahashi, Cerasoli, Dal Porto, Shimoda, Freund, Fang, Telander, Malvey, Mueller, Behrens, and Kelsoe.
Müller, A. *See* Raftery, Behrens, Müller, Krammer, Walczak, and Schönrich.
Muller, W. *See* Lefrançois, Parker, Olson, Muller, Wagner, Schön, and Puddington.
Muñoz, R. *See* Llull, Muñoz, López, and García.
Murphy, P.M. *See* Hartt, Barish, Murphy, and Gao.
Murre, C. *See* Bain, Quong, Soloff, Hedrick, and Murre.
Mutschler, B. *See* Loder, Mutschler, Ray, Paige, Sideras, Torres, Lamers, and Carsetti.

N

Nagafuchi, H. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Nagy, A. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.
Naidenko, O.V., Maher, J.K., Ernst, W.A., Sakai, T., Modlin, R.L., and Kronenberg, M. Binding and antigen presentation of ceramide-containing glycolipids by soluble mouse and human CD1d molecules. 1069.
Nakamura, M.C. *See* Eriksson, Leitz, Fällman, Axner, Ryan, Nakamura, and Sentman.
Nakanishi, K. *See* Hoshino, Kashiwamura, Kuribayashi, Kodama, Tsujimura, Nakanishi, Matsuyama, Takeda, and Akira.
— *See* Kaisho, Tsutsui, Tanaka, Tsujimura, Takeda, Kawai, Yoshida, Nakanishi, and Akira.
Nakano, H. *See* Vassileva, Soto, Zlotnik, Nakano, Kakiuchi, Hedrick, and Lira.
Nakaseko, C., Miyatake, S., Iida, T., Hara, S., Abe, R., Ohno, H., Saito, Y., and Saito, T. Cytotoxic T lymphocyte antigen 4 (CTLA-4) engagement delivers an inhibitory signal through the membrane-proximal region in the absence of the tyrosine motif in the cytoplasmic tail. 765.
Nakashima, I. *See* Suzuki, Zhou, Kato, Mak, and Nakashima.
Nakata, K. *See* Kitamura, Tanaka, Watanabe, Uchida, Kanegasaki, Yamada, and Nakata.
Nakayama, T. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.
Nakui, M. *See* Nishimura, Iwakabe, Sekimoto, Ohmi, Yahata, Nakui, Sato, Habu, Tashiro, Sato, and Ohta.
Nandan, D. *See* Hmama, Nandan, Sly, Knutson, Herrera-Velit, and Reiner.
Nandi, A. *See* Estess, Nandi, Mohamadzadeh, and Siegelman.
Neben, S. *See* Nichogiannopoulou, Trevisan, Neben, Friedrich, and Georgopoulos.
Neefjes, J. *See* Haurum, Bjerring Høier, Arsequell, Neisig, Valencia, Zeuthen, Neefjes, and Elliott.
Neisig, A. *See* Haurum, Bjerring Høier, Arsequell, Neisig, Valencia, Zeuthen, Neefjes, and Elliott.
Nemazee, D. *See* Benschop, Melamed, Nemazee, and Cambier.
Netto, G. *See* Bell, Chomarat, Broyles, Netto, Harb, Lebecque, Valladeau, Davoust, Palucka, and Banchereau.
Ngo, V.N. *See* Ansel, McHeyzer-Williams, Ngo, McHeyzer-Williams, and Cyster.
Nguyen, T. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Nichogiannopoulou, A., Trevisan, M., Neben, S., Friedrich, C., and Georgopoulos, K. Defects in hemopoietic stem cell activity in *Ikaros* mutant mice. 1201.
Nie, H.-L. *See* Zhao, Ben, Wu, Hu, Ling, Xin, Nie, Ma, and Pei.
Niedermann, G. *See* Lauvau, Kakimi, Niedermann, Ostankovitch, Yotnda, Firat, Chisari, and van Endert.
Niida, S., Kaku, M., Amano, H., Yoshida, H., Kataoka, H., Nishikawa, S., Tanne, K., Maeda, N., Nishikawa, S.-I., and Kodama, H. Vascular endothelial growth factor can substitute for macrophage colony-stimulating factor in the support of osteoclastic bone resorption. 293.
Nikolić-Žugić, J. *See* Dyall and Nikolić-Žugić.
Nishikawa, S. *See* Niida, Kaku, Amano, Yoshida, Kataoka, Nishikawa, Tanne, Maeda, Nishikawa, and Kodama.
Nishikawa, S.-I. *See* Niida, Kaku, Amano, Yoshida, Kataoka, Nishikawa, Tanne, Maeda, Nishikawa, and Kodama.
Nishimura, T., Iwakabe, K., Sekimoto, M., Ohmi, Y., Yahata, T., Nakui, M., Sato, T., Habu, S., Tashiro, H., Sato, M., and Ohta, A. Distinct role of antigen-specific T helper type 1 (Th1) and Th2 cells in tumor eradication in vivo. 617.
Nisitani, S. *See* Watanabe, Nisitani, Ikuta, Suzuki, Chiba, and Honjo.
Niu, N. *See* Cohn, Homer, Niu, and Bottomly.
Norderhaug, I.N. *See* Johansen, Pekna, Norderhaug, Haneberg, Hietala, Krajci, Betsholtz, and Brandtzaeg.
Novotny, V. *See* Prieschl, Csonga, Novotny, Kikuchi, and Baumruker.
Nüsse, O. *See* Bánfi, Schrenzel, Nüsse, Lew, Ligeti, Krause, and Demaurex.

O

Ochi, H., Hirani, W.M., Yuan, Q., Friend, D.S., Austen, K.F., and Boyce, J.A. T helper cell type 2 cytokine–mediated comitogenic responses and CCR3 expression during differentiation of human mast cells in vitro. 267.
Ochsenbein, A.F., Pinschewer, D.D., Odermatt, B., Carroll, M.C., Hengartner, H., and Zinkernagel, R.M. Protective T cell–independent antiviral antibody responses are dependent on complement. 1165.
Odermatt, B. *See* Ochsenbein, Pinschewer, Odermatt, Carroll, Hengartner, and Zinkernagel.
Offringa, R. *See* Medema, de Jong, van Hall, Melief, and Offringa.
Ohmi, Y. *See* Nishimura, Iwakabe, Sekimoto, Ohmi, Yahata, Nakui, Sato, Habu, Tashiro, Sato, and Ohta.

Ohneda, O. *See* Arai, Miyamoto, Ohneda, Inada, Sudo, Brasel, Miyata, Anderson, and Suda.
Ohno, H. *See* Nakaseko, Miyatake, Iida, Hara, Abe, Ohno, Saito, and Saito.
— *See* Wild, Cambiaggi, Brown, Davies, Ohno, Saito, and van der Merwe.
Ohta, A. *See* Nishimura, Iwakabe, Sekimoto, Ohmi, Yahata, Nakui, Sato, Habu, Tashiro, Sato, and Ohta.
Olson, S. *See* Lefrançois, Olson, and Masopust.
— *See* Lefrançois, Parker, Olson, Muller, Wagner, Schön, and Puddington.
Oppenheim, J.J. *See* Wang and Oppenheim.
Ostankovitch, M. *See* Lauvau, Kakimi, Niedermann, Ostankovitch, Yotnda, Firat, Chisari, and van Endert.
Ottoson, P. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Ozato, K. *See* Gabriele, Phung, Fukumoto, Segal, Wang, Giannakakou, Giese, Ozato, and Morse.

P

Paglia, P. *See* Chiodoni, Paglia, Stoppacciaro, Rodolfo, Parenza, and Colombo.
Pagliari, L.J. *See* Perlman, Pagliari, Georganas, Mano, Walsh, and Pope.
Paige, C.J. *See* Loder, Mutschler, Ray, Paige, Sideras, Torres, Lamers, and Carsetti.
Palucka, K.A. *See* Bell, Chomarat, Broyles, Netto, Harb, Lebecque, Valladeau, Davoust, Palucka, and Banchereau.
Palumbo, P. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Pamer, E.G. *See* Chiu, Wang, Kerksiek, Kurlander, Pamer, and Wang.
— *See* Kerksiek, Busch, Pilip, Allen, and Pamer.
Papafio, R.Q. *See* Fossati, Cooke, Papafio, Haskins, and Stockinger.
Parent, D. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Parenza, M. *See* Chiodoni, Paglia, Stoppacciaro, Rodolfo, Parenza, and Colombo.
Park, S.-H., Guy-Grand, D., Lemonnier, F.A., Wang, C.-R., Bendelac, A., and Jabri, B. Selection and expansion of CD8α/α^+ T cell receptor α/β^+ intestinal intraepithelial lymphocytes in the absence of both classical major histocompatibility complex class I and nonclassical CD1 molecules. 885.
Parker, C.M. *See* Lefrançois, Parker, Olson, Muller, Wagner, Schön, and Puddington.
— *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Parmiani, G. *See* Anichini, Molla, Mortarini, Tragni, Bersani, Di Nicola, Gianni, Pilotti, Dunbar, Cerundolo, and Parmiani.
— *See* Wang, Marincola, Rivoltini, Parmiani, and Ferrone.
Parolini, S. *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.
Pei, G. *See* Zhao, Ben, Wu, Hu, Ling, Xin, Nie, Ma, and Pei.
Pekna, M. *See* Johansen, Pekna, Norderhaug, Haneberg, Hietala, Krajci, Betsholtz, and Brandtzaeg.
Peltz, S.W., and Dougherty, J.P. Antisense translates into sense. 1729.
Pende, D., Parolini, S., Pessino, A., Sivori, S., Augugliaro, R., Morelli, L., Marcenaro, E., Accame, L., Malaspina, A., Biassoni, R., Bottino, C., Moretta, L., and Moretta, A. Identification and molecular characterization of NKp30, a novel triggering receptor involved in natural cytotoxicity mediated by human natural killer cells. 1505.
Penninger, J.M. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.
Pepys, M.B. *See* Griselli, Herbert, Hutchinson, Taylor, Sohail, Krausz, and Pepys.
Pereira, M.A. *See* Saavedra, Herrera, Gao, Uemura, and Pereira.
Perlman, H., Pagliari, L.J., Georganas, C., Mano, T., Walsh, K., and Pope, R.M. FLICE-inhibitory protein expression during macrophage differentiation confers resistance to Fas-mediated apoptosis. 1679.
Pernis, A.B. *See* Gupta, Jiang, Anthony, and Pernis.
Persson, P. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Pessino, A. *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.
Phan, C. *See* Schust, Tortorella, Seebach, Phan, Bačík, Bennink, Yewdell, and Ploegh.
Phung, J. *See* Gabriele, Phung, Fukumoto, Segal, Wang, Giannakakou, Giese, Ozato, and Morse.
Pierce, S.K. *See* Cheng, Dykstra, Mitchell, and Pierce.
Pilip, I.M. *See* Kerksiek, Busch, Pilip, Allen, and Pamer.
Pilotti, S. *See* Anichini, Molla, Mortarini, Tragni, Bersani, Di Nicola, Gianni, Pilotti, Dunbar, Cerundolo, and Parmiani.
Pinschewer, D.D. *See* Ochsenbein, Pinschewer, Odermatt, Carroll, Hengartner, and Zinkernagel.
Pinsky, D.J. *See* Choudhri, Hoh, Prestigiacomo, Huang, Kim, Schmidt, Kisiel, Connolly, and Pinsky.
Pintado, E. *See* Hmadcha, Bedoya, Sobrino, and Pintado.
Pittet, M.J., Valmori, D., Dunbar, P.R., Speiser, D.E., Liénard, D., Lejeune, F., Fleischhauer, K., Cerundolo, V., Cerottini, J.-C., and Romero, P. High frequencies of naive Melan-A/MART-1–specific CD8$^+$ T cells in a large proportion of human histocompatibility leukocyte antigen (HLA)-A2 individuals. 705.
— *See* Speiser, Pittet, Valmori, Dunbar, Rimoldi, Liénard, MacDonald, Cerottini, Cerundolo, and Romero.
Pivniouk, V.I. *See* Aifantis, Pivniouk, Gärtner, Feinberg, Swat, Alt, von Boehmer, and Geha.
Ploegh, H.L. *See* Schust, Tortorella, Seebach, Phan, Bačík, Bennink, Yewdell, and Ploegh.
Poisson, L. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Polic, B. *See* Krmpotic, Messerle, Crnkovic-Mertens, Polic, Jonjic, and Koszinowski.
Ponath, P.D. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Poole, A.R. *See* Song, Zeng, Jin, Thompson, Mizel, Lei, Billinghurst, Poole, and Wahl.
Pope, R.M. *See* Perlman, Pagliari, Georganas, Mano, Walsh, and Pope.
Potten, C.S. *See* Artis, Humphreys, Bancroft, Rothwell, Potten, and Grencis.
Poulin, J.-F., Viswanathan, M.N., Harris, J.M., Komanduri, K.V., Wieder, E., Ringuette, N., Jenkins, M., McCune, J.M., and Sékaly, R.-P. Direct evidence for thymic function in adult humans. 479.
Power, C.A. *See* Berney, Herren, Power, Gordon, Martinez-Pomares, and Kosco-Vilbois.
Powrie, F. *See* Asseman, Mauze, Leach, Coffman, and Powrie.
Prak, E.L. *See* Brard, Shannon, Prak, Litwin, and Weigert.
Prestigiacomo, C.J. *See* Choudhri, Hoh, Prestigiacomo, Huang, Kim, Schmidt, Kisiel, Connolly, and Pinsky.
Prieschl, E.E., Csonga, R., Novotny, V., Kikuchi, G.E., and Baumruker, T. The balance between sphingosine and sphingosine-1-phosphate is decisive for mast cell activation after Fcϵ receptor I triggering. 1.
Prives, C. *See* Cordon-Cardo and Prives.
Probst-Kepper, M. *See* Van den Eynde, Gaugler, Probst-Kepper, Michaux, Devuyst, Lorge, Weynants, and Boon.
Puddington, L. *See* Lefrançois, Parker, Olson, Muller, Wagner, Schön, and Puddington.
Punt, J.A. *See* Freedman, Liu, Somersan, Kotlikoff, and Punt.
Pushkarsky, T. *See* Alfano, Schmidtmayerova, Amella, Pushkarsky, and Bukrinsky.

Q

Qin, S. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.

Qu, C.-K. *See* Kim, Qu, Hangoc, Cooper, Anzai, Feng, and Broxmeyer.
Quong, M.W. *See* Bain, Quong, Soloff, Hedrick, and Murre.

R

Rabin, R.L. *See* Sommers, Rabin, Grinberg, Tsay, Farber, and Love.
Rabinovich, G.A., Daly, G., Dreja, H., Tailor, H., Riera, C.M., Hirabayashi, J., and Chernajovsky, Y. Recombinant galectin-1 and its genetic delivery suppress collagen-induced arthritis via T cell apoptosis. 385.
Radbruch, A. *See* Richter, Löhning, and Radbruch.
Radu, D.L. *See* Casares, Zong, Radu, Miller, Bona, and Brumeanu.
Raftery, M.J., Behrens, C.K., Müller, A., Krammer, P.H., Walczak, H., and Schönrich, G. Herpes simplex virus type 1 infection of activated cytotoxic T cells: induction of fratricide as a mechanism of viral immune evasion. 1103.
Ragheb, J.A. *See* Miller, Ragheb, and Schwartz.
Rajagopal, K., Sommers, C.L., Decker, D.C., Mitchell, E.O., Korthauer, U., Sperling, A.I., Kozak, C.A., Love, P.E., and Bluestone, J.A. RIBP, a novel Rlk/Txk- and Itk-binding adaptor protein that regulates T cell activation. 1657.
Rajewsky, K. *See* Lam and Rajewsky.
Raulet, D.H. *See* Baker, Kang, Xiong, Chen, Cado, and Raulet.
— *See* Kang, Coles, and Raulet.
— *See* Vance, Jamieson, and Raulet.
Ravetch, J.V. *See* Fossati-Jimack, Reininger, Chicheportiche, Clynes, Ravetch, Honjo, and Izui.
Ray, R.J. *See* Loder, Mutschler, Ray, Paige, Sideras, Torres, Lamers, and Carsetti.
Raykundalia, C. *See* Walker, Gulbranson-Judge, Flynn, Brocker, Raykundalia, Goodall, Förster, Lipp, and Lane.
Rebel, V.I., Hartnett, S., Hill, G.R., Lazo-Kallanian, S.B., Ferrara, J.L.M., and Sieff, C.A. Essential role for the p55 tumor necrosis factor receptor in regulating hematopoiesis at a stem cell level. 1493.
Reichen, J. *See* Kammer, van der Burg, Grabscheid, Hunziker, Kwappenberg, Reichen, Melief, and Cerny.
Reiner, N.E. *See* Hmama, Nandan, Sly, Knutson, Herrera-Velit, and Reiner.
Reininger, L. *See* Fossati-Jimack, Reininger, Chicheportiche, Clynes, Ravetch, Honjo, and Izui.
Renne, R. *See* Dittmer, Stoddart, Renne, Linquist-Stepps, Moreno, Bare, McCune, and Ganem.
Richman, D.D. *See* Little, McLean, Spina, Richman, and Havlir.
Richter, A., Löhning, M., and Radbruch, A. Instruction for cytokine expression in T helper lymphocytes in relation to proliferation and cell cycle progression. 1439.
Riera, C.M. *See* Rabinovich, Daly, Dreja, Tailor, Riera, Hirabayashi, and Chernajovsky.
Rigas, B. *See* Shiff and Rigas.
Rimoldi, D. *See* Speiser, Pittet, Valmori, Dunbar, Rimoldi, Liénard, MacDonald, Cerottini, Cerundolo, and Romero.
Ringuette, N. *See* Poulin, Viswanathan, Harris, Komanduri, Wieder, Ringuette, Jenkins, McCune, and Sékaly.
Rivoltini, L. *See* Wang, Marincola, Rivoltini, Parmiani, and Ferrone.
Roberts, A.I. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Röder, C. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.
Rodolfo, M. *See* Chiodoni, Paglia, Stoppacciaro, Rodolfo, Parenza, and Colombo.
Rodriguez, E. *See* Falcone, Yeung, Tucker, Rodriguez, and Sarvetnick.
Rodriguez-Boulan, E. *See* Finnemann and Rodriguez-Boulan.
Roger, N. *See* Woerly, Roger, Loiseau, Dombrowicz, Capron, and Capron.
Rollins, B.J. *See* Tesch, Maifert, Schwarting, Rollins, and Kelley.
Romero, P. *See* Pittet, Valmori, Dunbar, Speiser, Liénard, Lejeune, Fleischhauer, Cerundolo, Cerottini, and Romero.
— *See* Speiser, Pittet, Valmori, Dunbar, Rimoldi, Liénard, MacDonald, Cerottini, Cerundolo, and Romero.
Romo, G.M., Dong, J.-F., Schade, A.J., Gardiner, E.E., Kansas, G.S., Li, C.Q., McIntire, L.V., Berndt, M.C., and López, J.A. The glycoprotein Ib-IX-V complex is a platelet counterreceptor for P-selectin. 803.
Rosen, A. *See* Casciola-Rosen, Andrade, Ulanet, Wong, and Rosen.
Rosen, S.D. *See* Tangemann, Bistrup, Hemmerich, and Rosen.
Rot, A. *See* Charbonnier, Kohrgruber, Kriehuber, Stingl, Rot, and Maurer.
Roth, D.B. *See* Wang, Bogue, Levitt, and Roth.
Rothwell, N.J. *See* Artis, Humphreys, Bancroft, Rothwell, Potten, and Grencis.
Rubio, M. *See* Armant, Avice, Hermann, Rubio, Kiniwa, Delespesse, and Sarfati.
Rudensky, A. *See* Underhill, Bassetti, Rudensky, and Aderem.
Rufer, N., Brümmendorf, T.H., Kolvraa, S., Bischoff, C., Christensen, K., Wadsworth, L., Schulzer, M., and Lansdorp, P.M. Telomere fluorescence measurements in granulocytes and T lymphocyte subsets point to a high turnover of hematopoietic stem cells and memory T cells in early childhood. 157.
Ryan, J.C. *See* Eriksson, Leitz, Fällman, Axner, Ryan, Nakamura, and Sentman.

S

Saavedra, E., Herrera, M., Gao, W., Uemura, H., and Pereira, M.A. The *Trypanosoma cruzi trans*-sialidase, through its COOH-terminal tandem repeat, upregulates interleukin 6 secretion in normal human intestinal microvascular endothelial cells and peripheral blood mononuclear cells. 1825.
Sahu, A. *See* Lubinski, Wang, Mastellos, Sahu, Lambris, and Friedman.
Saito, A.Y. *See* Ho, He, Hu, Geng, Basile, Almeida, Saito, Laurence, and Johnson.
Saito, T. *See* Nakaseko, Miyatake, Iida, Hara, Abe, Ohno, Saito, and Saito.
— *See* Wild, Cambiaggi, Brown, Davies, Ohno, Saito, and van der Merwe.
Saito, Y. *See* Nakaseko, Miyatake, Iida, Hara, Abe, Ohno, Saito, and Saito.
Sakai, T. *See* Naidenko, Maher, Ernst, Sakai, Modlin, and Kronenberg.
Sakaida, H. *See* Yuda, Sakaida, and Chinzei.
Sakane, T. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Samelson, L.E. *See* Bosselut, Zhang, Ashe, Kopacz, Samelson, and Singer.
Sarfati, M. *See* Armant, Avice, Hermann, Rubio, Kiniwa, Delespesse, and Sarfati.
Sarvetnick, N. *See* Falcone, Yeung, Tucker, Rodriguez, and Sarvetnick.
Sasaki, C.Y. *See* Srivastava, Sasaki, Hardwick, and Longo.
Sato, M. *See* Nishimura, Iwakabe, Sekimoto, Ohmi, Yahata, Nakui, Sato, Habu, Tashiro, Sato, and Ohta.
Sato, T. *See* Nishimura, Iwakabe, Sekimoto, Ohmi, Yahata, Nakui, Sato, Habu, Tashiro, Sato, and Ohta.
Sayegh, M.H. *See* Denton, Geehan, Alexander, Sayegh, and Briscoe.
Schade, A.J. *See* Romo, Dong, Schade, Gardiner, Kansas, Li, McIntire, Berndt, and López.
Schelen, A.M. *See* Ward, van Aesch, Gits, Schelen, de Koning, van Leeuwen, Freedman, and Touw.
Schmidt, A.M. *See* Choudhri, Hoh, Prestigiacomo, Huang, Kim, Schmidt, Kisiel, Connolly, and Pinsky.
Schmidtmayerova, H. *See* Alfano, Schmidtmayerova, Amella, Pushkarsky, and Bukrinsky.
Schneider, P. *See* Mackay, Woodcock, Lawton, Ambrose, Baetscher, Schneider, Tschopp, and Browning.
Schön, M.P. *See* Lefrançois, Parker, Olson, Muller, Wagner, Schön, and Puddington.
Schönrich, G. *See* Raftery, Behrens, Müller, Krammer, Walczak, and Schönrich.
Schooley, K. *See* Fanger, Maliszewski, Schooley, and Griffith.
Schrader, C.E., Edelmann, W., Kucherlapati, R., and Stavnezer, J. Reduced isotype switching in splenic B cells from mice deficient in mismatch repair enzymes. 323.

Schreiner, D. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.
Schrenzel, J. *See* Bánfi, Schrenzel, Nüsse, Lew, Ligeti, Krause, and Demaurex.
Schuler, G. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.
Schulz, O. *See* Gough, Schulz, Sewell, and Shakib.
Schulzer, M. *See* Rufer, Brümmendorf, Kolvraa, Bischoff, Christensen, Wadsworth, Schulzer, and Lansdorp.
Schumacher, T.N.M. *See* Haanen, Wolkers, Kruisbeek, and Schumacher.
Schust, D.J., Tortorella, D., Seebach, J., Phan, C., Bačík, I., Bennink, J.R., Yewdell, J.W., and Ploegh, H.L. Trophoblast class I major histocompatibility complex (MHC) products are resistant to rapid degradation imposed by the human cytomegalovirus (HCMV) gene products US2 and US11 [188(3):497]: Correction. 151.
Schwarting, A. *See* Tesch, Maifert, Schwarting, Rollins, and Kelley.
Schwartz, R.H. *See* Miller, Ragheb, and Schwartz.
Schwarz, M.A., Kandel, J., Brett, J., Li, J., Hayward, J., Schwarz, R.E., Chappey, O., Wautier, J.-L., Chabot, J., Gerfo, P.L., and Stern, D. Endothelial-monocyte activating polypeptide II, a novel antitumor cytokine that suppresses primary and metastatic tumor growth and induces apoptosis in growing endothelial cells. 341.
Schwarz, R.E. *See* Schwarz, Kandel, Brett, Li, Hayward, Schwarz, Chappey, Wautier, Chabot, Gerfo, and Stern.
Scordi, I. *See* Zhang, Scordi, Smyth, and Lichtenheld.
Screpanti, V. *See* Djerbi, Screpanti, Catrina, Bogen, Biberfeld, and Grandien.
Seebach, J. *See* Schust, Tortorella, Seebach, Phan, Bačík, Bennink, Yewdell, and Ploegh.
Segal, D. *See* Gabriele, Phung, Fukumoto, Segal, Wang, Giannakakou, Giese, Ozato, and Morse.
Sékaly, R.-P. *See* Alam, Cohen, Aouad, and Sékaly.
— *See* Poulin, Viswanathan, Harris, Komanduri, Wieder, Ringuette, Jenkins, McCune, and Sékaly.
Sekimoto, M. *See* Nishimura, Iwakabe, Sekimoto, Ohmi, Yahata, Nakui, Sato, Habu, Tashiro, Sato, and Ohta.
Sentman, C.L. *See* Eriksson, Leitz, Fällman, Axner, Ryan, Nakamura, and Sentman.
Sewell, H.F. *See* Gough, Schulz, Sewell, and Shakib.
Shakib, F. *See* Gough, Schulz, Sewell, and Shakib.
Shannon, M. *See* Brard, Shannon, Prak, Litwin, and Weigert.
Sharpe, A.H. *See* Chang, Jabs, Sobel, Kuchroo, and Sharpe.
Shaw, A.S. *See* Holdorf, Green, Levin, Denny, Straus, Link, Changelian, Allen, and Shaw.
Shehabeldin, A. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.
Shiff, S.J., and Rigas, B. The role of cyclooxygenase inhibition in the antineoplastic effects of nonsteroidal antiinflammatory drugs (NSAIDs). 445.
Shiigi, S.M. *See* Wong, Bergquam, Swanson, Lee, Shiigi, Avery, Fanton, and Axthelm.
Shimizu, C. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.
Shimizu, E. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.
Shimoda, M. *See* Takahashi, Cerasoli, Dal Porto, Shimoda, Freund, Fang, Telander, Malvey, Mueller, Behrens, and Kelsoe.
Shimoyama, Y. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Shlomchik, M.J. *See* Wang and Shlomchik.
Shoaibi, M.A. *See* Hudson, Shoaibi, Maestro, Carnero, Hannon, and Beach.
Sibley, L.D. *See* Mordue, Desai, Dustin, and Sibley.
Sideras, P. *See* Loder, Mutschler, Ray, Paige, Sideras, Torres, Lamers, and Carsetti.
Sieff, C.A. *See* Rebel, Hartnett, Hill, Lazo-Kallanian, Ferrara, and Sieff.
Siegelman, M.H. *See* Estess, Nandi, Mohamadzadeh, and Siegelman.
Siminovitch, K.A. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.
Singer, A. *See* Bosselut, Zhang, Ashe, Kopacz, Samelson, and Singer.
Siu, G. *See* Kim and Siu.
Sivori, S. *See* Falco, Biassoni, Bottino, Vitale, Sivori, Augugliaro, Moretta, and Moretta.
— *See* Pende, Parolini, Pessino, Sivori, Augugliaro, Morelli, Marcenaro, Accame, Malaspina, Biassoni, Bottino, Moretta, and Moretta.
Siwarski, D. *See* Diaw, Siwarski, Coleman, Kim, Jones, Dighiero, and Huppi.
Skulsky, E. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Sly, L. *See* Hmama, Nandan, Sly, Knutson, Herrera-Velit, and Reiner.
Smyth, M.J. *See* Cretney, Degli-Esposti, Densley, Farrell, Davis-Poynter, and Smyth.
— *See* Zhang, Scordi, Smyth, and Lichtenheld.
Snapper, S. *See* Sonoda, Exley, Snapper, Balk, and Stein-Streilein.
Sobel, R.A. *See* Chang, Jabs, Sobel, Kuchroo, and Sharpe.
Sobrino, F. *See* Hmadcha, Bedoya, Sobrino, and Pintado.
Sohail, M. *See* Griselli, Herbert, Hutchinson, Taylor, Sohail, Krausz, and Pepys.
Soler, D. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Sollami, G. *See* Degermann, Sollami, and Karjalainen.
Soloff, R.S. *See* Bain, Quong, Soloff, Hedrick, and Murre.
Somani, A.-K. *See* Zhang, Shehabeldin, da Cruz, Butler, Somani, McGavin, Kozieradzki, dos Santos, Nagy, Grinstein, Penninger, and Siminovitch.
Somersan, S. *See* Freedman, Liu, Somersan, Kotlikoff, and Punt.
Sommers, C.L., Rabin, R.L., Grinberg, A., Tsay, H.C., Farber, J., and Love, P.E. A role for the Tec family tyrosine kinase Txk in T cell activation and thymocyte selection. 1427.
— *See* Rajagopal, Sommers, Decker, Mitchell, Korthauer, Sperling, Kozak, Love, and Bluestone.
Song, X.-y., Zeng, L., Jin, W., Thompson, J., Mizel, D.E., Lei, K.-j., Billinghurst, R.C., Poole, A.R., and Wahl, S.M. Secretory leukocyte protease inhibitor suppresses the inflammation and joint damage of bacterial cell wall–induced arthritis. 535.
Sonoda, K.-H., Exley, M., Snapper, S., Balk, S.P., and Stein-Streilein, J. CD1-reactive natural killer T cells are required for development of systemic tolerance through an immune-privileged site. 1215.
Soto, H. *See* Vassileva, Soto, Zlotnik, Nakano, Kakiuchi, Hedrick, and Lira.
Speiser, D.E., Pittet, M.J., Valmori, D., Dunbar, R., Rimoldi, D., Liénard, D., MacDonald, H.R., Cerottini, J.-C., Cerundolo, V., and Romero, P. In vivo expression of natural killer cell inhibitory receptors by human melanoma–specific cytolytic T lymphocytes. 775.
— *See* Pittet, Valmori, Dunbar, Speiser, Liénard, Lejeune, Fleischhauer, Cerundolo, Cerottini, and Romero.
Sperling, A.I. *See* Rajagopal, Sommers, Decker, Mitchell, Korthauer, Sperling, Kozak, Love, and Bluestone.
Spiegel, H. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Spina, C.A. *See* Little, McLean, Spina, Richman, and Havlir.
Spits, H. *See* Jacobs, Krimpenfort, Haks, Allen, Blom, Démollière, Kruisbeek, Spits, and Berns.
Sprent, J. *See* Kishimoto and Sprent.
Srinivasan, R. *See* Bowne, Srinivasan, Wolchok, Hawkins, Blachere, Dyall, Lewis, and Houghton.
Srivastava, R.K., Sasaki, C.Y., Hardwick, J.M., and Longo, D.L. Bcl-2–mediated drug resistance: inhibition of apoptosis by blocking nuclear factor of activated T lymphocytes (NFAT)-induced fas ligand transcription. 253.
Stavnezer, J. *See* Schrader, Edelmann, Kucherlapati, and Stavnezer.
Stein, M.-P. *See* Bharadwaj, Stein, Volzer, Mold, and Du Clos.

Stein, P.L. *See* Gadue, Morton, and Stein.
Steinman, R.M. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.
Stein-Streilein, J. *See* Sonoda, Exley, Snapper, Balk, and Stein-Streilein.
Stellbrink, H.-J. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Stern, D. *See* Schwarz, Kandel, Brett, Li, Hayward, Schwarz, Chappey, Wautier, Chabot, Gerfo, and Stern.
Stingl, G. *See* Charbonnier, Kohrgruber, Kriehuber, Stingl, Rot, and Maurer.
Stockinger, B. *See* Fossati, Cooke, Papafio, Haskins, and Stockinger.
Stoddart, C. *See* Dittmer, Stoddart, Renne, Linquist-Stepps, Moreno, Bare, McCune, and Ganem.
Stoppacciaro, A. *See* Chiodoni, Paglia, Stoppacciaro, Rodolfo, Parenza, and Colombo.
Storb, U. *See* Kim, Bozek, Lo, and Storb.
Straus, D.B. *See* Holdorf, Green, Levin, Denny, Straus, Link, Changelian, Allen, and Shaw.
Suda, T. *See* Arai, Miyamoto, Ohneda, Inada, Sudo, Brasel, Miyata, Anderson, and Suda.
Suzuki, H., Zhou, Y.W., Kato, M., Mak, T.W., and Nakashima, I. Normal regulatory α/β T cells effectively eliminate abnormally activated T cells lacking the interleukin 2 receptor β in vivo. 1561.
Suzuki, M. *See* Watanabe, Nisitani, Ikuta, Suzuki, Chiba, and Honjo.
Suzuki, N. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Swain, S.L. *See* Haynes, Linton, Eaton, Tonkonogy, and Swain.
Swanson, R.M. *See* Wong, Bergquam, Swanson, Lee, Shiigi, Avery, Fanton, and Axthelm.
Swat, W. *See* Aifantis, Pivniouk, Gärtner, Feinberg, Swat, Alt, von Boehmer, and Geha.

T

Tailor, H. *See* Rabinovich, Daly, Dreja, Tailor, Riera, Hirabayashi, and Chernajovsky.
Takahashi, I. *See* Iijima, Takahashi, Kishi, Kim, Kawano, Hori, and Kiyono.
Takahashi, Y., Cerasoli, D.M., Dal Porto, J.M., Shimoda, M., Freund, R., Fang, W., Telander, D.G., Malvey, E.-N., Mueller, D.L., Behrens, T.W., and Kelsoe, G. Relaxed negative selection in germinal centers and impaired affinity maturation in *bcl-x*$_L$ transgenic mice. 399.
Takeba, Y. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Takeda, K. *See* Hoshino, Kashiwamura, Kuribayashi, Kodama, Tsujimura, Nakanishi, Matsuyama, Takeda, and Akira.
— *See* Kaisho, Tsutsui, Tanaka, Tsujimura, Takeda, Kawai, Yoshida, Nakanishi, and Akira.
Takeno, M. *See* Kashiwakura, Suzuki, Nagafuchi, Takeno, Takeba, Shimoyama, and Sakane.
Tanaka, N. *See* Kitamura, Tanaka, Watanabe, Uchida, Kanegasaki, Yamada, and Nakata.
Tanaka, T. *See* Kaisho, Tsutsui, Tanaka, Tsujimura, Takeda, Kawai, Yoshida, Nakanishi, and Akira.
Tanaka, Y. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.
Tang, T. *See* Coxon, Tang, and Mayadas.
Tangemann, K., Bistrup, A., Hemmerich, S., and Rosen, S.D. Sulfation of a high endothelial venule–expressed ligand for L-selectin: effects on tethering and rolling of lymphocytes. 935.
Taniguchi, M. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.
Tanne, K. *See* Niida, Kaku, Amano, Yoshida, Kataoka, Nishikawa, Tanne, Maeda, Nishikawa, and Kodama.
Tashiro, H. *See* Nishimura, Iwakabe, Sekimoto, Ohmi, Yahata, Nakui, Sato, Habu, Tashiro, Sato, and Ohta.
Tatu, C., Ye, J., Arnold, L.W., and Clarke, S.H. Selection at multiple checkpoints focuses V_H12 B cell differentiation toward a single B-1 cell specificity. 903.
Taylor, K.M. *See* Griselli, Herbert, Hutchinson, Taylor, Sohail, Krausz, and Pepys.
Tchernychev, B. *See* Yang, Hirata, Croce, Merrill-Skoloff, Tchernychev, Williams, Flaumenhaft, Furie, and Furie.
Telander, D.G. *See* Takahashi, Cerasoli, Dal Porto, Shimoda, Freund, Fang, Telander, Malvey, Mueller, Behrens, and Kelsoe.
Tesch, G.H., Maifert, S., Schwarting, A., Rollins, B.J., and Kelley, V.R. Monocyte chemoattractant protein 1–dependent leukocytic infiltrates are responsible for autoimmune disease in MRL-*Fas*^{lpr} mice. 1813.
Thieblemont, N., and Wright, S.D. Transport of bacterial lipopolysaccharide to the Golgi apparatus. 523.
Thieringer, R. *See* Vasselon, Hailman, Thieringer, and Detmers.
Thompson, J. *See* Song, Zeng, Jin, Thompson, Mizel, Lei, Billinghurst, Poole, and Wahl.
Thorley-Lawson, D.A. *See* Babcock, Decker, Freeman, and Thorley-Lawson.
Thurner, B., Haendle, I., Röder, C., Dieckmann, D., Keikavoussi, P., Jonuleit, H., Bender, A., Maczek, C., Schreiner, D., von den Driesch, P., Bröcker, E.B., Steinman, R.M., Enk, A., Kämpgen, E., and Schuler, G. Vaccination with Mage-3A1 peptide–pulsed mature, monocyte-derived dendritic cells expands specific cytotoxic T cells and induces regression of some metastases in advanced stage IV melanoma. 1669.
Tian, J. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
Tiwari, S. *See* Wesley, Albino, Tiwari, and Houghton.
Tonkonogy, S.L. *See* Haynes, Linton, Eaton, Tonkonogy, and Swain.
Torres, R. *See* Loder, Mutschler, Ray, Paige, Sideras, Torres, Lamers, and Carsetti.
Tortorella, D. *See* Schust, Tortorella, Seebah, Phan, Bačík, Bennink, Yewdell, and Ploegh.
Touw, I.P. *See* Ward, van Aesch, Gits, Schelen, de Koning, van Leeuwen, Freedman, and Touw.
Tragni, G. *See* Anichini, Molla, Mortarini, Tragni, Bersani, Di Nicola, Gianni, Pilotti, Dunbar, Cerundolo, and Parmiani.
Trailsmith, M.D. *See* Mittler, Bailey, Klussman, Trailsmith, and Hoffmann.
Trevisan, M. *See* Nichogiannopoulou, Trevisan, Neben, Friedrich, and Georgopoulos.
Trop, S. *See* Michie, Trop, Wiest, and Zúñiga-Pflücker.
Tsay, H.C. *See* Sommers, Rabin, Grinberg, Tsay, Farber, and Love.
Tschopp, J. *See* French and Tschopp.
— *See* Kennedy, Kataoka, Tschopp, and Budd.
— *See* Mackay, Woodcock, Lawton, Ambrose, Baetscher, Schneider, Tschopp, and Browning.
Tsirpouchtsidis, A. *See* Lorenzen, Düx, Wölk, Tsirpouchtsidis, Haas, and Meyer.
Tsujimura, T. *See* Hoshino, Kashiwamura, Kuribayashi, Kodama, Tsujimura, Nakanishi, Matsuyama, Takeda, and Akira.
— *See* Kaisho, Tsutsui, Tanaka, Tsujimura, Takeda, Kawai, Yoshida, Nakanishi, and Akira.
Tsutsui, H. *See* Kaisho, Tsutsui, Tanaka, Tsujimura, Takeda, Kawai, Yoshida, Nakanishi, and Akira.
Tucker, L. *See* Falcone, Yeung, Tucker, Rodriguez, and Sarvetnick.
Tuttleton, S. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.

U

Uchida, K. *See* Kitamura, Tanaka, Watanabe, Uchida, Kanegasaki, Yamada, and Nakata.
Uemura, H. *See* Saavedra, Herrera, Gao, Uemura, and Pereira.
Ulanet, D. *See* Casciola-Rosen, Andrade, Ulanet, Wong, and Rosen.

Underhill, D.M., Bassetti, M., Rudensky, A., and Aderem, A. Dynamic interactions of macrophages with T cells during antigen presentation. 1909.
— *See* Gold, Underhill, Morrissette, Guo, McNiven, and Aderem.

V

Valencia, G. *See* Haurum, Bjerring Hoier, Arsequell, Neisig, Valencia, Zeuthen, Neefjes, and Elliott.
Valladeau, J. *See* Bell, Chomarat, Broyles, Netto, Harb, Lebecque, Valladeau, Davoust, Palucka, and Banchereau.
Valmori, D. *See* Pittet, Valmori, Dunbar, Speiser, Liénard, Lejeune, Fleischhauer, Cerundolo, Cerottini, and Romero.
— *See* Speiser, Pittet, Valmori, Dunbar, Rimoldi, Liénard, MacDonald, Cerottini, Cerundolo, and Romero.
van Aesch, Y.M. *See* Ward, van Aesch, Gits, Schelen, de Koning, van Leeuwen, Freedman, and Touw.
Vance, R.E., Jamieson, A.M., and Raulet, D.H. Recognition of the class Ib molecule Qa-1^b by putative activating receptors CD94/NKG2C and CD94/NKG2E on mouse natural killer cells. 1801.
Van den Eynde, B.J., Gaugler, B., Probst-Kepper, M., Michaux, L., Devuyst, O., Lorge, F., Weynants, P., and Boon, T. A new antigen recognized by cytolytic T lymphocytes on a human kidney tumor results from reverse strand transcription. 1793.
van der Burg, S.H. *See* Kammer, van der Burg, Grabscheid, Hunziker, Kwappenberg, Reichen, Melief, and Cerny.
van der Merwe, P.A. A subtle role for CD2 in T cell antigen recognition. 1371.
— *See* Wild, Cambiaggi, Brown, Davies, Ohno, Saito, and van der Merwe.
van Elsas, A., Hurwitz, A.A., and Allison, J.P. Combination immunotherapy of B16 melanoma using anti–cytotoxic T lymphocyte–associated antigen 4 (CTLA-4) and granulocyte/macrophage colony-stimulating factor (GM-CSF)-producing vaccines induces rejection of subcutaneous and metastatic tumors accompanied by autoimmune depigmentation. 355.
van Endert, P.M. *See* Lauvau, Kakimi, Niedermann, Ostankovitch, Yotnda, Firat, Chisari, and van Endert.
van Hall, T. *See* Medema, de Jong, van Hall, Melief, and Offringa.
Van Kaer, L. *See* Hong and Van Kaer.
van Leeuwen, D. *See* Ward, van Aesch, Gits, Schelen, de Koning, van Leeuwen, Freedman, and Touw.
van Lunzen, J. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Vasselon, T., Hailman, E., Thieringer, R., and Detmers, P.A. Internalization of monomeric lipopolysaccharide occurs after transfer out of cell surface CD14. 509.
Vassileva, G., Soto, H., Zlotnik, A., Nakano, H., Kakiuchi, T., Hedrick, J.A., and Lira, S.A. The reduced expression of 6Ckine in the *plt* mouse results from the deletion of one of two 6Ckine genes. 1183.
Veillette, A. *See* Cao, Davidson, Yu, Latour, and Veillette.
Vesanen, M. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Viswanathan, M.N. *See* Poulin, Viswanathan, Harris, Komanduri, Wieder, Ringuette, Jenkins, McCune, and Sékaly.
Vitale, M. *See* Falco, Biassoni, Bottino, Vitale, Sivori, Augugliaro, Moretta, and Moretta.
Volzer, M. *See* Bharadwaj, Stein, Volzer, Mold, and Du Clos.
von Boehmer, H. *See* Aifantis, Feinberg, Fehling, Di Santo, and von Boehmer.
— *See* Aifantis, Pivniouk, Gärtner, Feinberg, Swat, Alt, von Boehmer, and Geha.
von den Driesch, P. *See* Thurner, Haendle, Röder, Dieckmann, Keikavoussi, Jonuleit, Bender, Maczek, Schreiner, von den Driesch, Bröcker, Steinman, Enk, Kämpgen, and Schuler.

W

Wadsworth, L. *See* Rufer, Brümmendorf, Kolvraa, Bischoff, Christensen, Wadsworth, Schulzer, and Lansdorp.
Wagner, N. *See* Lefrançois, Parker, Olson, Muller, Wagner, Schön, and Puddington.
Wahl, S.M. *See* Song, Zeng, Jin, Thompson, Mizel, Lei, Billinghurst, Poole, and Wahl.
Wahlgren, M. *See* Fernandez, Hommel, Chen, Hagblom, and Wahlgren.
Walczak, H. *See* Raftery, Behrens, Müller, Krammer, Walczak, and Schönrich.
Walker, L.S.K., Gulbranson-Judge, A., Flynn, S., Brocker, T., Raykundalia, C., Goodall, M., Förster, R., Lipp, M., and Lane, P. Compromised OX40 function in CD28-deficient mice is linked with failure to develop CXC chemokine receptor 5–positive CD4 cells and germinal centers. 1115.
Walsh, K. *See* Perlman, Pagliari, Georganas, Mano, Walsh, and Pope.
Wang, B. *See* Chiu, Wang, Kerksiek, Kurlander, Pamer, and Wang.
Wang, C., Bogue, M.A., Levitt, J.M., and Roth, D.B. Irradiation-mediated rescue of T cell–specific V(D)J recombination and thymocyte differentiation in severe combined immunodeficient mice by bone marrow cells. 1257.
Wang, C.-R. *See* Chiu, Chun, Fay, Mandal, and Wang.
— *See* Chiu, Wang, Kerksiek, Kurlander, Pamer, and Wang.
— *See* Park, Guy-Grand, Lemonnier, Wang, Bendelac, and Jabri.
Wang, H., and Shlomchik, M.J. Autoantigen-specific B cell activation in Fas-deficient rheumatoid factor immunoglobulin transgenic mice. 639.
Wang, I.-M. *See* Gabriele, Phung, Fukumoto, Segal, Wang, Giannakakou, Giese, Ozato, and Morse.
Wang, J. *See* Wu, Wang, Wang, Hedgeman, Browning, and Fu.
Wang, J.-H. *See* Winandy, Wu, Wang, and Georgopoulos.
Wang, J.M., and Oppenheim, J.J. Interference with the signaling capacity of CC chemokine receptor 5 can compromise its role as an HIV-1 entry coreceptor in primary T lymphocytes. 591.
Wang, L. *See* Coyle, Lloyd, Tian, Nguyen, Erikkson, Wang, Ottoson, Persson, Delaney, Lehar, Lin, Poisson, Meisel, Kamradt, Bjerke, Levinson, and Gutierrez-Ramos.
— *See* Lubinski, Wang, Mastellos, Sahu, Lambris, and Friedman.
Wang, R., Wang-Zhu, Y., Gabaglia, C.R., Kimachi, K., and Grey, H.M. The stimulation of low-affinity, nontolerized clones by heteroclitic antigen analogues causes the breaking of tolerance established to an immunodominant T cell epitope. 983.
Wang, Y. *See* Wu, Wang, Wang, Hedgeman, Browning, and Fu.
Wang, Z., Marincola, F.M., Rivoltini, L., Parmiani, G., and Ferrone, S. Selective histocompatibility leukocyte antigen (HLA)-A2 loss caused by aberrant pre-mRNA splicing in 624MEL28 melanoma cells. 205.
Wang-Zhu, Y. *See* Wang, Wang-Zhu, Gabaglia, Kimachi, and Grey.
Ward, A.C., van Aesch, Y.M., Gits, J., Schelen, A.M., de Koning, J.P., van Leeuwen, D., Freedman, M.H., and Touw, I.P. Novel point mutation in the extracellular domain of the granulocyte colony-stimulating factor (G-CSF) receptor in a case of severe congenital neutropenia hyporesponsive to G-CSF treatment. 497.
Watanabe, J. *See* Kitamura, Tanaka, Watanabe, Uchida, Kanegasaki, Yamada, and Nakata.
Watanabe, N., Nisitani, S., Ikuta, K., Suzuki, M., Chiba, T., and Honjo, T. Expression levels of B cell surface immunoglobulin regulate efficiency of allelic exclusion and size of autoreactive B-1 cell compartment. 461.
— *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.
Wautier, J.-L. *See* Schwarz, Kandel, Brett, Li, Hayward, Schwarz, Chappey, Wautier, Chabot, Gerfo, and Stern.
Weigert, M. *See* Brard, Shannon, Prak, Litwin, and Weigert.
Wesley, U.V., Albino, A.P., Tiwari, S., and Houghton, A.N. A role for dipeptidyl peptidase IV in suppressing the malignant phenotype of melanocytic cells. 311.
Weynants, P. *See* Van den Eynde, Gaugler, Probst-Kepper, Michaux, Devuyst, Lorge, Weynants, and Boon.
Wieder, E. *See* Poulin, Viswanathan, Harris, Komanduri, Wieder, Ringuette, Jenkins, McCune, and Sékaly.
Wiest, D.L. *See* Michie, Trop, Wiest, and Zúñiga-Pflücker.
Wild, M.K., Cambiaggi, A., Brown, M.H., Davies, E.A., Ohno, H., Saito, T., and van der Merwe, P.A. Dependence of T cell antigen recognition on the dimensions of an accessory receptor–ligand complex. 31.

Wiley, D.C. *See* Fan and Wiley.
Williams, E. *See* Yang, Hirata, Croce, Merrill-Skoloff, Tchernychev, Williams, Flaumenhaft, Furie, and Furie.
Winandy, S., Wu, L., Wang, J.-H., and Georgopoulos, K. Pre–T cell receptor (TCR) and TCR-controlled checkpoints in T cell differentiation are set by Ikaros. 1039.
Woerly, G., Roger, N., Loiseau, S., Dombrowicz, D., Capron, A., and Capron, M. Expression of CD28 and CD86 by human eosinophils and role in the secretion of type 1 cytokines (interleukin 2 and interferon γ): inhibition by immunoglobulin A complexes. 487.
Wolchok, J.D. *See* Bowne, Srinivasan, Wolchok, Hawkins, Blachere, Dyall, Lewis, and Houghton.
Wolinsky, S. *See* Zhang, Lewin, Markowitz, Lin, Skulsky, Karanicolas, He, Jin, Tuttleton, Vesanen, Spiegel, Kost, van Lunzen, Stellbrink, Wolinsky, Borkowsky, Palumbo, Kostrikis, and Ho.
Wölk, U. *See* Lorenzen, Düx, Wölk, Tsirpouchtsidis, Haas, and Meyer.
Wolkers, M.C. *See* Haanen, Wolkers, Kruisbeek, and Schumacher.
Wong, S.W., Bergquam, E.P., Swanson, R.M., Lee, F.W., Shiigi, S.M., Avery, N.A., Fanton, J.W., and Axthelm, M.K. Induction of B cell hyperplasia in simian immunodeficiency virus–infected rhesus macaques with the simian homologue of Kaposi's sarcoma–associated herpesvirus. 827.
Wong, W.B. *See* Casciola-Rosen, Andrade, Ulanet, Wong, and Rosen.
Woodcock, S.A. *See* Mackay, Woodcock, Lawton, Ambrose, Baetscher, Schneider, Tschopp, and Browning.
Wright, S.D. *See* Thieblemont and Wright.
Wu, L. *See* Winandy, Wu, Wang, and Georgopoulos.
Wu, Q., Wang, Y., Wang, J., Hedgeman, E.O., Browning, J.L., and Fu, Y.-X. The requirement of membrane lymphotoxin for the presence of dendritic cells in lymphoid tissues. 629.
Wu, Y.-L. *See* Zhao, Ben, Wu, Hu, Ling, Xin, Nie, Ma, and Pei.

X

Xin, S.-M. *See* Zhao, Ben, Wu, Hu, Ling, Xin, Nie, Ma, and Pei.
Xiong, N. *See* Baker, Kang, Xiong, Chen, Cado, and Raulet.

Y

Yahata, T. *See* Nishimura, Iwakabe, Sekimoto, Ohmi, Yahata, Nakui, Sato, Habu, Tashiro, Sato, and Ohta.
Yamada, Y. *See* Kitamura, Tanaka, Watanabe, Uchida, Kanegasaki, Yamada, and Nakata.
Yamashita, M. *See* Cui, Watanabe, Kawano, Yamashita, Kamata, Shimizu, Kimura, Shimizu, Koike, Koseki, Tanaka, Taniguchi, and Nakayama.
Yang, J., Hirata, T., Croce, K., Merrill-Skoloff, G., Tchernychev, B., Williams, E., Flaumenhaft, R., Furie, B.C., and Furie, B. Targeted gene disruption demonstrates that P-selectin glycoprotein ligand 1 (PSGL-1) is required for P-selectin–mediated but not E-selectin–mediated neutrophil rolling and migration.[o] 1769.
Yang, L.-L. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Yao, T., Mecsas, J., Healy, J.I., Falkow, S., and Chien, Y.-h. Suppression of T and B lymphocyte activation by a *Yersinia pseudotuberculosis* virulence factor, YopH. 1343.
Ye, J. *See* Tatu, Ye, Arnold, and Clarke.
Yeung, B. *See* Falcone, Yeung, Tucker, Rodriguez, and Sarvetnick.
Yewdell, J.W. *See* Schust, Tortorella, Seebach, Phan, Bačík, Bennink, Yewdell, and Ploegh.
Yoshida, H. *See* Niida, Kaku, Amano, Yoshida, Kataoka, Nishikawa, Tanne, Maeda, Nishikawa, and Kodama.
Yoshida, N. *See* Kaisho, Tsutsui, Tanaka, Tsujimura, Takeda, Kawai, Yoshida, Nakanishi, and Akira.
Yost, B.L. *See* Adamko, Yost, Gleich, Fryer, and Jacoby.
Yotnda, P. *See* Lauvau, Kakimi, Niedermann, Ostankovitch, Yotnda, Firat, Chisari, and van Endert.
Young, D.A. *See* Zhang, Morham, Langenbach, and Young.
Yu, J. *See* Cao, Davidson, Yu, Latour, and Veillette.
Yuan, Q. *See* Ochi, Hirani, Yuan, Friend, Austen, and Boyce.
Yuda, M., Sakaida, H., and Chinzei, Y. Targeted disruption of the *Plasmodium berghei* CTRP gene reveals its essential role in malaria infection of the vector mosquito. 1711.

Z

Zabel, B.A., Agace, W.W., Campbell, J.J., Heath, H.M., Parent, D., Roberts, A.I., Ebert, E.C., Kassam, N., Qin, S., Zovko, M., LaRosa, G.J., Yang, L.-L., Soler, D., Butcher, E.C., Ponath, P.D., Parker, C.M., and Andrew, D.P. Human G protein–coupled receptor GPR-9-6/CC chemokine receptor 9 is selectively expressed on intestinal homing T lymphocytes, mucosal lymphocytes, and thymocytes and is required for thymus-expressed chemokine–mediated chemotaxis. 1241.
Zeng, L. *See* Song, Zeng, Jin, Thompson, Mizel, Lei, Billinghurst, Poole, and Wahl.
Zeuthen, J. *See* Haurum, Bjerring Hoier, Arsequell, Neisig, Valencia, Zeuthen, Neefjes, and Elliott.
Zhang, J., Scordi, I., Smyth, M.J., and Lichtenheld, M.G. Interleukin 2 receptor signaling regulates the perforin gene through signal transducer and activator of transcription (Stat)5 activation of two enhancers. 1297.
—, Shehabeldin, A., da Cruz, L.A.G., Butler, J., Somani, A.-K., McGavin, M., Kozieradzki, I., dos Santos, A.O., Nagy, A., Grinstein, S., Penninger, J.M., and Siminovitch, K.A. Antigen receptor–induced activation and cytoskeletal rearrangement are impaired in Wiskott-Aldrich syndrome protein–deficient lymphocytes. 1329.
Zhang, L., Lewin, S.R., Markowitz, M., Lin, H.-H., Skulsky, E., Karanicolas, R., He, Y., Jin, X., Tuttleton, S., Vesanen, M., Spiegel, H., Kost, R., van Lunzen, J., Stellbrink, H.-J., Wolinsky, S., Borkowsky, W., Palumbo, P., Kostrikis, L.G., and Ho, D.D. Measuring recent thymic emigrants in blood of normal and HIV-1–infected individuals before and after effective therapy. 725.
Zhang, W. *See* Bosselut, Zhang, Ashe, Kopacz, Samelson, and Singer.
Zhang, X., Morham, S.G., Langenbach, R., and Young, D.A. Malignant transformation and antineoplastic actions of nonsteroidal antiinflammatory drugs (NSAIDs) on cyclooxygenase-null embryo fibroblasts. 451.
Zhao, J., Ben, L.-H., Wu, Y.-L., Hu, W., Ling, K., Xin, S.-M., Nie, H.-L., Ma, L., and Pei, G. Anti-HIV agent trichosanthin enhances the capabilities of chemokines to stimulate chemotaxis and G protein activation, and this is mediated through interaction of trichosanthin and chemokine receptors. 101.
Zhou, Y.W. *See* Suzuki, Zhou, Kato, Mak, and Nakashima.
Zinkernagel, R.M. *See* Ochsenbein, Pinschewer, Odermatt, Carroll, Hengartner, and Zinkernagel.
Zlotnik, A. *See* Vassileva, Soto, Zlotnik, Nakano, Kakiuchi, Hedrick, and Lira.
Zong, C.S. *See* Casares, Zong, Radu, Miller, Bona, and Brumeanu.
Zou, M.-H., and Bachschmid, M. Hypoxia–reoxygenation triggers coronary vasospasm in isolated bovine coronary arteries via tyrosine nitration of prostacyclin synthase. 135.
Zovko, M. *See* Zabel, Agace, Campbell, Heath, Parent, Roberts, Ebert, Kassam, Qin, Zovko, LaRosa, Yang, Soler, Butcher, Ponath, Parker, and Andrew.
Zúñiga-Pflücker, J.C. *See* Michie, Trop, Wiest, and Zúñiga-Pflücker.

[o] The online version of this article contains supplemental material.

SUBJECT INDEX VOLUME 190

A20, inhibits cytokine-induced apoptosis and nuclear factor κB–dependent gene activation, 1135
ADA, roles of CD26 ectoenzyme in malignant transformation, 301
Adaptor protein, RIBP regulates T cell activation, 1657
Adaptors
  association of LAT with CD4 and CD8 coreceptors, 1517
  novel SLP-76–related Clnk expressed in hemopoietic cells, 1527
Adhesion
  CD66 receptor residues required for Opa protein binding, 331
  CD2 sets quantitative thresholds in T cell activation, 1383
  distinct roles of T helper cells in eradication of tumors, 617
  of endothelial cells, regulated by interleukin 15, 9
  identification and cloning of novel sialoadhesin member expressed by natural killer cells, 793
  platelet glycoprotein Ib-α is counterreceptor for P-selectin, 803
  role of P-selectin glycoprotein ligand 1 in leukocyte rolling and migration, 1769
Affinity maturation, role of *bcl-x*$_L$ and apoptosis in clonal selection and, 399
Aging
  interleukin 2 can reverse the defect in effector T cells from, 1013
  measuring recent thymic emigrants in HIV-1 infection, 725
  relation of telomere length to somatic cell turnover, 153
AIDS, B cell hyperplasia in SIV-infected macaques, 827
Airway, eosinophils mediate M_2 muscarinic receptor dysfunction and hyperresponsiveness of, 1465
Airway inflammation, regulated by interferon γ and T helper 1 cells, 1309
Allelic exclusion
  immunoglobulin V gene expression and secondary rearrangement in plasmacytomas, 1405
  quantitative effects of surface immunoglobulin levels on, 461
  role of SLP-76 adaptor protein in, 1093
Allelic inclusion, specificity and surface density of BCR determine B cell development, 471
Allergens, cysteine protease activity of Der p 1 enhances immunoglobulin E response, 1897
Allorecognition, endothelial cells modify costimulatory capacity of transmigrating leukocytes, 555
Anemia, pathogenicity of low-affinity autoantibodies in, 1689
Anergy
  anti–4-1BB antibodies block T cell–dependent humoral immunity, 1535
  and cytokine-mediated suppression as tolerance mechanisms, 53
  prevention of diabetes by dual T cell receptor expression, 577
Anterior chamber–associated immune deviation
  natural killer T cells required for systemic tolerance induced via the eye, 1215
  role of natural killer T cells in immune privilege, 1197
Antigen presentation
  CD2 sets quantitative thresholds in T cell activation, 1383
  of ceramide-containing glycolipids by soluble CD1 molecules, 1069
  dendritic cells enter primary follicle and stimulate T and B cell responses, 851
  distinct T cell priming by spleen and Peyer's patch dendritic cells, 229
  herpes simplex virus–induced fratricide of activated antiviral T cells, 1103
  H2-M3 trafficking is affected by antigen supply, 423
  interactions of macrophages with T cells during, 1909
  natural presentation of glycopeptides by MHC class I molecules, 145
  selection of ER-processed epitope precursors by TAP, 1227
Antigen presenting cells, molecular dimensions and T cell antigen recognition, 31
Antigen receptor, role of Wiskott-Aldrich syndrome protein in activation induced by, 1329
Antigen targeting, role for lipid rafts in B cell antigen receptor signaling and, 1549
Antitumor immunity, distinct roles of T helper cells in eradication of tumors, 617
Apoptosis
  A20 inhibits cytokine-induced, in islets, 1135
  Bcl-2 inhibits Fas ligand transcription and blocks, 253
  caspase activation required for T cell proliferation, 1891
  early activation of caspases during T lymphocyte stimulation affects, 1879
  endothelial-monocyte activating polypeptide II suppresses tumor growth and induces, 341
  FLIP protects macrophages from Fas-mediated, 1679
  herpes simplex virus–induced fratricide of activated antiviral T cells, 1103
  high level expression of CD43 inhibits T cell receptor/CD3-mediated, 1903
  immune escape of tumors by expression of cellular FLIP, 1033
  inhibition of death receptor signaling by FLIP for immune escape of tumors, 891
  multifunctional caspases promote inflammation and, 1725
  of neutrophils, delayed by cytokine-activated endothelial cells, 923
  phagocyte regulation of integrins for cell binding, 861
  regulation in myeloid cells by interferon consensus sequence–binding protein, 411
  role of *bcl-x*$_L$ and, in clonal selection and affinity maturation, 399
  role of FLIP in tumor progression, 1025
  role of TRAIL in dendritic cell mediation of, 1155
  susceptibility to granzyme B cleavage predicts autoantigen status during, 815
  of T cells, galectin-1 suppresses collagen-induced arthritis via, 385
Arthritis
  galectin-1 suppresses collagen-induced, 385
  secretory leukocyte protease inhibitor suppresses inflammation and joint damage, 535
Asthma
  chemokine receptor expression during differentiation of mast cells, 267
  interferon γ and T helper 1 cells regulate allergic airway inflammation and mucus production, 1309
  role of interleukin 1 receptor in Th2-mediated mucosal immune responses in, 895
  T1/ST2 not essential in development and function of T helper 2 cells and mast cells, 1541
Autoimmune disease
  A20 inhibits apoptosis and gene activation in islets, 1135
  autoantibody against granulocyte/macrophage colony-stimulating factor in PAP, 875
  autoantigen-specific activation of rheumatoid factor B cells, 639
  critical role for B7 costimulation in experimental autoimmune encephalomyelitis, 733
  monocyte chemoattractant protein 1 promotes autoimmune injury, 1813
  somatic mutation and peripheral light chain rearrangement in, 691
Autoimmune hemolytic anemia, pathogenicity of low-affinity autoantibodies in, 1689
Autoimmunity
  anti–CTLA-4 induces tumor rejection and depigmentation, 355
  coupling and uncoupling of tumor immunity and, 1717
  defect in interleukin 12–induced activation and interferon γ secretion of natural killer T cells in diabetes, 963
  hepatitis C virus induces autoreactive cytotoxic T cells, 169
  natural killer T cells required for systemic tolerance induced via immune-privileged site, 1215
  role of BAFF in lymphocyte disorders and, 1697
  structure of natural killer cell inhibitory receptor ligand HLA-Cw4, 113
  susceptibility to granzyme B cleavage predicts autoantigen status, 815
B7, critical role for costimulation in experimental autoimmune encephalomyelitis, 733
B cell antigen receptor
  role for lipid rafts in signaling, 1549
  signaling in immature B cells, 749
  specificity and surface density determine B cell development, 471
B cell receptor, development of B cells in the spleen, 75
B cell tolerance
  autoantigen-specific activation of rheumatoid factor B cells, 639
  somatic mutation and peripheral light chain rearrangement in autoimmune disease, 691
B cells
  activation suppressed by YopH, 1343
  constitutive regulation of MHC class I expression in, 1451
  dendritic cells enter primary follicle and stimulate responses of T and, 851
  development in the spleen, 75
  EBV-infected, accumulate in peripheral blood of immunosuppressed patients, 567
  hyperplasia in SIV-infected macaques, 827

quantitative effects of surface immunoglobulin levels on allelic exclusion, 461
rheumatoid factor, autoantigen-specific activation of, 639
role of BAFF in lymphocyte disorders and autoimmunity, 1697
role of mismatch repair enzymes in class switch recombination in splenic, 323
signal thresholds for antigen receptor–linked gene expression in, 749
specificity and surface density of B cell antigen receptor determine development of, 471
V_H12 differentiation focuses toward single specificity, 903
Bacillus Calmette-Guerin, expression of novel Nramp cation transporter in, 717
BAFF, role in lymphocyte disorders and autoimmunity, 1697
4-1BB receptor, role in T cell–dependent humoral immunity, 1535
Bcl-2, inhibits Fas ligand transcription, 253
bcl-x_L, relaxed negative selection and impaired affinity maturation in mice expressing, 399
Binary capsulation, formation of *Streptococcus pneumoniae* type 37 capsular polysaccharide, 241
Blood–brain barrier, role of junctional adhesion molecule to inhibit leukocyte recruitment in meningitis, 1351
Bone
secretory leukocyte protease inhibitor suppresses joint damage of bacterial cell wall–induced arthritis, 535
vascular endothelial growth factor supports osteoclastic resorption, 293
Bone marrow, mediates irradiation rescue of V(D)J recombination and T cell differentiation in SCID mice, 1257
Bone marrow transplant, normal T cells eliminate those lacking interleukin 2 receptor β, 1561
Breast cancer, separate locations for immature and mature dendritic cells in carcinoma tissue, 1417
Cancer
antineoplastic effects of NSAIDs independent of cyclooxygenase inhibition, 451
connection between chronic inflammation and tumorigenesis, 1367
inhibition of death receptor signaling by FLIP for immune escape of tumors, 891
macrophage MIF inhibits p53 activity, 1375
role of cyclooxygenase inhibition in antineoplastic effects of NSAIDs, 445
separate locations for immature and mature dendritic cells in breast carcinoma tissue, 1417
splicing defect of HLA-A2 pre-mRNA in melanoma, 205
Capsule, formation of *Streptococcus pneumoniae* type 37 capsular polysaccharide, 241
Cartilage resorption, secretory leukocyte protease inhibitor suppresses inflammation and joint damage, 535
Caspase, early activation during T lymphocyte stimulation, 1879
Caspases
activation required for T cell proliferation, 1891
multifunctional proteases promote inflammation and apoptosis, 1725
Cation transporter, of Nramp family, expression in tuberculosis of novel, 717
CCAAT/enhancer binding protein γ, role in natural killer cytotoxic activity and interferon γ production, 1573
CCR5
deactivated by B-oligomer of pertussis toxin to block entry of HIV-1, 597
signaling and HIV-1 coreception in primary T cells, 591
CD1
antigen presentation of ceramide-containing glycolipids by, 1069
recognition of nonclassical MHC class I molecules by intestinal intraepithelial lymphocytes, 885
CD2
ligand interactions in T cell antigen recognition, 1371
molecular dimensions and T cell antigen recognition, 31
sets quantitative thresholds in T cell activation, 1383
CD3
complex, regulation of early T cell receptor gene expression in T cells, 141
high level expression of CD43 inhibits apoptosis mediated by, 1903
phosphorylation, T cell receptor ζ molecules can inhibit T cell activation, 1627
CD4
association of adaptor molecule LAT with CD8 and, 1517
cells, interleukin 2 can reverse the defect in effector T cells from aged mice, 1013
nuclear localization of novel silencer binding factor, 281
role in calcium signaling pattern in thymocytes, 943
thymocytes, final intrathymic maturation is independent of MHC class II, 757
CD8
association of adaptor molecule LAT with CD4 and, 1517
cytomegalovirus gene *m152* protects against T cell attack, 1285
role for CD40 ligand interactions in T cell activation, 1275
T cells, development independent of MHC class I molecules, 881
CD14
internalization of lipopolysaccharide after transfer out of, 509
role in transport of bacterial lipopolysaccharide to Golgi apparatus, 523
CD19, protective T cell–independent antiviral responses depend on complement, 1165
CD26, roles of ectoenzyme in malignant transformation, 301
CD28
compromised OX40 function in mice deficient in, 1115
expression by eosinophils and role in type 1 cytokine secretion, 487
Lck required for costimulation of, 375
role in calcium signaling pattern in thymocytes, 943
CD43, high level expression inhibits T cell receptor/CD3-mediated apoptosis, 1903
CD44, interleukin 15 induces endothelial hyaluronan expression and T cell trafficking through, 9
CD45, role in B cell development in the spleen, 75
CD47, regulates production of interleukin 12, 1175
CD48
CD2–ligand interactions in T cell antigen recognition, 1371
molecular dimensions and T cell antigen recognition, 31
CD58, CD2–ligand interactions in T cell antigen recognition, 1371
CD66, receptor residues required for Opa protein binding, 331
CD86, role in B cell antigen receptor signaling in immature B cells, 749
CD94, recognition of Qa-1 by heterodimeric receptors on natural killer cells, 1801
CD95, immune escape of tumors by expression of cellular FLIP, 1033
CD40 ligand
role in dendritic cell uptake and presentation of tumor antigens, 125
role in mucosal CD8 T cell response, 1275
Cell cycle, cytokine induction in T helper cells relating to proliferation and progression of, 1439
Cell death, herpes simplex virus–induced fratricide of activated antiviral T cells, 1103
Cell division
relation of telomere length to somatic cell turnover, 153
of T cells, requires peptides distinct from thymic selection, 367
Cell growth inhibitor, endothelial-monocyte activating polypeptide II suppresses tumor growth and induces apoptosis, 341
Cell trafficking, reduced expression of 6Ckine in *plt* mice, 1183
Cell turnover
age-related telomere length dynamics in hematopoietic cells, 157
relation of telomere length to aging, 153
β Cells, A20 inhibits apoptosis and gene activation in islets, 1135
Ceramide, antigen presentation by soluble CD1 molecules of glycolipids containing, 1069
Cerebral injury, limited by targeted inhibition of coagulation during stroke, 91
c-Fms, role in commitment and differentiation of osteoclast precursors, 1741
Chemoattractant, characterization of a second subtype of *N*-formylpeptide receptor, 741
Chemokine receptor
CCR5 signaling and HIV-1 coreception in primary T cells, 591
trichosanthin enhances activation of, to inhibit HIV, 101
Chemokines
activated T cells regulate and reprogram CXCR5, 1123
compromised OX40 function in mice deficient in CD28, 1115
GPR-9-6 is expressed on intestinal homing T cells and binds thymus-expressed, 1241
monocyte chemoattractant protein 1 promotes autoimmune injury, 1813
receptor expression during differentiation of mast cells, 267
reduced expression of 6Ckine in *plt* mice, 1183
role of macrophage inflammatory protein 3α in constitutive trafficking of Langerhans cells, 1755
SHP-1 regulates biological activities induced by, 681
Chemotaxis
anti-HIV agent trichosanthin enhances chemokine receptor activation, 101
reduced expression of 6Ckine in *plt* mice, 1183
SHP-1 regulates biological activities induced by chemokines, 681
Chemotherapy, dynamics of human cytomegalovirus replication, 177
Chronic myelogenous leukemia, regulation of apoptosis by interferon consensus sequence–binding protein, 411
6Ckine, reduced expression in *plt* mice, 1183
c-kit, Ikaros regulates hemopoietic stem cell activity, 1201
Class switch, role of mismatch repair enzymes in recombination, 323

Clnk, novel SLP-76–related adaptor molecule expressed in hemopoietic cells, 1527
Coagulation, targeted inhibition limits cerebral injury in stroke, 91
Colitis
  prevented by inhibition of interleukin 4 synthesis, 607
  role of interleukin 10 in function of regulatory T cells that inhibit intestinal inflammation, 995
  role of tumor necrosis factor in pathogenesis of, 1479
Collagen, galectin-1 suppresses arthritis induced by, 385
Colorectal cancer
  antineoplastic effects of NSAIDs independent of cyclooxygenase inhibition, 451
  role of cyclooxygenase inhibition in antineoplastic effects of NSAIDs, 445
Complement
  protective T cell–independent antiviral responses depend on, 1165
  role of herpes simplex virus glycoprotein gC domains interacting with, 1637
  tissue damage in myocardial infarction mediated by C-reactive protein and, 1733
Coronary vasospasm, role of peroxynitrite in hypoxia–reoxygenation-induced, 135
Costimulation
  critical role for B7 in experimental autoimmune encephalomyelitis, 733
  novel mechanism of negative signal transduction by CTLA-4, 765
  proline residues in CD28 and SH3 domain of Lck are required for, 375
  several different molecules control negative selection of thymocytes, 65
C-reactive protein
  Fcγ receptor II is major receptor on leukocytes for, 585
  tissue damage in myocardial infarction mediated by complement and, 1733
Crohn's disease, role of interleukin 10 in function of regulatory T cells that inhibit intestinal inflammation, 995
Cross-priming, role of dendritic cells in uptake and presentation of tumor antigens, 125
Crystal structure, of natural killer cell inhibitory receptor ligand HLA-Cw4, 113
CTLA-4, in immunotherapy of B16 melanoma, 355
CTRP gene, role in malaria infection of vector mosquito, 1711
CXCR5, activated T cells regulate and reprogram response to lymphoid chemokines, 1123
Cyclooxygenase
  antineoplastic effects of NSAIDs independent of inhibition of, 451
  inhibition in antineoplastic effects of NSAIDs, 445
Cysteine protease
  activity of Der p 1 enhances immunoglobulin E response, 1897
  early activation of caspases during T lymphocyte stimulation, 1879
Cytochrome c, breaking tolerance to an immunodominant epitope by heteroclitic antigens, 983
Cytochrome P450, mimicry by hepatitis C virus induces autoreactive cytotoxic T cells, 169
Cytokines
  CD28-mediated release of interleukin 2 and interferon γ by eosinophils, 487
  distinct roles of T helper cells in eradication of tumors, 617
  endothelial-monocyte activating polypeptide II suppresses tumor growth and induces apoptosis, 341
  flexible profiles of activated $CD8^+$ T cells from effector site, 1081
Fyn required for burst of interleukin 4 and interleukin 13 synthesis, 1189
immunoglobulin A1 protease stimulates production of, 1049
induction in T helper cells relating to proliferation and progression of, 1439
interleukin 2 can reverse the defect in effector T cells from aged mice, 1013
macrophage MIF inhibits p53 activity, 1375
normal T cells eliminate those lacking interleukin 2 receptor β, 1561
novel granulocyte colony-stimulating factor receptor mutation in severe congenital neutropenia, 497
novel SLP-76–related adaptor molecule Clnk expressed in hemopoietic cells, 1527
regulation of responses by TNF-α during helminth infection, 953
role of interferon regulatory factor 4 in modulation of interleukin 4 signaling, 1837
role of MIF in connection between chronic inflammation and tumorigenesis, 1367
role of p55 tumor necrosis factor receptor in regulating stem cell hematopoiesis, 1493
role of tumor necrosis factor in pathogenesis of colitis, 1479
T cell receptor–mediated inhibition of interleukin 2 signaling, 1263
tolerance via clonal anergy and suppression mediated by, 53
Trypanosoma cruzi trans-sialidase regulates interleukin 6 in intestinal endothelium and peripheral blood, 1825
Txk regulates interferon γ production in humans, 1147
Cytolytic T cells, high frequencies of cells specific to Melan-A in HLA-A2 individuals, 705
Cytolytic T lymphocytes, melanoma–specific, expression of natural killer cell inhibitory receptors by, 775
Cytomegalovirus
  dynamics of replication of, 177
  m144 protection from natural killer cell–mediated immune responses, 435
  m152 gene protects against T cell attack, 1285
Cytoskeleton, role of Wiskott-Aldrich syndrome protein in rearrangement of, 1329
Cytotoxic T lymphocyte antigen 4, novel mechanism of negative signal transduction by, 765
Cytotoxic T lymphocytes
  expanded peripheral T cell population impacts on generation of, 651
  hepatitis C virus induces autoreactive, 169
  H2-M3 trafficking is affected by antigen supply, 423
  H2-M3–restricted responses to bacterial infection, 195
  immune escape of tumors by expression of cellular FLIP, 1033
  interleukin 2 receptor regulates perforin expression via STAT5, 1297
  regression of stage IV melanoma induced by dendritic cell vaccination, 1669
  susceptibility to granzyme B cleavage predicts autoantigen status, 815
Cytotoxicity
  identification and characterization of novel triggering receptor NKp30 involved in, 1505
  m144 protection from natural killer cell–mediated immune responses, 435
Dendritic cells
  distinct T cell priming by spleen and Peyer's patches, 229
  mediate cellular apoptosis via TRAIL, 1155
  member enters B cell follicle and stimulates T and B cell responses, 851
  regression of stage IV melanoma induced by vaccination with, 1669
  role of macrophage inflammatory protein 3α in constitutive trafficking of Langerhans cells, 1755
  role of membrane lymphotoxin to regulate migration of, in lymphoid tissues, 629
  role in uptake and cross-presentation of tumor antigens, 125
  separate locations for immature and mature, in breast cancer tissue, 1417
Der p 1, cysteine protease activity of, enhances immunoglobulin E response, 1897
Diabetes
  A20 inhibits apoptosis and gene activation in islets, 1135
  defect in interleukin 12–induced activation and interferon γ secretion of natural killer T cells in, 963
  prevention by dual T cell receptor expression, 577
Dipeptidyl peptidase IV
  role in suppressing malignant melanoma, 311
  roles of ectoenzyme in malignant transformation, 301
Disease transmission, Kaposi's sarcoma–associated herpesvirus infection of SCID-hu Thy/Liv mice, 1857
DNA
  effect of mismatch repair deficiencies on somatic hypermutation, 21
  new research in regulatory mechanisms of gene expression, 1729
  somatic mutation and peripheral light chain rearrangement in autoimmune disease, 691
Drug therapy, measuring recent thymic emigrants in HIV-1 infection, 725
Dust mites, cysteine protease activity of Der p 1 enhances immunoglobulin E response, 1897
Dynamin, required for phagocytosis in macrophages, 1849
E2A, protein activity regulates thymocyte maturation, 1605
Embryonic development, hemogenesis and hemopoiesis occur in distinct sites, 43
Endoplasmic reticulum, TAPs select epitope precursors for processing in, 1227
Endothelial cells
  interleukin 15 regulates adhesion of, 9
  modify costimulatory capacity of transmigrating leukocytes, 555
  neutrophil apoptosis delayed by cytokine-activated, 923
Endothelial-monocyte activating polypeptide II, cytokine suppresses tumor growth and induces apoptosis, 341
Endothelium
  platelet glycoprotein Ib-α is counterreceptor for P-selectin, 803
  role of junctional adhesion molecule to inhibit leukocyte recruitment in meningitis, 1351
  Trypanosoma cruzi trans-sialidase regulates interleukin 6 in peripheral blood and intestinal, 1825
Enhancer binding protein γ, role in natural killer cytotoxic activity and interferon γ production, 1573
Eosinophils
  CD28-mediated release of type 1 cytokines by, 487

novel hydrogen ion conductance in, 183
role in antigen sensitization and viral infection, 1465
role of interleukin 1 receptor in Th2-mediated mucosal immune responses, 895
Epidermis, role of macrophage inflammatory protein 3α in constitutive trafficking of Langerhans cells, 1755
Epstein-Barr virus, memory B cells accumulate in peripheral blood of immunosuppressed patients, 567
Erythrocytes, variant surface antigens encoded by *rif* gene on *P. falciparum*–infected, 1393
Experimental autoimmune encephalomyelitis, critical role for B7 costimulation in, 733
Extracellular signal–regulated kinase, activation by pre–T cell receptor in developing thymocytes, 1647
Eye
natural killer T cells required for systemic tolerance induced via immune-privileged site, 1215
role of natural killer T cells in immune privilege, 1197
Factor IX, targeted inhibition of coagulation limits cerebral injury in stroke, 91
Fas
caspase activation required for T cell proliferation, 1891
efficient negative selection of thymocytes requires several cell surface molecules including, 65
FLIP protects macrophages from apoptosis mediated by, 1679
inhibition of death receptor signaling by FLIP for immune escape of tumors, 891
Fas ligand, Bcl-2 inhibits transcription of, 253
Fas receptor, role of FLIP in tumor progression, 1025
Fcε receptor, role of sphingosine in mast cell activation after triggering, 1
Fcγ receptor II, major receptor for C-reactive protein on leukocytes, 585
Fc receptors
Fcγ receptor II is major receptor for C-reactive protein on leukocytes, 585
pathogenicity of low-affinity autoantibodies in autoimmune hemolytic anemia, 1689
Fibroblast activating protein α, role in regulating growth of melanocytic cells, 311
FLICE
immune escape of tumors by expression of cellular inhibitory protein, 1033
inhibitory protein defines new class of tumor progression factors, 1025
macrophages protected from Fas-mediated apoptosis by inhibitory protein of, 1679
FLICE-inhibitory protein, inhibition of death receptor signaling by, for immune escape of tumors, 891
FLIP
immune escape of tumors by expression of cellular, 1033
protects macrophages from Fas-mediated apoptosis, 1679
role in tumor progression, 1025
FMR1, interleukin 1β induces gene repression, 1595
Follicles, V_H12 B cell differentiation focuses toward single specificity, 903
Fyn, regulates development of natural killer T cells, 1189
G protein–coupled receptor, characterization of a second subtype of *N*-formylpeptide receptor, 741
G proteins, anti-HIV agent trichosanthin enhances chemokines to stimulate activation of, 101
Galectin-1, suppresses collagen-induced arthritis via T cell apoptosis, 385
Ganciclovir, in the dynamics of human cytomegalovirus replication, 177
Gene expression
interleukin 7 receptor signals regulate TCR-γ gene transcription, 973
methylation-dependent silencing induced by interleukin 1β via nitric oxide production, 1595
new research in regulatory mechanisms of, 1729
Gene therapy, galectin-1 suppresses collagen-induced arthritis via T cell apoptosis, 385
Genetic rearrangement, somatic mutation and peripheral light chain rearrangement in autoimmune disease, 691
Genome, new research in regulatory mechanisms of gene expression, 1729
Germinal center
compromised OX40 function in mice deficient in CD28, 1115
role of *bcl-*x_L and apoptosis in clonal selection and affinity maturation, 399
Glycolipids, antigen presentation by soluble CD1 molecules of ceramide-containing, 1069
Glycopeptides, natural presentation by MHC class I molecules, 145
Glycoprotein
CD2–ligand interactions in T cell antigen recognition, 1371
Ib-α is platelet counterreceptor for P-selectin, 803
role of complement-interacting domains of herpes simplex virus gC, 1637
Golgi apparatus, transport of bacterial lipopolysaccharide to, 523
GPR-9-6, expressed on intestinal homing T cells and binds thymus-expressed chemokine, 1241
Granulocyte colony-stimulating factor receptor, novel mutation in severe congenital neutropenia, 497
Granulocyte/macrophage colony-stimulating factor
autoantibody against, in pulmonary alveolar proteinosis, 875
role in delayed neutrophil apoptosis, 923
role in dendritic cell uptake and presentation of tumor antigens, 125
Granulomatous disease, novel hydrogen ion conductance in, 183
Granzyme B, autoantigen status predicted from cleavage by, 815
Heart, C-reactive protein and complement mediate tissue damage in myocardial infarction, 1733
Helminth infection, role of TNF-α in interleukin 13–mediated Th2 responses during, 953
Hematopoiesis, role of p55 tumor necrosis factor receptor in regulating, 1493
Hematopoietic cells, age-related telomere length dynamics in, 15
Hematopoietic stem cells
bone marrow mediates irradiation rescue of V(D)J recombination and T cell differentiation, 1257
commitment of T and natural killer progenitors in fetal thymus, 1617
Hemogenesis, and hemopoiesis occur in distinct embryonic sites, 43
Hemopoiesis
and hemogenesis occur in distinct embryonic sites, 43
Ikaros regulates stem cell activity, 1201
Hemopoietic cells, novel SLP-76–related adaptor molecule Clnk expressed in, 1527
Hepatitis C virus, autoreactive cytotoxic T cells induced by, 169
Herpes simplex virus
fratricide of activated T cells induced by, 1103
role of complement-interacting domains of glycoprotein gC of, 1637
Herpesvirus
B cell hyperplasia in SIV-infected macaques, 827
role of FLIP in tumor progression, 1025
transmission to SCID-hu Thy/Liv mice of Kaposi's sarcoma–associated, 1857
High endothelial venule, sulfation of GlyCAM-1 and dynamics of L-selectin–mediated rolling, 935
HIV
chemokine receptor expression during differentiation of mast cells, 267
trichosanthin enhances chemokine receptor activation to inhibit, 101
HIV-1
B-oligomer of pertussis toxin deactivates CCR5 and blocks entry of, 597
CCR5 signaling and coreception in primary T cells, 591
measuring recent thymic emigrants in infection, 725
viral dynamics of acute infection, 841
HLA, selection of ER-processed epitope precursors by TAP, 1227
HLA-A2, splicing defect of pre-mRNA in melanoma, 205
HLA-Cw4, structure of natural killer cell inhibitory receptor ligand, 113
H2-M3
T cell responses to bacterial infection restricted by, 195
trafficking is affected by antigen supply, 423
Homeostasis, Ikaros sets thresholds for T cell receptor–mediated checkpoints in T cell differentiation, 1039
Humoral immunity, anti–4-1BB antibodies block T cell–dependent, 1535
Hyaluronate, role of interleukin 15 in endothelial expression of, 9
Hydrogen ion, novel conductance in eosinophils, 183
Hypoxia–reoxygenation, role of peroxynitrite in bovine coronary vasospasm induced by, 135
Ikaros
regulation of hemopoietic stem cell activity by, 1201
sets thresholds for T cell receptor–mediated differentiation checkpoints, 1039
Immune evasion
cytomegalovirus gene *m152* protects against T cell attack, 1285
herpes simplex virus–induced fratricide of activated antiviral T cells, 1103
role of complement-interacting domains of herpes simplex virus glycoprotein gC, 1637
Immune privilege
natural killer T cells required for systemic tolerance induced via the eye, 1215
role of natural killer T cells in, 1197
Immune reconstitution, human thymic function assessed via T cell receptor rearrangement deletion circles, 479
Immune response, separate locations for immature and mature dendritic cells in breast carcinoma tissue, 1417
Immune system, natural presentation of glycopeptides by MHC class I molecules, 145
Immunity, protective T cell–independent antiviral responses depend on complement, 1165
Immunodeficiency, role of Wiskott-Aldrich syndrome protein in lymphocyte activation and cytoskeletal rearrangement, 1329

Immunoglobulin
pathogenicity of low-affinity autoantibodies in autoimmune hemolytic anemia, 1689
role for lipid rafts in B cell antigen receptor signaling, 1549
Immunoglobulin A
inhibits CD28-mediated type 1 cytokine secretion, 487
role of polymeric immunoglobulin receptors in transport of secretory, 915
Immunoglobulin A1 protease, induces proinflammatory cytokines, 1049
Immunoglobulin class switch, mismatch repair in, 307
Immunoglobulin E
cysteine protease activity of Der p 1 enhances response of, 1897
Vα14 natural killer T cells suppress response of, 783
Immunoglobulin G, autoantigen-specific activation of rheumatoid factor B cells, 639
Immunoglobulin genes
effect of mismatch repair deficiencies on somatic hypermutation, 21
expression and secondary rearrangement in plasmacytomas, 1405
Immunoglobulin heavy chain, specificity and surface density of BCR determine B cell development, 471
Immunoglobulin receptors, role in transport of secretory immunoglobulin A, 915
Immunoglobulins, quantitative effects of surface levels on allelic exclusion, 461
Immunosuppression
EBV-infected B cells accumulate in peripheral blood of immunosuppressed patients, 567
tolerance via clonal anergy and cytokine-mediated, 53
Immunotherapy
anti–CTLA-4 induces tumor rejection and autoimmune depigmentation, 355
high frequencies of Melan-A–specific T cells in HLA-A2 individuals, 705
regression of stage IV melanoma induced by dendritic cell vaccination, 1669
Inflammation
characterization of a second subtype of *N*-formylpeptide receptor, 741
connection between tumorigenesis and chronic, 1367
cytokine-activated endothelial cells delay apoptosis of neutrophils, 923
dynamin 2 required for phagocytosis in macrophages, 1849
immunoglobulin A1 protease induces proinflammatory cytokines, 1049
interferon γ and T helper 1 cells regulate mucus production and airway, 1309
macrophage MIF inhibits p53 activity, 1375
multifunctional caspases promote apoptosis and, 1725
role of interleukin 1 receptor in Th2-mediated mucosal immune responses, 895
secretory leukocyte protease inhibitor suppresses joint damage and, 535
Inflammatory bowel disease
prevented by inhibition of interleukin 4 synthesis, 607
role of interleukin 10 in function of regulatory T cells that inhibit, 995
role of tumor necrosis factor in pathogenesis of, 1479
Inflammatory response, CD47 regulates interleukin 12 production, 1175
Influenza virus
flexible cytokine profiles of activated $CD8^+$ T cells from effector site, 1081
memory T cell responses against viral variants, 1319
Inhibitory receptors
alter natural killer cell interactions with target cells, 1005
identification of novel sialoadhesin member expressed by natural killer cells, 793
Integrins, regulated by phagocytes for apoptotic cell binding, 861
Interferon, role in constitutive regulation of MHC class I expression in T and B cells, 1451
Interferon γ
allergic airway inflammation and mucus production regulated by T helper 1 cells and, 1309
CD28-mediated release of interleukin 2 and, by eosinophils, 487
defect in secretion of natural killer T cells in diabetes, 963
flexible cytokine profiles of activated $CD8^+$ T cells from effector site, 1081
role in suppression of Th2 cell differentiation and immunoglobulin E response, 783
role of CCAAT/enhancer binding protein γ in production of, 1573
Txk regulates production in humans, 1147
Interferon consensus sequence–binding protein, regulation of apoptosis in myeloid cells by, 411
Interferon regulatory factor 4, role in modulation of interleukin 4 signaling, 1837
Interleukin 1β, nitric oxide production and gene silencing induced by, 1595
Interleukin 2
can reverse the defect in effector T cells from aged mice, 1013
CD28-mediated release of interferon γ and, by eosinophils, 487
T cell receptor–mediated inhibition of signaling of, 1263
Interleukin 4
flexible cytokine profiles of activated $CD8^+$ T cells from effector site, 1081
induction in T helper cells relating to proliferation and cell cycle progression, 1439
inhibition of production prevents inflammatory bowel disease, 607
role of interferon regulatory factor 4 in modulation of, 1837
Interleukin 6, regulated by *Trypanosoma cruzi trans*-sialidase in intestinal endothelium and peripheral blood, 1825
Interleukin 7, receptor signals regulate TCR-γ gene transcription, 973
Interleukin 10
induction in T helper cells relating to proliferation and cell cycle progression, 1439
role in function of regulatory T cells that inhibit intestinal inflammation, 995
Interleukin 12
CD47 regulates production of, 1175
defect in natural killer T cell activation induced by, in diabetes, 963
Interleukin 13, role of TNF-α in Th2 responses mediated by, during helminth infection, 953
Interleukin 15, induces endothelial hyaluronan expression and T cell trafficking through CD44, 9
Interleukin 1 receptor
role in Th2-mediated mucosal immune responses, 895
T1/ST2 not essential in T helper 2 cell development and effector function, 1541
Interleukin 2 receptor
normal T cells eliminate those lacking, 1561
regulates perforin expression via STAT5, 1297
Interleukins, immunoglobulin A1 protease induces proinflammatory cytokines such as, 1049
Intestinal intraepithelial lymphocytes, recognition of nonclassical MHC class I molecules by, 885
Intestine
GPR-9-6 is expressed on homing T cells and binds thymus-expressed chemokine, 1241
role of tumor necrosis factor in pathogenesis of colitis, 1479
Trypanosoma cruzi trans-sialidase regulates interleukin 6 in peripheral blood and endothelium of, 1825
Intracellular trafficking
internalization of lipopolysaccharide after transfer out of cell surface CD14, 509
transport of bacterial lipopolysaccharide to Golgi apparatus, 523
ITM2A, novel T cell activation marker, 217
Joint damage, secretory leukocyte protease inhibitor suppresses inflammation and, 535
Junctional adhesion molecule, role to inhibit leukocyte recruitment in meningitis, 1351
Kaposi's sarcoma–associated herpesvirus
B cell hyperplasia in SIV-infected macaques, 827
infection of SCID-hu Thy/Liv mice, 1857
Kidney
antigenic peptide results from reverse strand transcription, 1793
monocyte chemoattractant protein 1 promotes autoimmune injury, 1813
Langerhans cells, role of macrophage inflammatory protein 3α in constitutive trafficking of, 1755
Lck, required for CD28 costimulation, 375
Leukemia, regulation of apoptosis in myeloid cells by interferon consensus sequence–binding protein, 411
Leukocytes
endothelial cells modify costimulatory capacity of transmigrating, 555
Fcγ receptor II is major receptor for C-reactive protein on, 585
role of junctional adhesion molecule to inhibit recruitment of, in meningitis, 1351
role of P-selectin glycoprotein ligand 1 in rolling and migration of, 1769
Linker for activation of T cells, association of adaptor molecule with CD4 and CD8 coreceptors, 1517
Lipid rafts, role in B cell antigen receptor signaling, 1549
Lipopolysaccharide
internalization after transfer out of cell surface CD14, 509
transport to Golgi apparatus, 523
Listeria monocytogenes, H2-M3–restricted T cell responses to, 195
Locus control region, in the T cell receptor γ locus, 669
L-selectin, sulfation of GlyCAM-1 and dynamics of rolling mediated by, 935
Lung
autoantibody against granulocyte/macrophage colony-stimulating factor in PAP, 875
monocyte chemoattractant protein 1 promotes autoimmune injury, 1813
role of interleukin 1 receptor in Th2-mediated mucosal immune responses in, 895
Ly49, role in altering natural killer cell interactions with target cells, 1005
Lymphocytes
effects of sulfation on tethering and rolling of, 935
function regulated by Wiskott-Aldrich syndrome protein, 1329

recognition of nonclassical MHC class I molecules by intestinal intraepithelial, 885
regulation of early T cell receptor gene expression in development of, 141
viral dynamics of acute HIV-1 infection, 841
Lymphocytic choriomeningitis virus, CD2 sets quantitative thresholds in T cell activation, 1383
Lymphocytic disorders, role of BAFF in autoimmunity and, 1697
Lymphoid tissue, activated T cells regulate and reprogram CXCR5, 1123
Lymphoma
EBV-infected B cells accumulate in peripheral blood of immunosuppressed patients, 567
function of PIM in T cell development, 1059
role of FLIP in tumor progression, 1025
Lymphoproliferative disorders, B cell hyperplasia in SIV-infected macaques, 827
Lymphotoxin, role in regulation of dendritic cell migration in lymphoid tissues, 629
M_2 muscarinic receptor, eosinophils mediate airway hyperresponsiveness and dysfunction of, 1465
Macrophage colony-stimulating factor
role in commitment and differentiation of osteoclast precursors, 1741
vascular endothelial growth factor can substitute in osteoclastic bone resorption, 293
Macrophage inflammatory protein 3α, role in constitutive trafficking of epidermal Langerhans cells, 1755
Macrophages
dynamin 2 required for phagocytosis in, 1849
interactions with T cells during antigen presentation, 1909
MIF inhibits p53 activity, 1375
phagocytosis of retinal pigment epithelium and, 861
protected from Fas-mediated apoptosis by FLIP, 1679
role of MIF in connection between chronic inflammation and tumorigenesis, 1367
roles of RANK and M-CSF in commitment and differentiation of osteoclast precursors, 1741
Major histocompatibility complex
constitutive regulation of class I by STAT1, 1451
development of CD8 T cells independent of class I molecules, 881
final intrathymic maturation of CD4 thymocytes is independent of, 757
H2-M3–restricted T cell responses to bacterial infection, 195
natural presentation of glycopeptides by class I molecules, 145
recognition of nonclassical class I molecules by intestinal intraepithelial lymphocytes, 885
recognition of Qa-1 by CD94/NKG2C and CD94/NKG2E on natural killer cells, 1801
selective expansion of memory T cells by viral variants, 1319
thymic selection of M3-restricted T cells, 1869
Major histocompatibility complex class I
inhibitory receptors alter natural killer cell interactions with target cells, 1005
cytomegalovirus gene *m152* protects against T cell attack, 1285
Malaria, role of *Plasmodium berghei* CTRP gene in infection of vector mosquito, 1711
Malignancy, role of dipeptidyl peptidase IV in suppressing melanoma, 311
Mast cells
chemokine receptor expression during differentiation of, 267
role of sphingosine in activation of, after Fcε receptor I triggering, 1
T1/ST2 not essential in development and function of, 1541
Melan-A, high frequencies of T cells specific to, in HLA-A2 individuals, 705
Melanoma
coupling and uncoupling of tumor immunity and autoimmunity, 1717
dendritic cell vaccination of stage IV, 1669
depigmentation after immunotherapy using anti–CTLA-4, 355
expanded peripheral T cell population impacts on cytotoxic T lymphocyte generation in, 651
high frequencies of Melan-A–specific T cells in HLA-A2 individuals, 705
role of dipeptidyl peptidase IV in suppressing, 311
roles of ectoenzyme in malignant transformation, 301
splicing defect of HLA-A2 pre-mRNA in, 205
tumor-specific cytolytic T cells expressing natural killer cell inhibitory receptors, 775
Membrane sorting, at the moving junction during invasion by *Toxoplasma gondii*, 1783
Memory, cytokine induction in T helper cells relating to proliferation and cell cycle progression, 1439
Memory T cells
age-related telomere length dynamics in hematopoietic cells, 157
selective expansion by viral variants, 1319
Meningitis, inhibited leukocyte recruitment by junctional adhesion molecule in, 1351
Metal ion, expression of novel Nramp cation transporter in tuberculosis, 717
Migration
of dendritic cells, regulated by membrane lymphotoxin in lymphoid tissues, 629
role of macrophage inflammatory protein 3α in constitutive trafficking of Langerhans cells, 1755
role of P-selectin glycoprotein ligand 1 in leukocyte rolling and, 1769
Migration inhibitory factor
inhibits p53 activity, 1375
role in connection between chronic inflammation and tumorigenesis, 1367
Mismatch repair
effect of deficiencies on somatic hypermutation, 21
in immunoglobulin class switch, 307
role of enzymes in class switch recombination, 323
Molecular mimicry, breaking tolerance to an immunodominant epitope by heteroclitic antigens, 983
Monocyte chemoattractant protein 1, promotes autoimmune injury, 1813
Monocytes
CD47 regulates interleukin 12 production, 1175
vitamin D_3 regulates differentiation of, 1583
Moving junction, membrane sorting during invasion by *Toxoplasma gondii* at the, 1783
Mucosal immunity
role of interleukin 1 receptor in Th2-mediated mucosal immune responses, 895
role of polymeric immunoglobulin receptors in transport of secretory immunoglobulin A, 915
role of TNF-α in interleukin 13–mediated Th2 responses during helminth infection, 953
role of tumor necrosis factor in pathogenesis of colitis, 1479
Mucosal response, role for CD40 ligand interactions in CD8 T cell activation, 1275
Mucus, interferon γ and T helper 1 cells regulate allergic airway inflammation and production of, 1309
Mutagenesis
CD66 receptor residues required for Opa protein binding, 331
role of T cell receptor Cβ in natural killer T cell development, 1357
Mutation
effect of mismatch repair deficiencies on somatic hypermutation, 21
of granulocyte colony-stimulating factor receptor in severe congenital neutropenia, 497
Myeloid cells, regulation of apoptosis by interferon consensus sequence–binding protein in, 411
Myelosuppression, SHP-1 regulates biological activities induced by chemokines, 681
Myocardial infarction, C-reactive protein and complement mediate tissue damage in, 1733
NADPH oxidase, novel hydrogen ion conductance in eosinophils, 183
Natural killer cells
commitment of T and natural killer progenitors in fetal thymus, 1617
expression of inhibitory receptors by human melanoma–specific cytolytic T cells, 775
identification and characterization of novel triggering receptor NKp30, 1505
identification and cloning of novel sialoadhesin member expressed by, 793
inhibitory receptors alter interactions with target cells, 1005
m144 confers tumor resistance to rejection mediated by, 435
recognition of Qa-1 by CD94/NKG2C and CD94/NKG2E on, 1801
role of CCAAT/enhancer binding protein γ in cytotoxic activity of, 1573
structure of inhibitory receptor ligand HLA-Cw4, 113
suppression of immunoglobulin E response by Vα14, 783
Natural killer T cells
active process of immune privilege in the eye, 1197
defect in interleukin 12–induced activation and interferon γ secretion of, in diabetes, 963
Fyn regulates development of, 1189
required for systemic tolerance via immune-privileged site, 1215
T cell receptor Cβ mutation affects development of, 1357
Necrosis, reactive protein and complement mediate tissue damage in myocardial infarction, 1733
Negative selection, of thymocytes, controlled by several different molecules, 65
Neisseria gonorrhoeae, CD66 receptor residues required for Opa protein binding, 331
Neisseriae, exoenzyme immunoglobulin A1 protease induces proinflammatory cytokines, 1049
Neoplastic transformation
effects of NSAIDs independent of cyclooxygenase inhibition, 451
role of cyclooxygenase inhibition in effects of NSAIDs, 445
Neutrophils
characterization of a second subtype of *N*-formylpeptide receptor, 741

cytokine-activated endothelial cells delay apoptosis of, 923
N-formylated peptides, thymic selection of M3-restricted T cells, 1869
N-formylpeptide receptor, characterization of a second subtype of, 741
Nitric oxide
A20 inhibits apoptosis and gene activation in islets, 1135
interleukin 1β induces production of, and gene silencing, 1595
NKG2, recognition of Qa-1 by heterodimeric receptors on natural killer cells, 1801
NKp30, identification and characterization of novel triggering receptor involved in cytotoxicity, 1505
Nonhomologous end joining, mismatch repair in immunoglobulin class switch, 307
Nonsteroidal antiinflammatory drugs
antineoplastic effects independent of cyclooxygenase inhibition, 451
role of cyclooxygenase inhibition in antineoplastic effects of, 445
Nuclear factor of activated T lymphocytes, role in inhibition of Fas ligand transcription by Bcl-2, 253
Nuclear factor κB, A20 inhibits gene activation dependent on, 1135
Opacity protein, CD66 receptor residues required for binding of, 331
Osteoclasts
commitment and differentiation of precursors of, 1741
vascular endothelial growth factor supports bone resorption, 293
Osteopetrosis, vascular endothelial growth factor supports osteoclastic bone resorption, 293
Ovalbumin, suppressed Th2 differentiation and immunoglobulin E response by Vα14 natural killer T cells, 783
OX40, compromised function in mice deficient in CD28, 1115
p53
in connection between chronic inflammation and tumorigenesis, 1367
macrophage MIF inhibits activity of, 1375
role of tumor necrosis factor receptor in regulating stem cell hematopoiesis, 1493
p75, identification and cloning of novel sialoadhesin member expressed by natural killer cells, 793
Paclitaxel, Bcl-2 inhibits Fas ligand transcription and blocks apoptosis induced by, 253
Parainfluenza virus, role of eosinophils in antigen sensitization and viral infection, 1465
Parasitic infection
membrane sorting at the moving junction during invasion by *Toxoplasma gondii*, 1783
role of *Plasmodium berghei* CTRP gene in malaria infection of vector mosquito, 1711
Peptide/MHC class II chimera, T helper cell type 2 differentiation by, 543
Peptides
distinct requirements for T cell division and thymic selection, 367
H2-M3 trafficking is affected by presence of *N*-formylated, 423
new antigen on human kidney results from reverse strand transcription, 1793
Perforin
immune escape of tumors by expression of cellular FLIP, 1033
interleukin 2 receptor regulates expression of, via STAT5, 1297
required for autoimmunity but not tumor immunity, 1717
Peroxynitrite, role in hypoxia–reoxygenation-induced coronary vasospasm in bovine arteries, 135
Pertussis toxin, deactivates CCR5 and blocks entry of HIV-1, 597
Peyer's patch, distinct T cell priming by, and spleen dendritic cells, 229
Phagocytosis
membrane sorting at the moving junction during invasion by *Toxoplasma gondii*, 1783
regulation of integrins for apoptotic cell binding, 861
requires dynamin 2 in macrophages, 1849
Phosphatidyl choline, V_H12 B cell differentiation focuses toward single specificity, 903
Phosphatidylinositol 3-kinase, monocyte differentiation regulated by complex of vitamin D_3 and, 1583
PIM, function in T cell development, 1059
Plasma membrane, molecular dimensions and T cell antigen recognition, 31
Plasmacytomas, immunoglobulin V gene expression and secondary rearrangement in, 1405
Plasmodium berghei, role of CTRP gene in malaria infection of vector mosquito, 1711
Plasmodium falciparum, variant surface antigens encoded by *rif* gene on infected erythrocytes, 1393
Platelet glycoprotein, Ib-α is counterreceptor for P-selectin, 803
Pneumococcus, formation of *Streptococcus pneumoniae* type 37 capsular polysaccharide, 241
Positive selection, E2A protein activity regulates thymocyte maturation, 1605
Posttransplant lymphoproliferative disease, EBV-infected B cells accumulate in peripheral blood of immunosuppressed patients, 567
Pre–T cell receptor, extracellular signal–regulated kinase activation by, 1647
Pre–T cells, function of PIM in T cell development, 1059
Prostacyclin synthase, hypoxia–reoxygenation causes nitration of, in bovine coronary vasospasm, 135
Protease, susceptibility to granzyme B cleavage predicts autoantigen status, 815
Proteases, multifunctional caspases promote inflammation and apoptosis, 1725
P-selectin
platelet glycoprotein Ib-α is counterreceptor for, 803
role of glycoprotein ligand 1 in leukocyte rolling and migration, 1769
Pulmonary alveolar proteinosis, autoantibody against granulocyte/macrophage colony-stimulating factor in, 875
Qa-1, recognition by CD94/NKG2C and CD94/NKG2E on natural killer cells, 1801
Rag, function of PIM in T cell development with deficiency in, 1059
RANK, role in commitment and differentiation of osteoclast precursors, 1741
Rearrangement, human thymic function assessed via T cell receptor DNA deletion circles, 479
Recombination
immunoglobulin V gene expression and secondary rearrangement in plasmacytomas, 1405
mismatch repair in immunoglobulin class switch, 307
role of mismatch repair enzymes in class switching, 323
Renal cell carcinoma, antigenic peptide on human kidney results from reverse strand transcription, 1793
Replication, of human cytomegalovirus, 177
Retinal pigment epithelium, phagocytosis of macrophages and, 861
Reverse strand transcription, antigenic peptide on human kidney tumor results from, 1793
Rheumatoid factors, effect of BAFF on, in autoimmune disease, 1697
RIBP, novel adaptor protein regulates T cell activation, 1657
rif gene family, variant surface antigens on *P. falciparum*–infected erythrocytes encoded by, 1393
Rolling, of lymphocytes, effects of sulfation on tethering and, 935
SCID-hu, transmission of Kaposi's sarcoma–associated herpesvirus to mice with, 1857
Secretory immunoglobulin, role of polymeric immunoglobulin receptors in transport of, 915
Selectins
platelet glycoprotein Ib-α is counterreceptor for P-selectin, 803
role of P-selectin glycoprotein ligand 1 in leukocyte rolling and migration, 1769
Selection
E2A protein activity regulates thymocyte maturation, 1605
Ikaros sets thresholds for T cell receptor–mediated checkpoints in T cell differentiation, 1039
ITM2A is novel T cell activation marker, 217
M3-restricted T cells in thymus, 1869
receptor avidity and costimulation specify calcium signaling in thymocytes, 943
role of *bcl-x*$_L$ and apoptosis in affinity maturation and, 399
T cell division requires peptides distinct from, 367
Serine protease inhibitor, suppresses inflammation and joint damage of bacterial cell wall–induced arthritis, 535
Severe combined immunodeficiency, bone marrow mediates irradiation rescue in, 1257
Severe congenital neutropenia, novel granulocyte colony-stimulating factor receptor mutation in, 497
SH3 domain, T cell costimulation requires proline residues in CD28 and Lck, 375
SHP-1, regulates biological activities induced by chemokines, 681
Sialoadhesin, identification and cloning of novel p75 expressed by natural killer cells, 793
Signaling
association of adaptor molecule LAT with CD4 and CD8 coreceptors, 1517
CCR5 as HIV-1 coreceptor in primary T cells, 591
cytokine induction in T helper cells relating to proliferation and cell cycle progression, 1439
Fyn regulates development of natural killer T cells, 1189
HIV-1 inhibition by B-oligomer of pertussis toxin, 597
Ikaros sets thresholds for T cell receptor–mediated checkpoints in T cell differentiation, 1039
of interleukin 2 inhibited by T cell receptor, 1263
novel adaptor protein RIBP regulates T cell activation, 1657
novel granulocyte colony-stimulating factor receptor mutation in severe congenital neutropenia, 497
novel mechanism of negative signal transduction by CTLA-4, 765

novel SLP-76–related adaptor molecule Clnk expressed in hemopoietic cells, 1527
quantitative effects of surface immunoglobulin levels on allelic exclusion, 461
role of interferon regulatory factor 4 in modulation of interleukin 4, 1837
role for lipid rafts in, of B cell antigen receptor, 1549
role of SLP-76 adaptor protein in allelic exclusion, 1093
role of sphingosine in mast cell activation after Fcε receptor I triggering, 1
role of Tec tyrosine kinase Txk in T cell activation and selection, 1427
several different molecules control negative selection of thymocytes, 65
T cell receptor ζ molecules can inhibit T cell activation, 1627
T helper cell type 2 differentiation by dimeric peptide/MHC class II/Fc chimera, 543
thresholds for antigen receptor–linked gene expression in B cells, 749
in thymocytes, specified by receptor avidity and costimulation, 943
vitamin D_3 regulates monocyte differentiation, 1583
Silencer-associated factor, nuclear localization of novel CD4 silencer binding factor, 281
Simian immunodeficiency virus, B cell hyperplasia in infected macaques, 827
SLP-76, novel adaptor molecule Clnk expressed in hemopoietic cells related to, 1527
Somatic cells, relation of telomere length with aging and turnover of, 153
Somatic hypermutation, effect of mismatch repair deficiencies on, 21
Sophorose, formation of *Streptococcus pneumoniae* type 37 capsular polysaccharide, 241
Sphingosine, role in mast cell activation after Fcε receptor I triggering, 1
Spleen
development of B cells in the, 75
distinct T cell priming by, and Peyer's patch dendritic cells, 229
hemogenesis and hemopoiesis occur in distinct embryonic sites, 43
role of membrane lymphotoxin to regulate dendritic cell migration in, 629
Splicing defect, of HLA-A2 pre-mRNA in melanoma, 205
STAT proteins, role in T helper cell type 2 differentiation by dimeric peptide/MHC class II/Fc chimera, 543
STAT1, constitutive regulation of MHC class I by, 1451
STAT5
interleukin 2 receptor regulates perforin expression via, 1297
interleukin 2 signaling and activation of, during T cell expansion, 1263
STAT6, role in interferon regulatory factor 4 modulation of interleukin 4 signaling, 1837
Stem cell factor, chemokine receptor expression during differentiation of mast cells, 267
Stem cells
commitment of T and natural killer progenitors in fetal thymus, 1617
hemogenesis and hemopoiesis occur in distinct embryonic sites, 43
Ikaros regulates hemopoietic activity, 1201
role of p55 tumor necrosis factor receptor in regulating hematopoiesis, 1493
Streptococcus pneumoniae, formation of type 37 capsular polysaccharide, 241
Stroke, targeted inhibition of coagulation limits cerebral injury in, 91
Sulfation, effects on tethering and rolling of lymphocytes, 935
Surface antigens, clonal variants encoded by *rif* gene on *P. falciparum*–infected erythrocytes, 1393
Systemic lupus, autoantigen-specific activation of rheumatoid factor B cells, 639
Systemic lupus erythematosus, somatic mutation and peripheral light chain rearrangement in, 691
T cell antigen, CD2-ligand interactions in recognition of, 1371
T cell receptor
association of adaptor molecule LAT with CD4 and CD8 coreceptors, 1517
Cβ mutation affects natural killer T cell development, 1357
control region in γ locus of, 669
extracellular signal–regulated kinase activation by pre, 1647
high level expression of CD43 inhibits apoptosis mediated by, 1903
inhibition of interleukin 2 signaling mediated by, 1263
inhibition of T cell activation through ζ chain, 1627
molecular dimensions and T cell antigen recognition, 31
prevention of diabetes by expression of a second, 577
rearrangement deletion circles used to assess human thymic function, 479
receptor avidity and costimulation specify calcium signaling in thymocytes, 943
regulation of gene expression of early, 141
role of SLP-76 adaptor protein in allelic exclusion, 1093
T cell receptor γ, interleukin 7 receptor signals gene transcription of, 973
T cells
activation suppressed by YopH, 1343
anti–4-1BB antibodies block humoral immunity dependent on, 1535
anti–CTLA-4 induces tumor rejection and autoimmune depigmentation, 355
bone marrow mediates irradiation rescue of V(D)J recombination and differentiation of, 1257
breaking tolerance to an immunodominant epitope by heteroclitic antigens, 983
caspase activation required for proliferation of, 1891
CCR5 signaling and HIV-1 coreception in primary, 591
CD8, development independent of MHC class I molecules, 881
CD2 sets quantitative thresholds in activation of, 1383
cell division requires peptides distinct from thymic selection, 367
cells lacking interleukin 2 receptor β are eliminated by normal, 1561
commitment of T and natural killer progenitors in fetal thymus, 1617
compromised OX40 function in mice deficient in CD28, 1115
constitutive regulation of MHC class I expression in, 1451
coupling and uncoupling of tumor immunity and autoimmunity, 1717
cytomegalovirus gene *m152* protects against CD8 attack, 1285
dendritic cells enter B cell follicle and stimulate responses of B and, 851
distinct priming by spleen and Peyer's patch dendritic cells, 229
E2A protein activity regulates maturation of, 1605
early activation of caspases during stimulation of, 1879
endothelial cells modify costimulatory capacity of transmigrating leukocytes, 555
expanded peripheral population impacts on cytotoxic T lymphocyte generation in melanoma, 651
expression of natural killer cell inhibitory receptors by melanoma-specific, 775
final intrathymic maturation is independent of MHC class II, 757
flexible cytokine profiles of activated $CD8^+$ cells from effector site, 1081
function of PIM in development of, 1059
galectin-1 suppresses collagen-induced arthritis via apoptosis of, 385
GPR-9-6 is expressed on intestinal homing, 1241
herpes simplex virus–induced fratricide of activated antiviral, 1103
H2-M3–restricted responses to bacterial infection, 195
human thymic function assessed via T cell receptor rearrangement deletion circles, 479
Ikaros sets thresholds for T cell receptor–mediated checkpoints in differentiation of, 1039
inhibition of interleukin 4 production prevents inflammatory bowel disease, 607
interactions with macrophages during antigen presentation, 1909
interleukin 7 receptor signals regulate TCR-γ gene transcription, 973
interleukin 15 regulates trafficking through CD44, 9
interleukin 2 signaling and STAT5 activation during expansion of, 1263
ITM2A is novel marker induced during selection and activation of, 217
multifunctional caspases promote inflammation and apoptosis, 1725
novel adaptor protein RIBP regulates activation of, 1657
novel mechanism of negative signal transduction by CTLA-4, 765
nuclear localization of novel CD4 silencer binding factor, 281
prevention of diabetes by dual T cell receptor expression, 577
protective complement-dependent antiviral responses independent of, 1165
reduced expression of 6Ckine in *plt* mice, 1183
regulation of early T cell receptor gene expression in, 141
regulation and reprogramming of CXCR5 by activated, 1123
role for CD40 ligand interactions in CD8 activation, 1275
role of interleukin 10 in function of regulatory, that inhibit intestinal inflammation, 995
role of Tec tyrosine kinase Txk in activation and selection of, 1427
selective expansion of CD8 memory, by viral variants, 1319
T cell receptor Cβ mutation affects development of natural killer, 1357
T cell receptor ζ molecules can inhibit activation of, 1627
TAPs select epitope precursors for processing and presentation to, 1227
thymic selection of M3-restricted, 1869
T helper cell type 2, differentiation by dimeric peptide/MHC class II/Fc chimera, 543
T helper 1 cells, allergic airway inflammation and mucus production regulated by interferon γ and, 1309
T helper cells
cytokine induction in, relating to proliferation and cell cycle progression, 1439
differentiation inhibited by Vα14 natural killer T cells, 783

distinct roles in tumor eradication, 617
role of interleukin 1 receptor in mucosal immune responses mediated by, 895
role of TNF-α in interleukin 13–mediated protective responses during helminth infection, 953
T1/ST2 not essential in development and function of, 1541
Txk regulates cytokine production in humans, 1147
Tec tyrosine kinases
novel adaptor protein interacts with, and regulates T cell activation, 1657
role of Txk in T cell activation and selection, 1427
Telomere length
age-related dynamics in hematopoietic cells, 157
relation to aging and somatic cell turnover, 153
Telomeres
age-related length dynamics in hematopoietic cells, 157
relation to somatic cell turnover and aging, 153
Thrombosis, targeted inhibition of coagulation limits cerebral injury in stroke, 91
Thrombospondin, role in CD47 regulation of interleukin 12 production, 1175
Thymocyte development
ITM2A is novel activation marker in, 217
role of SLP-76 adaptor protein in allelic exclusion, 1093
Thymocytes
E2A protein activity regulates maturation of, 1605
extracellular signal–regulated kinase activation by pre–T cell receptor in developing, 1647
receptor avidity and costimulation specify calcium signaling in, 943
several different molecules control negative selection of, 65
Thymus
association of adaptor molecule LAT with CD4 and CD8 coreceptors, 1517
commitment of natural killer and T cell progenitors in fetal, 1617
extracellular signal–regulated kinase activation by pre–T cell receptor, 1647
final intrathymic maturation of CD4 thymocytes is independent of MHC class II, 757
human function assessed by T cell receptor rearrangement deletion circles, 479
measuring recent thymic emigrants in HIV-1 infection, 725
selection of M3-restricted T cells, 1869
several different molecules control negative selection of thymocytes, 65
Thymus-expressed chemokine, GPR-9-6 is expressed on intestinal homing T cells and binds, 1241
Tight junction, role of junctional adhesion molecule to inhibit leukocyte recruitment in meningitis, 1351
Tolerance
autoantigen-specific activation of rheumatoid factor B cells, 639
breaking mechanism to an immunodominant epitope by heteroclitic antigens, 983
from clonal anergy and cytokine-mediated suppression, 53
natural killer T cells in immune deviation, 1215
role of natural killer T cells in immune privilege in the eye, 1197
Toxoplasma gondii, membrane sorting at the moving junction during invasion by, 1783
TRAIL, dendritic cells mediate cellular apoptosis via, 1155
Transcription
antigenic peptide on human kidney tumor results from reverse strand, 1793
locus control region in the T cell receptor γ locus, 669
new research in regulation of gene expression, 1729
of TCR-γ, regulated by interleukin 7 receptor signals, 973
Transcription factors
Ikaros regulates hemopoietic stem cell activity, 1201
role of CCAAT/enhancer binding protein γ in cytotoxicity and interferon γ production, 1573
Transcriptional silencer, subclass-specific nuclear localization of CD4 silencer, 281
Transforming growth factor β, role in tolerance via clonal anergy and cytokine-mediated suppression, 53
Transitional B cells, B cell development in the spleen, 75
Transplantation
endothelial cells modify costimulatory capacity of transmigrating leukocytes, 555
normal T cells eliminate those lacking interleukin 2 receptor β, 1561
Transporters associated with antigen processing, selection of ER-processed epitope precursors by, 1227
Trichosanthin, enhances chemokine receptor activation to inhibit HIV, 101
Triggering receptor, identification and characterization of novel NKp30 involved in cytotoxicity, 1505
Trypanosoma cruzi, regulates interleukin 6 in intestinal endothelium and peripheral blood, 1825
T1/ST2, not essential in development and function of T helper 2 cells and mast cells, 1541
Tuberculosis, expression of novel Nramp cation transporter in, 717
Tumor, antigenic peptide on human kidney results from reverse strand transcription, 1793
Tumor antigens, role of dendritic cells in uptake and cross-presentation of, 125
Tumor immunity, m144 protection from natural killer cell–mediated immune responses, 435
Tumor necrosis factor
dendritic cell migration by membrane lymphotoxin instead of, 629
dendritic cells mediate cellular apoptosis via TRAIL, 1155
role in pathogenesis of colitis, 1479
Tumor necrosis factor α
immunoglobulin A1 protease induces proinflammatory cytokines such as, 1049
role in interleukin 13–mediated Th2 responses during helminth infection, 953
Tumor necrosis factor family, role of BAFF in lymphocyte disorders and autoimmunity, 1697
Tumor necrosis factor receptor
anti–4-1BB antibodies block T cell–dependent humoral immunity, 1535
role in regulating stem cell hematopoiesis, 1493
Tumors
anti–CTLA-4 induces autoimmune depigmentation and rejection of, 355
connection between chronic inflammation and genesis of, 1367
coupling and uncoupling of tumor immunity and autoimmunity, 1717
dendritic cells mediate cellular apoptosis via TRAIL, 1155
distinct roles of T helper cells in eradication of, 617
endothelial-monocyte activating polypeptide II suppresses growth and induces apoptosis, 341
expanded peripheral T cell population impacts on CTL generation but does not overcome escape from, 651
expression of natural killer cell inhibitory receptors by melanoma-specific T cells, 775
high frequencies of Melan-A–specific T cells in HLA-A2 individuals, 705
identification and characterization of novel triggering receptor NKp30 involved in cytotoxicity, 1505
immune escape by expression of cellular FLIP, 1033
inhibition of death receptor signaling by FLIP for immune escape of, 891
macrophage MIF inhibits p53 activity, 1375
role of dipeptidyl peptidase IV in suppressing malignant melanoma, 311
role of FLIP in progression of, 1025
separate locations for immature and mature dendritic cells in breast carcinoma tissue, 1417
Txk
regulates T helper cytokine production in humans, 1147
role in T cell activation and selection, 1427
Tyrosine kinase
Fyn regulates development of natural killer T cells, 1189
proline residues in CD28 and SH3 domain of Lck are required for costimulation, 375
Txk regulates T helper cytokine production in humans, 1147
Tyrosine-related protein, coupling and uncoupling of tumor immunity and autoimmunity, 1717
U373 cells, internalization of lipopolysaccharide after transfer out of cell surface CD14, 509
V_H12 B cells, differentiation focuses toward single specificity, 903
Vaccination, with dendritic cells induces regression of stage IV melanoma, 1669
Vascular endothelial growth factor, supports osteoclastic bone resorption, 293
V(D)J rearrangement, and immunoglobulin V gene expression in plasmacytomas, 1405
V(D)J recombination
bone marrow mediates irradiation rescue of, in SCID mice, 1257
locus control region in the T cell receptor γ locus, 669
Video microscopy, dynamic interactions of macrophages with T cells during antigen presentation, 1909
Viral decay, dynamics of acute HIV-1 infection, 841
Viral immunity, role of eosinophils in antigen sensitization and viral infection, 1465
Viral infection, dynamics of human cytomegalovirus replication, 177
Viral response, protective T cell–independent and complement-dependent, 1165
Viremia, viral dynamics of acute HIV-1 infection, 841
Virulence factor, lymphocyte activation suppressed by YopH, 1343
Vitamin D_3, regulates monocyte differentiation, 1583
Wiskott-Aldrich syndrome, role of protein in lymphocyte activation and cytoskeletal rearrangement, 1329
Yersinia, lymphocyte activation suppressed by YopH, 1343
YopH, lymphocyte activation suppressed by, 1343